

Metallic (M2) Formulary Drug List Effective 04-01-2025

This is a drug list for Health Savings Account qualifying plans.

What is the list of covered drugs (Formulary Drug List)?

This document contains a list of generic, brand and specialty drugs covered under your plan.

How is the list of covered drugs developed?

The formulary drug list is developed with an independent committee of physicians, pharmacists, and other healthcare providers called the Pharmacy and Therapeutics Committee. This independent committee reviews and selects drugs for coverage based on each drug's safety, effectiveness, and cost.

The committee meets at least quarterly to review new drugs to market to determine placement on this list and reviews updated safety, effectiveness, and cost information for existing drugs to ensure the drug list remains up to date with current medical evidence.

How do I use the Formulary Drug List?

Drugs are listed by categories depending on the type of medical conditions that they are used to treat. If you know what your drug is used for, look for the category name in the list that begins below. Then look under the category name for your drug.

If you are not sure what category to look under, you can also search for the drug in the index. The index provides an alphabetical list of all the drugs included in this document. Next to the name of the drug in the index, you will see the page number where you can find coverage information. Turn to the page listed in the index and find the name of your drug in the first column of the list.

How does the Formulary Drug List help me understand my drug coverage?

Drug coverage is based on your coverage contract. Coverage for a specific drug is subject to the rules outlined in your member booklet. This document will tell you if a drug is included on the drug list attached to your plan.

Will the Formulary Drug List change?

This drug list is updated throughout the year. If you are taking a drug and it will be removed from the drug list or moved to a higher cost sharing tier, we will notify you of this change via letter. We also post information on upcoming drug list changes on our website on the “Drug list Changes” page.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These can be seen in the column next to the drug name on the list. These requirements and limits may include:

- **Age Limits:** Some drugs have age limits due to Food and Drug Administration (FDA) approved indications. For example, Drug A is limited to ages 2 through 5 years of age.
- **Prior Authorization:** Some drugs require prior approval before they are covered.
- **Quantity Limits:** For some drugs, we limit the amount of the drug that we will cover. For example, we will cover 18 per 30-day supply of zolmitriptan oral tablets.
- **Step Therapy:** For some drugs we require that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, then we will then cover Drug B.

Drugs subject to these restrictions will generally mean that your physician or healthcare provider may need to provide additional information on your medical condition before the drug will be covered at the pharmacy. Information on this process is on our website on the “Drugs Requiring Approval” page.

Metallic (M2) Formulary Drug List

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., JANUVIA) and generic drugs are listed in lower-case italics (e.g., *metformin oral tablet*).

The information in the Requirements/Limits column tells you if we have any special requirements for coverage of your drug.

The amount you pay for a covered drug will depend on if you have met any applicable deductible for the plan year, if you have met any applicable maximum out of pocket for the plan year and what tier the medication is on.

More information on applicable deductibles and maximum out of pockets can be found in your member booklet.

Metallic (M2) Formulary Drug List

| Drug Tier | Includes |
|---------------------|--|
| Formulary Drugs (1) | Formulary Drugs include Preferred Generic, Preferred Brand, and Non- Preferred Drugs. Medical plan cost shares apply to formulary drugs. Once you have satisfied your medical deductible, you will pay your applicable coinsurance until you reach your out-of-pocket maximum limit. |

| | |
|----------------------|--|
| Specialty Drug (2) | Tier 2 includes specialty drugs. Specialty drugs are generally biologics and other targeted drugs usually used for complex medical conditions and often requiring special handling. |
| MB (Medical Benefit) | The MB tier includes medical benefit drugs normally administered in a clinic, infusion center or provided by a home infusion service. These drugs and their services are covered under the medical benefit, not under the pharmacy benefit. This drug may require prior authorization, please see the "Drugs Requiring Approval" page on our website for more information. |

COVERAGE AND ABBREVIATIONS

| ABBREVIATION | DESCRIPTION | EXPLANATION |
|--|---------------------------------|---|
| UTILIZATION MANAGEMENT RESTRICTIONS | | |
| AGE | Age Limit Restriction | We limit the use of a drug to certain ages. The prescription is covered if your age is within the specific age range. |
| PA | Prior Authorization Restriction | You (or your physician) are required to get prior authorization from us before you fill your prescription for this drug. Without prior approval, we may not cover this drug. |
| QL | Quantity Limit Restriction | We limit the amount of this drug that is covered per prescription, or within a specific time frame. |
| ST | Step Therapy Restriction | Before we provide coverage for this drug you must first try another drug to treat your medical condition. This drug may only be covered if the other drug does not work for you. |
| OTHER SPECIAL REQUIREMENTS FOR COVERAGE | | |
| OCh | Oral Chemo | Oral Chemotherapy Drug. Certain oral chemotherapy drugs may be covered under your medical plan. Please check your member booklet for more details. |
| LA | Limited Access Drug | Some drugs under your plan may only be filled at an in-network specialty pharmacy. These are drugs where the FDA has restricted distribution or are drugs that require special handling, provider coordination, or patient education that cannot be met by a network retail pharmacy. |

| | | |
|--------|---|--|
| ACA PV | Affordable Care Act (ACA) Preventive Medication | <p>The Affordable Care Act (ACA) makes certain preventive medications available to you at no cost when you meet the requirements of the U.S. Preventive Services Task Force (USPSTF) recommendation grade of "A" or "B."</p> <p><i>The coverage in full for some drugs is limited to the following:</i></p> <ul style="list-style-type: none"> • <i>Bowel prep (example: peg 3350-electrolytes oral recon soln): Covered for persons between 45 and 75 years old. Limited to 2 prescriptions per year.</i> • <i>Breast cancer prevention (tamoxifen, raloxifene, anastrozole, exemestane, Soltamox liquid, letrozole): Covered in full for persons 35 years or older.</i> • <i>Fluoride: Covered in full for persons 6 months old through 16 years old</i> • <i>Smoking cessation aids (example: nicotine patches): Covered in full for persons 18 years or older. Limited to 180 days per year.</i> • <i>Statins (example: atorvastatin): Covered in full for persons 40 years old through 75 years old.</i> <p><i>Coverage outside of the limits described above will be at the tier in the "Drug Tier" column.</i></p> |
| Vac | Vaccines | <p>For more information on the coverage of vaccines administered at a Pharmacy, please see your member booklet, or contact Customer Service.</p> |

| Drug Name | Tier | Requirements / Limits |
|---|------|-----------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 1 | |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG | 1 | PA |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> | 1 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 1 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 1 | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 1 | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>itraconazole oral capsule 100 mg</i> | 1 | |
| <i>itraconazole oral solution 10 mg/ml</i> | 1 | |
| <i>ketoconazole oral tablet 200 mg</i> | 1 | |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 1 | |
| <i>nystatin oral tablet 500,000 unit</i> | 1 | |
| ORAVIG MUCO-ADHESIVE BUCCAL TABLET 50 MG | 1 | ST |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> | 1 | |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | 1 | |
| ANTIVIRALS | | |
| <i>abacavir oral solution 20 mg/ml</i> | 1 | QL (60 per 30 days) |
| <i>abacavir oral tablet 300 mg</i> | 1 | QL (60 per 30 days) |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | 1 | QL (30 per 30 days) |
| <i>acyclovir oral capsule 200 mg</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 1 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>adefovir oral tablet 10 mg</i> | 1 | |
| <i>amantadine hcl oral capsule 100 mg</i> | 1 | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 1 | |
| <i>amantadine hcl oral tablet 100 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| APTIVUS ORAL CAPSULE 250 MG | 1 | QL (120 per 30 days) |
| <i>atazanavir oral capsule 150 mg, 300 mg</i> | 1 | QL (30 per 30 days) |
| <i>atazanavir oral capsule 200 mg</i> | 1 | QL (60 per 30 days) |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | 1 | PA |
| BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML | 1 | VAC |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50- 200-25 MG | 1 | QL (30 per 30 days) |
| CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 2 | PA |
| CIMDUO ORAL TABLET 300-300 MG | 1 | QL (30 per 30 days) |
| COMPLERA ORAL TABLET 200-25-300 MG | 1 | QL (30 per 30 days) |
| <i>darunavir oral tablet 600 mg</i> | 1 | QL (60 per 30 days) |
| <i>darunavir oral tablet 800 mg</i> | 1 | QL (30 per 30 days) |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 1 | PA |
| DOVATO ORAL TABLET 50-300 MG | 1 | QL (30 per 30 days) |
| EDURANT ORAL TABLET 25 MG | 1 | QL (30 per 30 days) |
| <i>efavirenz oral tablet 600 mg</i> | 1 | QL (30 per 30 days) |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600- 200-300 mg</i> | 1 | |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400- 300-300 mg, 600-300-300 mg</i> | 1 | |
| <i>emtricitabine oral capsule 200 mg</i> | 1 | QL (30 per 30 days) |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> | 1 | |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 1 | QL (120 per 30 days) |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> | 1 | |
| EPCLUSA ORAL PELLETS IN PACKET 150- 37.5 MG, 200-50 MG | 2 | PA; LA |
| EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG | 2 | PA; LA |
| <i>etravirine oral tablet 100 mg, 200 mg</i> | 1 | QL (60 per 30 days) |
| EVOTAZ ORAL TABLET 300-150 MG | 1 | QL (30 per 30 days) |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 1 | |
| <i>fosamprenavir oral tablet 700 mg</i> | 1 | QL (60 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 2 | QL (30 per 30 days) |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 1 | QL (30 per 30 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG, 45-200 MG | 2 | PA; LA |
| HARVONI ORAL TABLET 45-200 MG, 90-400 MG | 2 | PA; LA |
| ISENTRESS HD ORAL TABLET 600 MG | 1 | QL (60 per 30 days) |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 1 | QL (60 per 30 days) |
| ISENTRESS ORAL TABLET 400 MG | 1 | QL (60 per 30 days) |
| ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG | 1 | QL (60 per 30 days) |
| JULUCA ORAL TABLET 50-25 MG | 1 | QL (30 per 30 days) |
| <i>lamivudine oral solution 10 mg/ml</i> | 1 | QL (900 per 30 days) |
| <i>lamivudine oral tablet 100 mg</i> | 1 | |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> | 1 | QL (60 per 30 days) |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 1 | QL (60 per 30 days) |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> | 1 | QL (320 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> | 1 | QL (60 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> | 1 | QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 1 | QL (60 per 30 days) |
| <i>nevirapine oral tablet 200 mg</i> | 1 | QL (60 per 30 days) |
| <i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> | 1 | QL (30 per 30 days) |
| NORVIR ORAL POWDER IN PACKET 100 MG | 1 | QL (360 per 30 days) |
| ODEFSEY ORAL TABLET 200-25-25 MG | 1 | QL (30 per 30 days) |
| <i>oseltamivir oral capsule 30 mg</i> | 1 | QL (40 per 365 days) |
| <i>oseltamivir oral capsule 45 mg, 75 mg</i> | 1 | QL (20 per 365 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> | 1 | QL (360 per 365 days) |
| PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG | 1 | QL (40 per 90 days) |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 1 | QL (30 per 30 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 1 | QL (2 per 365 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| REYATAZ ORAL POWDER IN PACKET 50 MG | 1 | QL (150 per 30 days) |
| <i>ribavirin inhalation recon soln 6 gram</i> | MB | |
| <i>ribavirin oral capsule 200 mg</i> | 2 | LA |
| <i>ribavirin oral tablet 200 mg</i> | 2 | LA |
| <i>rimantadine oral tablet 100 mg</i> | 1 | |
| <i>ritonavir oral tablet 100 mg</i> | 1 | QL (360 per 30 days) |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 1 | QL (8 per 30 days) |
| SOVALDI ORAL PELLETS IN PACKET 150 MG, 200 MG | 1 | PA; LA |
| SOVALDI ORAL TABLET 200 MG, 400 MG | 1 | PA; LA |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 1 | QL (30 per 30 days) |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | 1 | |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | 1 | QL (30 per 30 days) |
| TIVICAY ORAL TABLET 50 MG | 1 | QL (60 per 30 days) |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 1 | QL (30 per 30 days) |
| TYBOST ORAL TABLET 150 MG | 1 | QL (30 per 30 days) |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> | 1 | |
| <i>valganciclovir oral tablet 450 mg</i> | 1 | |
| VEMLIDY ORAL TABLET 25 MG | 1 | PA |
| VIRACEPT ORAL TABLET 250 MG | 1 | QL (90 per 30 days) |
| VIRACEPT ORAL TABLET 625 MG | 1 | QL (60 per 30 days) |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 1 | PA; QL (240 per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 1 | PA; QL (30 per 30 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 2 | PA; LA |
| ZEPATIER ORAL TABLET 50-100 MG | 2 | PA; LA |
| <i>zidovudine oral capsule 100 mg</i> | 1 | QL (60 per 30 days) |
| <i>zidovudine oral syrup 10 mg/ml</i> | 1 | QL (960 per 30 days) |
| <i>zidovudine oral tablet 300 mg</i> | 1 | QL (60 per 30 days) |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 1 | |
| <i>cefadroxil oral capsule 500 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 1 | |
| <i>cefadroxil oral tablet 1 gram</i> | 1 | |
| <i>cefdinir oral capsule 300 mg</i> | 1 | |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>cefixime oral capsule 400 mg</i> | 1 | |
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | 1 | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 1 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 1 | |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| ERYTHROMYCINS & OTHER MACROLIDES | | |
| <i>azithromycin oral packet 1 gram</i> | 1 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 1 | |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i> | 1 | |
| DIFICID ORAL TABLET 200 MG | 1 | |
| <i>e.e.s. oral tablet 400 mg</i> | 1 | |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 1 | |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 1 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml, 400 mg/5 ml</i> | 1 | |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i> | 1 | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i> | 1 | |
| MISCELLANEOUS ANTIINFECTIVES | | |
| <i>albendazole oral tablet 200 mg</i> | 1 | |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML | 1 | PA |
| <i>atovaquone oral suspension 750 mg/5 ml</i> | 1 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i> | 1 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 2 | PA; LA; QL (84 per 30 days) |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> | 1 | |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> | 1 | |
| COARTEM ORAL TABLET 20-120 MG | 1 | |
| <i>cycloserine oral capsule 250 mg</i> | 1 | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 1 | |
| EMVERM ORAL TABLET, CHEWABLE 100 MG | 1 | PA |
| <i>ethambutol oral tablet 100 mg, 400 mg</i> | 1 | |
| <i>hydroxychloroquine oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i> | 1 | |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 1 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>ivermectin oral tablet 3 mg</i> | 1 | QL (20 per 30 days) |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> | 1 | |
| <i>linezolid oral tablet 600 mg</i> | 1 | |
| <i>mefloquine oral tablet 250 mg</i> | 1 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>neomycin oral tablet 500 mg</i> | 1 | |
| <i>nitazoxanide oral tablet 500 mg</i> | 1 | |
| <i>paromomycin oral capsule 250 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM | 1 | |
| <i>pentamidine inhalation recon soln 300 mg</i> | 1 | |
| <i>praziquantel oral tablet 600 mg</i> | 1 | |
| PRIFTIN ORAL TABLET 150 MG | 1 | |
| <i>primaquine oral tablet 26.3 mg (15 mg base)</i> | 1 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 1 | |
| <i>pyrimethamine oral tablet 25 mg</i> | 2 | PA |
| <i>quinine sulfate oral capsule 324 mg</i> | 1 | |
| <i>rifabutin oral capsule 150 mg</i> | 1 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 1 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 1 | PA |
| SIVEXTRO ORAL TABLET 200 MG | 1 | QL (6 per 30 days) |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> | 2 | |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> | 2 | |
| TRECTOR ORAL TABLET 250 MG | 1 | |
| XIFAXAN ORAL TABLET 200 MG, 550 MG | 1 | PA; QL (60 per 30 days) |
| PENICILLINS | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 1 | |
| <i>ampicillin oral capsule 500 mg</i> | 1 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | |
| QUINOLONES | | |
| BAXDELA ORAL TABLET 450 MG | 1 | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> | 1 | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 1 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>moxifloxacin oral tablet 400 mg</i> | 1 | |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | 1 | |
| SULFA'S & RELATED AGENTS | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i> | 1 | |
| <i>sulfatrim oral suspension 200-40 mg/5 ml</i> | 1 | |
| TETRACYCLINES | | |
| <i>avidoxy oral tablet 100 mg</i> | 1 | ST |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i> | 1 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 1 | |
| <i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> | 1 | |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i> | 1 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 1 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|-----------------------------------|
| URINARY TRACT AGENTS | | |
| <i>fosfomycin tromethamine oral packet 3 gram</i> | 1 | |
| <i>methenamine hippurate oral tablet 1 gram</i> | 1 | |
| <i>methenamine mandelate oral tablet 0.5 gram, 1 gram</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | 1 | |
| PRIMSOL ORAL SOLUTION 50 MG/5 ML | 1 | |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | |
| VANCOMYCIN | | |
| <i>vancomycin oral capsule 125 mg, 250 mg</i> | 1 | |
| <i>vancomycin oral recon soln 25 mg/ml, 50 mg/ml</i> | 1 | |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 1 | |
| MESNEX ORAL TABLET 400 MG | 1 | |
| VISTOGARD ORAL GRANULES IN PACKET 10 GRAM | 2 | PA |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| <i>abiraterone oral tablet 250 mg, 500 mg</i> | 2 | PA; Och; LA |
| ALECENSA ORAL CAPSULE 150 MG | 2 | PA; Och; LA; QL (240 per 30 days) |
| <i>anastrozole oral tablet 1 mg</i> | 1 | Och; ACA PV; QL (30 per 30 days) |
| AUGTYRO ORAL CAPSULE 160 MG | 2 | PA; Och; ACA PV; LA |
| AUGTYRO ORAL CAPSULE 40 MG | 2 | PA; Och; LA |
| <i>azathioprine oral tablet 50 mg</i> | 1 | |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG | 2 | PA; Och |
| <i>bexarotene oral capsule 75 mg</i> | 2 | PA; Och; LA |
| <i>bexarotene topical gel 1 %</i> | 2 | PA; LA |
| <i>bicalutamide oral tablet 50 mg</i> | 1 | Och; QL (30 per 30 days) |
| BOSULIF ORAL CAPSULE 100 MG | 2 | PA; Och; LA |
| BOSULIF ORAL CAPSULE 50 MG | 2 | PA; Och; LA; QL (30 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|-----------------------------------|
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | 2 | PA; Och; LA |
| BRAFTOVI ORAL CAPSULE 75 MG | 2 | PA; Och; LA |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG | 2 | PA; Och; LA |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 2 | PA; Och |
| <i>capecitabine oral tablet 150 mg</i> | 2 | Och; LA; QL (210 per 30 days) |
| <i>capecitabine oral tablet 500 mg</i> | 2 | Och; LA; QL (84 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG, 300 MG | 2 | PA; Och |
| COMETRIQ ORAL CAPSULE 100 MG/DAY (80 MG X1-20 MG X1), 140 MG/DAY (80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY) | 2 | PA; Och; LA |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 2 | PA; Och |
| COTELLIC ORAL TABLET 20 MG | 2 | PA; Och; LA |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 1 | Och |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>cyclosporine modified oral solution 100 mg/ml</i> | 1 | |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> | 1 | |
| <i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i> | 2 | PA; Och; LA |
| DAURISMO ORAL TABLET 100 MG, 25 MG | 2 | PA; Och; LA |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 2 | PA; LA |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 2 | PA; LA |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 2 | PA; LA |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 2 | PA; LA |
| ERLEADA ORAL TABLET 240 MG, 60 MG | 2 | PA; Och; LA |
| <i>erlotinib oral tablet 100 mg, 150 mg, 25 mg</i> | 2 | PA; Och; LA |
| <i>etoposide oral capsule 50 mg</i> | 2 | Och |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> | 2 | PA; Och; LA; QL (30 per 30 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> | 2 | PA; Och; LA |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i> | 2 | PA; Och; LA; QL (150 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|-----------------------------------|
| <i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i> | 2 | PA; Och; LA; QL (100 per 30 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i> | 2 | PA; Och; LA; QL (60 per 30 days) |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 1 | PA |
| <i>exemestane oral tablet 25 mg</i> | 2 | Och; ACA PV; QL (30 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> | 2 | PA; Och |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 1 | |
| <i>gengraf oral solution 100 mg/ml</i> | 1 | |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 2 | PA; Och; LA |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 2 | PA; Och |
| HYCAMTIN ORAL CAPSULE 0.25 MG | 2 | Och; LA |
| HYCAMTIN ORAL CAPSULE 1 MG | 2 | PA; Och; LA |
| <i>hydroxyurea oral capsule 500 mg</i> | 1 | Och |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 2 | PA; Och |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 2 | PA; Och; LA |
| <i>imatinib oral tablet 100 mg, 400 mg</i> | 2 | PA; Och; LA |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG | 2 | PA; Och |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 2 | PA; Och |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 2 | PA; Och |
| INLYTA ORAL TABLET 1 MG, 5 MG | 2 | PA; Och; LA |
| ITOVEBI ORAL TABLET 3 MG, 9 MG | 2 | PA; Och; LA |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 2 | PA; Och; LA |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3) | 2 | PA; Och; LA |
| <i>lapatinib oral tablet 250 mg</i> | 2 | PA; Och; LA; QL (180 per 30 days) |
| LAZCLUZE ORAL TABLET 240 MG, 80 MG | 2 | PA; Och |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> | 2 | PA; Och; LA; QL (30 per 30 days) |
| <i>lenalidomide oral capsule 2.5 mg, 20 mg</i> | 2 | PA; Och; LA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|----------------------------------|
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 2 | PA; Och; LA |
| <i>letrozole oral tablet 2.5 mg</i> | 1 | Och; ACA PV; QL (30 per 30 days) |
| LEUKERAN ORAL TABLET 2 MG | 2 | PA; Och |
| LEUPROLIDE (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 2 | PA |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 2 | PA; LA |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | 2 | PA; Och; LA |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG | 2 | PA; LA |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 2 | PA; LA |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 2 | PA; LA |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | 2 | PA; LA |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG | 2 | PA; LA |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED) | 2 | PA; LA |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG | 2 | PA; LA |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 2 | PA; Och; LA |
| LYSODREN ORAL TABLET 500 MG | 2 | PA; Och |
| MATULANE ORAL CAPSULE 50 MG | 2 | PA; Och |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | 1 | |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 1 | Och |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML | 2 | PA; Och; LA |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG | 2 | PA; Och; LA |
| MEKTOVI ORAL TABLET 15 MG | 2 | PA; Och; LA |
| <i>mercaptopurine oral tablet 50 mg</i> | 1 | Och; QL (120 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|-----------------------------------|
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 1 | Och |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | 1 | |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | 1 | |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> | 1 | |
| NERLYNX ORAL TABLET 40 MG | 2 | PA; Och; LA; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> | 2 | PA; Och; QL (30 per 30 days) |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 2 | PA; Och; LA |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 2 | PA; LA |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 2 | PA; LA |
| <i>pazopanib oral tablet 200 mg</i> | 2 | PA; Och; LA |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 2 | PA; Och; LA; QL (30 per 30 days) |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 2 | PA; Och; LA; QL (30 per 30 days) |
| QINLOCK ORAL TABLET 50 MG | 2 | PA; Och; QL (90 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG | 2 | PA; Och; LA; QL (60 per 30 days) |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 2 | PA; Och; LA; QL (30 per 30 days) |
| REVUFORJ ORAL TABLET 110 MG, 160 MG | 2 | PA; Och |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 2 | PA; Och; LA |
| RYDAPT ORAL CAPSULE 25 MG | 2 | PA; Och; LA |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 2 | PA |
| <i>sirolimus oral solution 1 mg/ml</i> | 1 | |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 1 | Och; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|----------------------------------|
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML | 2 | PA; LA |
| <i>sorafenib oral tablet 200 mg</i> | 2 | PA; Och; LA |
| STIVARGA ORAL TABLET 40 MG | 2 | PA; Och; LA |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 2 | PA; Och; LA |
| TABLOID ORAL TABLET 40 MG | 2 | PA; Och; QL (210 per 30 days) |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | 1 | |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 2 | PA; Och; LA |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG | 2 | PA; Och; LA |
| TAGRISSE ORAL TABLET 40 MG, 80 MG | 2 | PA; Och; LA |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 2 | PA; Och; LA |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 1 | Och; ACA PV; QL (60 per 30 days) |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | 2 | PA; Och; LA |
| <i>temozolomide oral capsule 100 mg, 140 mg, 180 mg, 20 mg, 250 mg, 5 mg</i> | 2 | PA; Och; LA |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 2 | PA; Och; LA |
| TIBSOVO ORAL TABLET 250 MG | 2 | PA; Och |
| <i>toremifene oral tablet 60 mg</i> | 2 | Och |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 2 | Och |
| VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG | 2 | PA; Och |
| VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG | 2 | PA; Och |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 2 | PA; Och; LA |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG | 2 | PA; Och; LA |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 2 | PA; Och; LA |
| VONJO ORAL CAPSULE 100 MG | 2 | PA; Och; QL (120 per 30 days) |
| WELIREG ORAL TABLET 40 MG | 2 | PA; Och; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG | 2 | PA; Och; LA; QL (75 per 30 days) |
| XALKORI ORAL CAPSULE 250 MG | 2 | PA; Och; LA; QL (60 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|------|----------------------------------|
| XALKORI ORAL PELLETT 150 MG, 20 MG, 50 MG | 2 | PA; Och; LA |
| XOSPATA ORAL TABLET 40 MG | 2 | PA; Och |
| XTANDI ORAL CAPSULE 40 MG | 2 | PA; Och; LA |
| XTANDI ORAL TABLET 40 MG, 80 MG | 2 | PA; Och; LA |
| YONSA ORAL TABLET 125 MG | 2 | PA; Och; LA |
| ZELBORAF ORAL TABLET 240 MG | 2 | PA; Och; LA |
| ZOLINZA ORAL CAPSULE 100 MG | 2 | PA; Och; LA |
| ZYKADIA ORAL TABLET 150 MG | 2 | PA; Och; LA; QL (90 per 30 days) |

AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH

ANTICONVULSANTS

| | | |
|---|---|------------------------------|
| BRIVIACT ORAL SOLUTION 10 MG/ML | 1 | PA; QL (2 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 1 | PA; QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>carbamazepine oral suspension 100 mg/5 ml, 200 mg/10 ml</i> | 1 | |
| <i>carbamazepine oral tablet 200 mg</i> | 1 | |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 1 | |
| CELONTIN ORAL CAPSULE 300 MG | 1 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | 1 | |
| <i>clobazam oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i> | 1 | |
| DILANTIN ORAL CAPSULE 30 MG | 1 | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> | 1 | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> | 1 | |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> | 1 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 2 | PA; LA; QL (400 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>epitol oral tablet 200 mg</i> | 1 | |
| <i>ethosuximide oral capsule 250 mg</i> | 1 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> | 1 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 1 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | 1 | |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> | 1 | |
| <i>gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)</i> | 1 | |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 1 | |
| <i>lacosamide oral solution 10 mg/ml</i> | 1 | |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 1 | |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 1 | |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14)</i> | 1 | |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 1 | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> | 1 | |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>lamotrigine oral tablets, dose pack 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14)</i> | 1 | |
| <i>levetiracetam oral solution 100 mg/ml, 500 mg/5 ml (5 ml)</i> | 1 | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> | 1 | |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG | 1 | PA; QL (10 per 30 days) |
| <i>methsuximide oral capsule 300 mg</i> | 1 | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 1 | |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> | 1 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 1 | |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 1 | |
| <i>phenytoin oral tablet, chewable 50 mg</i> | 1 | |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> | 1 | |
| <i>pregabalin oral solution 20 mg/ml</i> | 1 | |
| <i>pregabalin oral tablet extended release 24 hr 165 mg, 330 mg, 82.5 mg</i> | 1 | |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 1 | |
| <i>roweepra oral tablet 500 mg</i> | 1 | |
| <i>rufinamide oral suspension 40 mg/ml</i> | 1 | PA |
| <i>rufinamide oral tablet 200 mg, 400 mg</i> | 1 | PA |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 1 | |
| <i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i> | 1 | |
| <i>subvenite starter (green) kit oral tablets, dose pack 25 mg (84) -100 mg (14)</i> | 1 | |
| <i>subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) -100 mg (7)</i> | 1 | |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> | 1 | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> | 1 | |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)</i> | 1 | |
| <i>valproic acid oral capsule 250 mg</i> | 1 | |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 1 | |
| <i>vigabatrin oral powder in packet 500 mg</i> | 2 | PA; LA |
| <i>vigabatrin oral tablet 500 mg</i> | 2 | PA; LA |
| <i>vigadrone oral powder in packet 500 mg</i> | 2 | PA |
| <i>vigadrone oral tablet 500 mg</i> | 2 | PA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>vigpoder oral powder in packet 500 mg</i> | 2 | PA |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY (150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 1 | PA |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG | 1 | PA |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14) - 25 MG (14), 150 MG (14) - 200 MG (14), 50 MG (14) - 100 MG (14) | 1 | PA |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| ANTIPARKINSONISM AGENTS | | |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>bromocriptine oral capsule 5 mg</i> | 1 | |
| <i>bromocriptine oral tablet 2.5 mg</i> | 1 | |
| <i>carbidopa oral tablet 25 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1 | |
| DUOPA J-TUBE INTESTINAL PUMP SUSPENSION 4.63-20 MG/ML | MB | PA; LA |
| <i>entacapone oral tablet 200 mg</i> | 1 | |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 1 | |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | |
| <i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> | 1 | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> | 1 | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 1 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 1 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 1 | |
| <i>tolcapone oral tablet 100 mg</i> | 1 | |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 1 | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | |
| MIGRAINE & CLUSTER HEADACHE THERAPY | | |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML | 1 | PA |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML | 1 | PA |
| AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 1 | PA |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i> | 1 | QL (18 per 30 days) |
| <i>dihydroergotamine injection solution 1 mg/ml</i> | 1 | |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> | 1 | QL (8 per 30 days) |
| <i>eletriptan oral tablet 20 mg, 40 mg</i> | 1 | QL (18 per 30 days) |
| EMGALITY SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 1 | PA |
| EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3) | 1 | PA |
| ERGOMAR SUBLINGUAL TABLET 2 MG | 1 | ST |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i> | 1 | |
| <i>frovatriptan oral tablet 2.5 mg</i> | 1 | QL (18 per 30 days) |
| <i>migergot rectal suppository 2-100 mg</i> | 1 | |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | 1 | QL (18 per 30 days) |
| NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG | 1 | PA; QL (8 per 30 days) |
| <i>rizatriptan oral tablet 10 mg, 5 mg</i> | 1 | QL (18 per 30 days) |
| <i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i> | 1 | QL (18 per 30 days) |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i> | 1 | QL (18 per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | QL (18 per 30 days) |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 1 | QL (8 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 1 | QL (8 per 30 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> | 1 | QL (8 per 30 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 1 | PA; QL (10 per 30 days) |
| ZAVZPRET NASAL SPRAY, NON-AEROSOL 10 MG/ACTUATION | 1 | PA; QL (8 per 30 days) |
| <i>zolmitriptan nasal spray, non-aerosol 5 mg</i> | 1 | PA |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> | 1 | QL (18 per 30 days) |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> | 1 | QL (18 per 30 days) |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | 2 | PA; LA |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG | 2 | PA; LA |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG | 2 | PA; LA |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> | 2 | PA; LA; QL (60 per 30 days) |
| DAYBUE ORAL SOLUTION 200 MG/ML | 2 | PA |
| <i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> | 1 | |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | 1 | |
| <i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | 1 | |
| <i>galantamine oral solution 4 mg/ml</i> | 1 | |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 1 | |
| <i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> | 1 | |
| <i>memantine oral solution 2 mg/ml</i> | 1 | |
| <i>memantine oral tablet 10 mg, 5 mg</i> | 1 | |
| NUEDEXTA ORAL CAPSULE 20-10 MG | 1 | PA; QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 1 | |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> | 1 | |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> | 2 | LA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| ZEPOSIA ORAL CAPSULE 0.92 MG | 2 | PA; LA; QL (30 per 30 days) |
| ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE, DOSE PACK 0.23 MG-0.46 MG - 0.92 MG (21) | 2 | PA; LA; QL (1 per 365 days) |
| ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE, DOSE PACK 0.23 MG (4)- 0.46 MG (3) | 2 | PA; LA; QL (1 per 365 days) |
| MUSCLE RELAXANTS & ANTISPASMODIC THERAPY | | |
| <i>baclofen oral suspension 25 mg/5 ml (5 mg/ml)</i> | 1 | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>baclofen oral tablet 15 mg</i> | 1 | |
| <i>carisoprodol oral tablet 250 mg, 350 mg</i> | 1 | |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg, 7.5 mg</i> | 1 | |
| <i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>meprobamate oral tablet 200 mg, 400 mg</i> | 1 | |
| <i>metaxalone oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>orphenadrine citrate oral tablet extended release 100 mg</i> | 1 | |
| <i>orphenadrine-asa-caffeine oral tablet 25-385-30 mg</i> | 1 | |
| <i>orphengesic forte oral tablet 50-770-60 mg</i> | 1 | |
| <i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> | 1 | |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| <i>pyridostigmine bromide oral tablet extended release 180 mg</i> | 1 | |
| <i>tizanidine oral tablet 2 mg, 4 mg</i> | 1 | |
| <i>vanadom oral tablet 350 mg</i> | 1 | |
| ZILBRYSQ SUBCUTANEOUS SYRINGE 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML | 2 | PA |
| NARCOTIC ANALGESICS | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml</i> | 1 | PA |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i> | 1 | PA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i> | 1 | PA |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 1 | |
| <i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 1 | ST |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i> | 1 | PA |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg, 50-325-40 mg</i> | 1 | |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> | 1 | |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> | 1 | |
| <i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i> | 1 | |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i> | 1 | PA |
| <i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> | 1 | PA |
| <i>diskets oral tablet, soluble 40 mg</i> | 1 | PA |
| DSUVIA SUBLINGUAL TABLET IN APPLICATOR 30 MCG | MB | |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | PA |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 1 | PA |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i> | 1 | PA |
| <i>hydrocodone bitartrate oral capsule, oral only, er 12hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>hydrocodone bitartrate oral tablet, oral only, ext.rel.24 hr 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml), 7.5-325 mg/15 ml</i> | 1 | PA |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 2.5-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg</i> | 1 | PA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 1 | PA |
| <i>hydromorphone oral liquid 1 mg/ml</i> | 1 | PA |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> | 1 | PA |
| <i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 32 mg, 8 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>hydromorphone rectal suppository 3 mg</i> | 1 | PA |
| <i>meperidine oral solution 50 mg/5 ml</i> | 1 | PA |
| <i>meperidine oral tablet 50 mg</i> | 1 | PA |
| <i>methadone oral concentrate 10 mg/ml</i> | 1 | PA |
| <i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i> | 1 | PA |
| <i>methadone oral tablet 10 mg, 5 mg</i> | 1 | PA |
| <i>methadone oral tablet, soluble 40 mg</i> | 1 | PA |
| <i>methadose oral concentrate 10 mg/ml</i> | 1 | PA |
| <i>methadose oral tablet, soluble 40 mg</i> | 1 | PA |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 1 | PA |
| <i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>morphine oral capsule, extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i> | 1 | PA; QL (90 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i> | 1 | PA |
| <i>morphine oral tablet 15 mg, 30 mg</i> | 1 | PA |
| <i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> | 1 | PA; QL (120 per 30 days) |
| <i>morphine rectal suppository 10 mg, 20 mg, 30 mg, 5 mg</i> | 1 | PA |
| <i>oxycodone oral capsule 5 mg</i> | 1 | PA |
| <i>oxycodone oral concentrate 20 mg/ml</i> | 1 | PA |
| <i>oxycodone oral solution 5 mg/5 ml</i> | 1 | PA |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> | 1 | PA |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | PA |
| OXYCONTIN ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG | 1 | PA; QL (90 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| OXYCONTIN ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 60 MG, 80 MG | 1 | PA; QL (120 per 30 days) |
| <i>oxymorphone oral tablet 10 mg, 5 mg</i> | 1 | PA |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i> | 1 | PA; QL (90 per 30 days) |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML | MB | |
| NON-NARCOTIC ANALGESICS | | |
| <i>adult aspirin regimen oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA PV |
| <i>aspirin childrens oral tablet, chewable 81 mg</i> | 1 | ACA PV |
| <i>aspirin oral tablet, chewable 81 mg</i> | 1 | ACA PV |
| <i>aspirin oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA PV |
| <i>bayer low dose aspirin oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA PV |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> | 1 | QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> | 1 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 1 | QL (90 per 30 days) |
| <i>butorphanol nasal spray, non-aerosol 10 mg/ml</i> | 1 | PA; QL (2 per 30 days) |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> | 1 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 1 | |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>diclofenac sodium topical drops 1.5 %</i> | 1 | |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i> | 1 | |
| <i>diflunisal oral tablet 500 mg</i> | 1 | |
| <i>ecotrin low strength oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA PV |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 1 | |
| <i>etodolac oral tablet 400 mg, 500 mg</i> | 1 | |
| <i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>flurbiprofen oral tablet 100 mg</i> | 1 | |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | 1 | |
| <i>indomethacin oral capsule, extended release 75 mg</i> | 1 | |
| <i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i> | 1 | |
| <i>ketorolac oral tablet 10 mg</i> | 1 | QL (20 per 5 days) |
| <i>kiprofen oral capsule 25 mg</i> | 1 | |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 1 | |
| <i>lofexidine oral tablet 0.18 mg</i> | 1 | PA |
| <i>meclofenamate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>mefenamic acid oral capsule 250 mg</i> | 1 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | 1 | |
| <i>naltrexone oral tablet 50 mg</i> | 1 | |
| <i>naproxen oral suspension 125 mg/5 ml</i> | 1 | |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i> | 1 | |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> | 1 | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG | 1 | PA; QL (60 per 30 days) |
| OPVEE NASAL SPRAY, NON-AEROSOL 2.7 MG/ACTUATION | 1 | PA |
| <i>oxaprozin oral tablet 600 mg</i> | 1 | |
| <i>pentazocine-naloxone oral tablet 50-0.5 mg</i> | 1 | PA |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | 1 | |
| <i>salsalate oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>st joseph aspirin oral tablet, chewable 81 mg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>st. joseph aspirin oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA PV |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 1 | |
| <i>tolmetin oral capsule 400 mg</i> | 1 | |
| <i>tramadol oral tablet 50 mg</i> | 1 | PA |
| <i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i> | 1 | PA |
| <i>tramadol oral tablet, er multiphase 24 hr 100 mg, 200 mg, 300 mg</i> | 1 | PA |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 1 | PA |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG | MB | |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 300 MG, 400 MG | 1 | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 300 MG, 400 MG | 1 | |
| ADZENYS XR-ODT ORAL TABLET, DISINTEG ER BIPHASE 24H 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG | 1 | PA |
| <i>alprazolam intensol oral concentrate 1 mg/ml</i> | 1 | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | |
| <i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i> | 1 | |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 1 | |
| <i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>aripiprazole oral solution 1 mg/ml</i> | 1 | |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>aripiprazole oral tablet, disintegrating 10 mg, 15 mg</i> | 1 | |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML | MB | |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML, 441 MG/1.6 ML, 662 MG/2.4 ML, 882 MG/3.2 ML | 1 | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> | 1 | |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 1 | PA |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 1 | |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> | 1 | |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> | 1 | |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>citalopram oral solution 10 mg/5 ml</i> | 1 | |
| <i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> | 1 | |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i> | 1 | |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| COTEMPLA XR-ODT ORAL TABLET, DISINTEG ER BIPHASE 24H 17.3 MG, 25.9 MG, 8.6 MG | 1 | PA |
| <i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG | 1 | ST |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 1 | |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>dextroamphetamine sulfate oral solution 5 mg/5 ml</i> | 1 | |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 20 mg, 30 mg, 7.5 mg</i> | 1 | |
| <i>dextroamphetamine-amphetamine oral capsule, er triphasic 24 hr 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 1 | |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 1 | |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | 1 | |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 1 | |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | |
| <i>doxepin oral tablet 3 mg, 6 mg</i> | 1 | |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i> | 1 | |
| DYANA VEL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML | 1 | PA |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 1 | ST |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>ergoloid oral tablet 1 mg</i> | 1 | |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 1 | |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>estazolam oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> | 1 | |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 1 | ST |
| FANAPT ORAL TABLETS, DOSE PACK 1MG (2)-2MG (2)- 4MG (2)-6MG (2) | 1 | ST |
| FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 1 | ST |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 1 | ST |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fluoxetine oral capsule, delayed release (dr/ec) 90 mg</i> | 1 | |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 1 | |
| <i>fluoxetine oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>fluoxetine oral tablet 60 mg</i> | 1 | PA |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 1 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>flurazepam oral capsule 15 mg, 30 mg</i> | 1 | |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> | 1 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 1 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 1 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 1 | |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 39 MG/0.25 ML, 78 MG/0.5 ML | 1 | |
| JORNAY PM ORAL CAPSULE, DEL REL, EXT REL SPRINK 100 MG, 20 MG, 40 MG, 60 MG, 80 MG | 1 | PA |
| <i>lisdexamfetamine oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i> | 1 | |
| <i>lisdexamfetamine oral tablet, chewable 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 1 | |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 1 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 1 | |
| <i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i> | 1 | |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 1 | |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> | 1 | |
| <i>lorazepam oral concentrate 2 mg/ml</i> | 1 | |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 50 mg, 50 mg</i> | 1 | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| MARPLAN ORAL TABLET 10 MG | 1 | |
| <i>methamphetamine oral tablet 5 mg</i> | 1 | |
| <i>methylphenidate hcl oral cap, er sprinkle, biphasic 40-60 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 1 | |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 1 | |
| <i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg, 60 mg</i> | 1 | |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> | 1 | |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i> | 1 | |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>methylphenidate transdermal patch 24 hour 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr</i> | 1 | |
| <i>midazolam oral syrup 2 mg/ml</i> | 1 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i> | 1 | |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> | 1 | |
| <i>modafinil oral tablet 100 mg, 200 mg</i> | 1 | |
| <i>molindone oral tablet 10 mg, 25 mg, 5 mg</i> | 1 | |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 1 | |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>nortriptyline oral solution 10 mg/5 ml</i> | 1 | |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> | 1 | |
| <i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> | 1 | |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i> | 1 | |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 6 mg, 9 mg</i> | 1 | |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> | 1 | |
| <i>paroxetine mesylate (menop.sym) oral capsule 7.5 mg</i> | 1 | |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 1 | |
| <i>phenelzine oral tablet 15 mg</i> | 1 | |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>procentra oral solution 5 mg/5 ml</i> | 1 | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> | 1 | |
| QUILLICHEW ER ORAL TABLET, CHEW, IR-ER.BIPHASIC24HR 20 MG, 30 MG, 40 MG | 1 | PA |
| QUILLIVANT XR ORAL SUSPENSION, EXT REL 24HR, RECON 5 MG/ML (25 MG/5 ML) | 1 | PA |
| <i>ramelteon oral tablet 8 mg</i> | 1 | |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | 1 | ST |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml</i> | 1 | |
| <i>risperidone oral solution 1 mg/ml</i> | 1 | |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | |
| <i>sertraline oral concentrate 20 mg/ml</i> | 1 | |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| SODIUM OXYBATE ORAL SOLUTION 500 MG/ML | 2 | PA; LA; QL (3 per 30 days) |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | MB | PA |
| SUNOSI ORAL TABLET 150 MG | 1 | PA; QL (30 per 30 days) |
| SUNOSI ORAL TABLET 75 MG | 1 | PA; QL (60 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> | 2 | PA; LA |
| <i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg</i> | 1 | |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>tranlycypromine oral tablet 10 mg</i> | 1 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | |
| <i>triazolam oral tablet 0.125 mg, 0.25 mg</i> | 1 | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 1 | ST |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i> | 1 | |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1 | |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i> | 1 | |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 1 | ST |
| XYREM ORAL SOLUTION 500 MG/ML | 2 | PA; LA; QL (3 per 30 days) |
| XYWAV ORAL SOLUTION 0.5 GRAM/ML | 2 | PA; LA; QL (3 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 1 | |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> | 1 | |
| <i>zolpidem sublingual tablet 1.75 mg, 3.5 mg</i> | 1 | |

AUTONOMIC & CNS DRUGS, NEUROLOGY

MULTIPLE SCLEROSIS AGENTS

| | | |
|---|---|------------------------------|
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 2 | PA; LA; QL (1 per 30 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 2 | PA; LA; QL (1 per 30 days) |
| BAFIERTAM ORAL CAPSULE, DELAYED RELEASE (DR/EC) 95 MG | 2 | PA; LA; QL (120 per 30 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 2 | PA; LA; QL (14 per 30 days) |
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg</i> | 2 | PA; LA; QL (14 per 365 days) |
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg (14)- 240 mg (46)</i> | 2 | PA; LA; QL (1 per 365 days) |
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i> | 2 | PA; LA; QL (60 per 30 days) |
| <i>fingolimod oral capsule 0.5 mg</i> | 2 | PA; LA; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 1 | PA; LA; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | 1 | PA; LA; QL (12 per 30 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> | 2 | PA; LA; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> | 2 | PA; LA; QL (12 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| KESIMPTA SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 2 | PA; LA; QL (1 per 30 days) |
| MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG | 2 | PA; LA; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS, DOSE PACK 0.25 MG (7 TABS) | 2 | PA; LA; QL (1 per 365 days) |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS, DOSE PACK 0.25 MG (12 TABS) | 2 | PA; LA; QL (1 per 365 days) |
| PLEGRIDY INTRAMUSCULAR SYRINGE 125 MCG/0.5 ML | 2 | PA; LA; QL (2 per 30 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 2 | PA; LA; QL (2 per 30 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 2 | PA; LA; QL (1 per 365 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 2 | PA; LA; QL (2 per 30 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 2 | PA; LA; QL (1 per 365 days) |
| REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML | 2 | PA; LA; QL (12 per 30 days) |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML | 2 | PA; LA; QL (12 per 30 days) |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 2 | PA; LA; QL (4.2 per 30 days) |
| REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 2 | PA; LA; QL (4.2 per 30 days) |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> | 2 | PA; LA; QL (30 per 30 days) |
| VUMERITY ORAL CAPSULE, DELAYED RELEASE(DR/EC) 231 MG | 2 | PA; LA; QL (120 per 30 days) |

CARDIOVASCULAR, HYPERTENSION & LIPIDS

ANTIARRHYTHMIC AGENTS

| | | |
|---|---|--|
| <i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> | 1 | |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> | 1 | |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 1 | |
| MULTAQ ORAL TABLET 400 MG | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> | 1 | |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 1 | |
| <i>quinidine gluconate oral tablet extended release 324 mg</i> | 1 | |
| <i>quinidine sulfate oral tablet 200 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>quinidine sulfate oral tablet 300 mg</i> | 1 | |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> | 1 | |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | 1 | |
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 1 | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> | 1 | |
| <i>amiloride oral tablet 5 mg</i> | 1 | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | 1 | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | 1 | |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> | 1 | |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> | 1 | |
| <i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | 1 | |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i> | 1 | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i> | 1 | |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> | 1 | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 1 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i> | 1 | |
| <i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 1 | |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> | 1 | |
| <i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr</i> | 1 | |
| <i>diltiazem hcl oral capsule, ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule, extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>dilt-xr oral capsule, ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| EDARBI ORAL TABLET 40 MG, 80 MG | 1 | ST |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | 1 | ST |
| <i>enalapril maleate oral solution 1 mg/ml</i> | 1 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i> | 1 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>eprosartan oral tablet 600 mg</i> | 1 | |
| <i>ethacrynic acid oral tablet 25 mg</i> | 1 | |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> | 1 | |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> | 1 | |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i> | 1 | |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 1 | |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> | 1 | |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>methyldopa oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i> | 1 | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 1 | |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 1 | |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | 1 | |
| <i>nifedipine oral capsule 10 mg, 20 mg</i> | 1 | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nimodipine oral capsule 30 mg</i> | 1 | |
| <i>nisoldipine oral tablet extended release 24 hr 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg</i> | 1 | |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | 1 | |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | 1 | |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG | 2 | PA; LA |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>phenoxybenzamine oral capsule 10 mg</i> | 1 | |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> | 1 | |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 1 | |
| QBRELIS ORAL SOLUTION 1 MG/ML | 1 | ST |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> | 1 | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> | 1 | |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> | 1 | |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>torse mide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 1 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 1 | |
| <i>triamterene oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i> | 1 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> | 1 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 1 | |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> | 1 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> | 1 | |
| CARDIAC GLYCOSIDES | | |
| <i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg)</i> | 1 | |
| COAGULATION THERAPY | | |
| <i>aminocaproic acid oral solution 250 mg/ml (25 %)</i> | 1 | |
| <i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i> | 1 | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 1 | |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 1 | |
| CABLIVI INJECTION KIT 11 MG | 2 | PA |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 1 | |
| <i>clopidogrel oral tablet 300 mg, 75 mg</i> | 1 | |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> | 1 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 1 | |
| DOPTELET ORAL TABLET 20 MG | 2 | PA; LA |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS, DOSE PACK 5 MG (74 TABS) | 1 | |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG | 1 | |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> | 2 | |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> | 2 | |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 2 | |
| FRAGMIN SUBCUTANEOUS SOLUTION 2,500 ANTI-XA UNIT/ML, 25,000 ANTI-XA UNIT/ML | 2 | |
| FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML, 12,500 ANTI-XA UNIT/0.5 ML, 15,000 ANTI-XA UNIT/0.6 ML, 18,000 ANTI-XA UNIT/0.72 ML, 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML, 7,500 ANTI-XA UNIT/0.3 ML | 2 | PA |
| <i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i> | 1 | |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 1 | |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 1 | |
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | MB | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 1 | |
| HEPARIN, PORCINE (PF) INJECTION SYRINGE 5, 000 UNIT/ML | 1 | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| MULPLETA ORAL TABLET 3 MG | 2 | PA; LA |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 1 | |
| <i>phytonadione (vitamin k1) oral tablet 5 mg</i> | 1 | |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG | 2 | PA; LA; QL (360 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG | 2 | PA; LA; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG | 2 | PA; LA; QL (360 per 30 days) |
| PROMACTA ORAL TABLET 25 MG | 2 | PA; LA; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 50 MG | 2 | PA; LA; QL (90 per 30 days) |
| PROMACTA ORAL TABLET 75 MG | 2 | PA; LA; QL (60 per 30 days) |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS, DOSE PACK 15 MG (42)- 20 MG (9) | 1 | |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML | 1 | |
| XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG | 1 | |
| ZONTIVITY ORAL TABLET 2.08 MG | 1 | |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 1 | |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | ACA PV |
| <i>cholestyramine (with sugar) oral powder 4 gram</i> | 1 | |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> | 1 | |
| <i>cholestyramine light oral powder 4 gram</i> | 1 | |
| <i>cholestyramine light oral powder in packet 4 gram</i> | 1 | |
| <i>colesevelam oral powder in packet 3.75 gram</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>colesevelam oral tablet 625 mg</i> | 1 | |
| <i>colestipol oral granules 5 gram</i> | 1 | |
| <i>colestipol oral packet 5 gram</i> | 1 | |
| <i>colestipol oral tablet 1 gram</i> | 1 | |
| <i>ezetimibe oral tablet 10 mg</i> | 1 | |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 1 | |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | 1 | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> | 1 | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 1 | |
| <i>fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg</i> | 1 | |
| <i>fenofibric acid oral tablet 105 mg, 35 mg</i> | 1 | |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | 1 | ACA PV |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> | 1 | ACA PV |
| <i>gemfibrozil oral tablet 600 mg</i> | 1 | |
| <i>icosapent ethyl oral capsule 0.5 gram, 1 gram</i> | 1 | PA; QL (120 per 30 days) |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG | 2 | PA; LA; QL (30 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | ACA PV |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> | 1 | |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | ACA PV |
| <i>prevalite oral powder 4 gram</i> | 1 | |
| <i>prevalite oral powder in packet 4 gram</i> | 1 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 1 | PA |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 1 | PA |
| REPATHA SUBCUTANEOUS SYRINGE 140 MG/ML | 1 | PA |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i> | 1 | ACA PV |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG | 2 | PA; LA |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 2 | PA |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG | 1 | PA |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG | 1 | PA |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> | 1 | PA |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> | 1 | ST |
| NITRATES | | |
| GONITRO SUBLINGUAL POWDER IN PACKET 400 MCG | 1 | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | |
| <i>nitro-bid transdermal ointment 2 %</i> | 1 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.3 MG/HR, 0.4 MG/HR, 0.6 MG/HR, 0.8 MG/HR | 1 | ST; QL (30 per 30 days) |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 1 | |
| <i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> | 1 | |
| <i>nitro-time oral capsule, extended release 2.5 mg, 6.5 mg, 9 mg</i> | 1 | |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 1 | |
| <i>calcipotriene scalp solution 0.005 %</i> | 1 | |
| <i>calcipotriene topical cream 0.005 %</i> | 1 | |
| <i>calcipotriene topical ointment 0.005 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i> | 1 | |
| <i>calcitriol topical ointment 3 mcg/gram</i> | 1 | |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 2 | PA; LA |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS INJECTOR 150 MG/ML | 2 | PA; LA |
| COSENTYX PEN SUBCUTANEOUS INJECTOR 150 MG/ML | 2 | PA; LA |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML | 2 | PA; LA |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 2 | PA; LA |
| <i>hydrocortisone-pramoxine topical cream 2.5-1 %</i> | 1 | |
| <i>selenium sulfide topical lotion 2.5 %</i> | 1 | |
| <i>selenium sulfide topical shampoo 2.25 %</i> | 1 | |
| SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML | 2 | PA; LA |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 2 | PA; LA |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 2 | PA; LA |
| SOTYKTU ORAL TABLET 6 MG | 2 | PA; LA |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 2 | PA; LA |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 2 | PA; LA |
| <i>sulfacetamide sodium topical cleanser 10 %</i> | 1 | |
| <i>sulfacetamide sodium topical cleanser, gel 10 %</i> | 1 | |
| <i>sulfacetamide sodium topical shampoo 10 %</i> | 1 | |
| TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 2 | PA; LA |
| TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 2 | PA; LA |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 2 | PA; LA |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML, 40 MG/0.5 ML, 80 MG/ML | 2 | PA; LA |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML | 2 | PA; LA |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 2 | PA; LA |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML | 2 | PA; LA |
| BURN THERAPY | | |
| <i>silver sulfadiazine topical cream 1 %</i> | 1 | |
| <i>ssd topical cream 1 %</i> | 1 | |
| MISCELLANEOUS DERMATOLOGICALS | | |
| ADBRY SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML | 2 | PA; LA |
| ADBRY SUBCUTANEOUS SYRINGE 150 MG/ML | 2 | PA; LA |
| <i>ammonium lactate topical cream 12 %</i> | 1 | |
| <i>ammonium lactate topical lotion 12 %</i> | 1 | |
| <i>diclofenac sodium topical gel 3 %</i> | 1 | |
| DRYSOL DAB-O-MATIC TOPICAL SOLUTION 20 % | 1 | |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | 2 | PA; LA |
| DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML | 2 | PA; LA |
| EBGLYSS PEN SUBCUTANEOUS PEN INJECTOR 250 MG/2 ML | 2 | PA; LA |
| EBGLYSS SYRINGE SUBCUTANEOUS SYRINGE 250 MG/2 ML | 2 | PA; LA |
| EUCRISA TOPICAL OINTMENT 2 % | 1 | PA |
| FLUOROURACIL TOPICAL CREAM 0.5 % | 1 | PA |
| <i>fluorouracil topical cream 5 %</i> | 1 | |
| <i>fluorouracil topical solution 2 %, 5 %</i> | 1 | |
| <i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> | 1 | |
| PANRETIN TOPICAL GEL 0.1 % | 1 | |
| <i>pimecrolimus topical cream 1 %</i> | 1 | |
| <i>podofilox topical solution 0.5 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>pradoxin topical cream 5 %</i> | 1 | |
| REGRANEX TOPICAL GEL 0.01 % | 1 | |
| SCENESSE SUBCUTANEOUS IMPLANT 16 MG | MB | PA |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> | 1 | |
| VALCHLOR TOPICAL GEL 0.016 % | 2 | PA; LA |
| THERAPY FOR ACNE | | |
| <i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>adapalene topical cream 0.1 %</i> | 1 | ST |
| <i>adapalene topical gel 0.3 %</i> | 1 | ST |
| <i>adapalene topical gel with pump 0.3 %</i> | 1 | ST |
| ADAPALENE TOPICAL LOTION 0.1 % | 1 | ST |
| <i>adapalene topical solution 0.1 %</i> | 1 | ST |
| <i>adapalene topical swab 0.1 %</i> | 1 | ST |
| <i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> | 1 | PA |
| <i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>azelaic acid topical gel 15 %</i> | 1 | |
| AZELEX TOPICAL CREAM 20 % | 1 | ST |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>clindamycin phosphate topical gel 1 %</i> | 1 | |
| <i>clindamycin phosphate topical lotion 1 %</i> | 1 | |
| <i>clindamycin phosphate topical solution 1 %</i> | 1 | |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %, 1.2 %(1 % base) -5 %</i> | 1 | |
| <i>ery pads topical swab 2 %</i> | 1 | |
| <i>erygel topical gel 2 %</i> | 1 | |
| <i>erythromycin with ethanol topical gel 2 %</i> | 1 | |
| <i>erythromycin with ethanol topical solution 2 %</i> | 1 | |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> | 1 | |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>ivermectin topical cream 1 %</i> | 1 | |
| <i>metronidazole topical cream 0.75 %</i> | 1 | |
| <i>metronidazole topical gel 0.75 %, 1 %</i> | 1 | |
| <i>metronidazole topical gel with pump 1 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>metronidazole topical lotion 0.75 %</i> | 1 | |
| <i>rosadan topical cream 0.75 %</i> | 1 | |
| <i>rosadan topical gel 0.75 %</i> | 1 | |
| <i>tazarotene topical cream 0.05 %, 0.1 %</i> | 1 | ST |
| <i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> | 1 | |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 1 | |
| <i>tretinoin topical gel 0.01 %, 0.025 %</i> | 1 | |
| <i>tretinoin topical gel 0.05 %</i> | 1 | |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| TOPICAL ANESTHETICS | | |
| <i>dermacinrx lidocan topical adhesive patch, medicated 5 %</i> | 1 | |
| <i>lidocaine hcl laryngotracheal solution 4 %</i> | 1 | |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 1 | |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> | 1 | |
| <i>lidocaine topical ointment 5 %</i> | 1 | |
| <i>lidocaine viscous mucous membrane solution 2 %</i> | 1 | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 1 | |
| <i>lidocort topical cream 3-0.5 %</i> | 1 | |
| TOPICAL ANTIBACTERIALS | | |
| ALTABAX TOPICAL OINTMENT 1 % | 1 | |
| <i>gentamicin topical cream 0.1 %</i> | 1 | |
| <i>gentamicin topical ointment 0.1 %</i> | 1 | |
| <i>mafenide acetate topical packet 50 gram</i> | 1 | |
| <i>mupirocin calcium topical cream 2 %</i> | 1 | |
| <i>mupirocin topical ointment 2 %</i> | 1 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> | 1 | |
| SULFAMYLON TOPICAL CREAM 85 MG/G | 1 | |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclodan topical cream 0.77 %</i> | 1 | ST |
| <i>ciclodan topical solution 8 %</i> | 1 | ST |
| <i>ciclopirox topical cream 0.77 %</i> | 1 | |
| <i>ciclopirox topical gel 0.77 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>ciclopirox topical shampoo 1 %</i> | 1 | |
| <i>ciclopirox topical solution 8 %</i> | 1 | |
| <i>ciclopirox topical suspension 0.77 %</i> | 1 | |
| <i>clotrimazole topical cream 1 %</i> | 1 | |
| <i>clotrimazole topical solution 1 %</i> | 1 | |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | 1 | |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i> | 1 | |
| <i>econazole nitrate topical cream 1 %</i> | 1 | |
| JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 % | 1 | PA |
| <i>ketconazole topical cream 2 %</i> | 1 | |
| <i>ketconazole topical shampoo 2 %</i> | 1 | |
| <i>klayesta topical powder 100,000 unit/gram</i> | 1 | |
| <i>naftifine topical cream 1 %, 2 %</i> | 1 | |
| <i>naftifine topical gel 2 %</i> | 1 | |
| <i>nyamyc topical powder 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical powder 100,000 unit/gram</i> | 1 | |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 1 | |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 1 | |
| <i>nystop topical powder 100,000 unit/gram</i> | 1 | |
| <i>oxiconazole topical cream 1 %</i> | 1 | |
| SULCONAZOLE TOPICAL CREAM 1 % | 1 | ST |
| <i>tavaborole topical solution with applicator 5 %</i> | 1 | PA |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical cream 5 %</i> | 1 | |
| <i>acyclovir topical ointment 5 %</i> | 1 | |
| <i>penciclovir topical cream 1 %</i> | 1 | PA |
| TOPICAL CORTICOSTEROIDS | | |
| <i>ala-cort topical cream 1 %</i> | 1 | |
| <i>alclometasone topical cream 0.05 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>alclometasone topical ointment 0.05 %</i> | 1 | |
| <i>amcinonide topical cream 0.1 %</i> | 1 | |
| <i>amcinonide topical ointment 0.1 %</i> | 1 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 1 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 1 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> | 1 | |
| <i>clobetasol scalp solution 0.05 %</i> | 1 | |
| <i>clobetasol topical cream 0.05 %</i> | 1 | |
| <i>clobetasol topical foam 0.05 %</i> | 1 | |
| <i>clobetasol topical gel 0.05 %</i> | 1 | |
| <i>clobetasol topical lotion 0.05 %</i> | 1 | |
| <i>clobetasol topical ointment 0.05 %</i> | 1 | |
| <i>clobetasol topical shampoo 0.05 %</i> | 1 | |
| <i>clobetasol topical spray, non-aerosol 0.05 %</i> | 1 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 1 | |
| <i>desonide topical cream 0.05 %</i> | 1 | |
| <i>desonide topical lotion 0.05 %</i> | 1 | |
| <i>desonide topical ointment 0.05 %</i> | 1 | |
| <i>desoximetasone topical cream 0.05 %, 0.25 %</i> | 1 | |
| <i>desoximetasone topical gel 0.05 %</i> | 1 | |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> | 1 | |
| <i>fluocinolone and shower cap scalp oil 0.01 %</i> | 1 | |
| <i>fluocinolone topical cream 0.01 %, 0.025 %</i> | 1 | |
| <i>fluocinolone topical oil 0.01 %</i> | 1 | |
| <i>fluocinolone topical ointment 0.025 %</i> | 1 | |
| <i>fluocinolone topical solution 0.01 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>fluocinonide topical cream 0.05 %, 0.1 %</i> | 1 | |
| <i>fluocinonide topical gel 0.05 %</i> | 1 | |
| <i>fluocinonide topical ointment 0.05 %</i> | 1 | |
| <i>fluocinonide topical solution 0.05 %</i> | 1 | |
| <i>fluocinonide-e topical cream 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical cream 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 1 | |
| <i>halobetasol propionate topical cream 0.05 %</i> | 1 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 1 | |
| <i>hydrocortisone butyrate topical cream 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 1 | |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 1 | |
| <i>hydrocortisone valerate topical ointment 0.2 %</i> | 1 | |
| <i>mometasone topical cream 0.1 %</i> | 1 | |
| <i>mometasone topical ointment 0.1 %</i> | 1 | |
| <i>mometasone topical solution 0.1 %</i> | 1 | |
| <i>prednicarbate topical cream 0.1 %</i> | 1 | |
| <i>prednicarbate topical ointment 0.1 %</i> | 1 | |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i> | 1 | |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | 1 | |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 1 | |
| <i>triderm topical cream 0.5 %</i> | 1 | |
| TOPICAL ENZYMES | | |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 1 | QL (6 per 30 days) |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>crotan topical lotion 10 %</i> | 1 | |
| EURAX TOPICAL CREAM 10 % | 1 | |
| EURAX TOPICAL LOTION 10 % | 1 | |
| <i>malathion topical lotion 0.5 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|------|-------------------------|
| <i>permethrin topical cream 5 %</i> | 1 | |
| <i>spinosad topical suspension 0.9 %</i> | 1 | |
| ULESFIA TOPICAL LOTION 5 % | 1 | |
| DIAGNOSTICS & MISCELLANEOUS AGENTS | | |
| IRRIGATING SOLUTIONS | | |
| PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L | 1 | |
| PHYSIOSOL IRRIGATION SOLUTION 140-5-3-98 MEQ/L | 1 | |
| <i>ringer's irrigation solution</i> | MB | |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i> | 1 | |
| <i>acetic acid irrigation solution 0.25 %</i> | 1 | |
| <i>anagrelide oral capsule 0.5 mg, 1 mg</i> | 1 | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> | 2 | PA |
| <i>cevimeline oral capsule 30 mg</i> | 1 | |
| CHEMET ORAL CAPSULE 100 MG | 1 | PA |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> | 2 | PA; LA |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> | 2 | PA; LA |
| <i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> | 2 | PA; LA |
| <i>deferiprone oral tablet 1,000 mg, 500 mg</i> | 2 | PA; LA |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 1 | |
| FABHALTA ORAL CAPSULE 200 MG | 2 | PA |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 2 | PA |
| GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML | MB | PA; LA |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 2 | PA |
| JOENJA ORAL TABLET 70 MG | 2 | PA; QL (60 per 30 days) |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> | 1 | |
| <i>levocarnitine oral solution 100 mg/ml</i> | 1 | |
| <i>levocarnitine oral tablet 330 mg</i> | 1 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | PA; LA |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG | 2 | PA |
| PYRUKYND ORAL TABLETS, DOSE PACK 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) | 2 | PA |
| <i>riluzole oral tablet 50 mg</i> | 1 | |
| <i>risedronate oral tablet 30 mg</i> | 1 | |
| <i>sodium chloride irrigation solution 0.9 %</i> | 1 | |
| <i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> | 1 | PA |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> | 1 | PA |
| <i>tiopronin oral tablet 100 mg</i> | 2 | PA; LA |
| <i>trientine oral capsule 250 mg</i> | 1 | PA; QL (240 per 30 days) |
| <i>water for irrigation, sterile irrigation solution</i> | 1 | |
| ZOKINVY ORAL CAPSULE 50 MG, 75 MG | 2 | PA |
| SMOKING DETERRENENTS | | |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 1 | ACA PV |
| <i>nicorette buccal gum 4 mg</i> | 1 | ACA PV |
| <i>nicotine (polacrilex) buccal gum 2 mg, 4 mg</i> | 1 | ACA PV |
| <i>nicotine (polacrilex) buccal lozenge 2 mg, 4 mg</i> | 1 | ACA PV |
| <i>nicotine (polacrilex) buccal mini lozenge 2 mg, 4 mg</i> | 1 | ACA PV |
| <i>nicotine transdermal patch 24 hour 14 mg/24 hr, 21 mg/24 hr, 7 mg/24 hr</i> | 1 | ACA PV |
| <i>nicotine transdermal patch, td daily, sequential 21-14-7 mg/24 hr</i> | 1 | ACA PV |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML | 1 | ACA PV |
| <i>quit 2 buccal gum 2 mg</i> | 1 | ACA PV |
| <i>quit 2 buccal lozenge 2 mg</i> | 1 | ACA PV |
| <i>quit 4 buccal gum 4 mg</i> | 1 | ACA PV |
| <i>quit 4 buccal lozenge 4 mg</i> | 1 | ACA PV |
| <i>stop smoking aid buccal lozenge 2 mg, 4 mg</i> | 1 | ACA PV |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> | 1 | ACA PV |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> | 1 | ACA PV |

EAR, NOSE & THROAT MEDICATIONS

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| MISCELLANEOUS AGENTS | | |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %), 205.5 mcg (0.15 %)</i> | 1 | |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | 1 | |
| <i>denta 5000 plus dental cream 1.1 %</i> | 1 | |
| <i>denta 5000 plus sensitive dental paste 1.1-5 %</i> | 1 | |
| <i>dentagel dental gel 1.1 %</i> | 1 | |
| <i>fluoride (sodium) dental cream 1.1 %</i> | 1 | |
| <i>fluoride (sodium) dental gel 1.1 %</i> | 1 | |
| <i>fluoride (sodium) dental paste 1.1 %</i> | 1 | |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %), 42 mcg (0.06 %)</i> | 1 | |
| <i>kourzeq dental paste 0.1 %</i> | 1 | |
| <i>olopatadine nasal spray, non-aerosol 0.6 %</i> | 1 | |
| <i>oralone dental paste 0.1 %</i> | 1 | |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> | 1 | |
| <i>periogard mucous membrane mouthwash 0.12 %</i> | 1 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | 1 | |
| <i>sf 5000 plus dental cream 1.1 %</i> | 1 | |
| <i>sf dental gel 1.1 %</i> | 1 | |
| <i>sodium fluoride 5000 plus dental cream 1.1 %</i> | 1 | |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> | 1 | |
| <i>triamcinolone acetate dental paste 0.1 %</i> | 1 | |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 1 | |
| <i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> | 1 | |
| <i>flac oil otic (ear) drops 0.01 %</i> | 1 | |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> | 1 | |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 1 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 1 | |
| OTIC STEROID / ANTIBIOTIC | | |
| CIPRO HC OTIC (EAR) DROPS, SUSPENSION 0.2-1 % | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|------|-----------------------|
| <i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin-hc otic (ear) drops, suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | 1 | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | 1 | |
| OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML) | 1 | |

ENDOCRINE/DIABETES

ADRENAL HORMONES

| | | |
|---|---|--------|
| ACTHAR INJECTION GEL 80 UNIT/ML | 2 | PA; LA |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML, 80 UNIT/ML | 2 | PA; LA |
| <i>cortisone oral tablet 25 mg</i> | 1 | |
| CORTROPHIN GEL INJECTION 80 UNIT/ML | 2 | PA; LA |
| <i>deflazacort oral suspension 22.75 mg/ml</i> | 2 | PA |
| <i>deflazacort oral tablet 18 mg, 30 mg, 36 mg, 6 mg</i> | 2 | PA; LA |
| <i>dexamethasone intensol oral drops 1 mg/ml</i> | 1 | |
| <i>dexamethasone oral elixir 0.5 mg/5 ml</i> | 1 | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 1 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 1 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 1 | |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> | 1 | |
| <i>millipred oral tablet 5 mg</i> | 1 | |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 1 | |
| <i>prednisolone oral tablet 5 mg</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 10 mg/5 ml</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 1 | |
| <i>prednisone oral solution 5 mg/5 ml</i> | 1 | |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>prednisone oral tablets, dose pack 10 mg, 5 mg</i> | 1 | |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>potassium iodide oral solution 1 gram/ml</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 1 | |
| SSKI ORAL SOLUTION 1 GRAM/ML | 1 | |
| BLOOD GLUCOSE MONITORING DEVICES & SUPPLIES | | |
| CONTOUR NEXT TEST STRIP | 1 | |
| CONTOUR PLUS TEST STRIP | 1 | ST |
| CONTOUR TEST STRIP | 1 | |
| DEXCOM G6 SENSOR DEVICE | 1 | |
| DEXCOM G6 TRANSMITTER DEVICE | 1 | |
| DEXCOM G7 SENSOR DEVICE | 1 | |
| FREESTYLE LIBRE 14 DAY SENSOR KIT | 1 | |
| FREESTYLE LIBRE 2 SENSOR KIT | 1 | |
| FREESTYLE LIBRE 3 PLUS SENSOR DEVICE | 1 | |
| FREESTYLE LIBRE 3 SENSOR DEVICE | 1 | |
| ONETOUCH ULTRA TEST STRIP | 1 | |
| ONETOUCH VERIO TEST STRIP | 1 | |
| DIABETES, SUPPLIES, & DURABLE MEDICAL EQUIPMENT | | |
| ACE AEROSOL CLOUD ENHANCER SPACER | 1 | |
| AEROCHAMBER MECHANICAL VENT SPACER | 1 | |
| AEROCHAMBER MINI SPACER | 1 | |
| AEROCHAMBER PLUS FLOW-VU SPACER | 1 | |
| AEROCHAMBER PLUS Z STAT SPACER | 1 | |
| AEROTRACH PLUS SPACER | 1 | |
| AEROVENT PLUS SPACER | 1 | |
| BREATHERITE MDI SPACER | 1 | |
| COMPACT SPACE CHAMBER SPACER | 1 | |
| EASIVENT HOLDING CHAMBER SPACER | 1 | |
| FLEXICHAMBER SPACER | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2" | 1 | |
| LITEAIRE MDI CHAMBER SPACER | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|------|-----------------------|
| MICROCHAMBER SPACER | 1 | |
| MICROSPACER SPACER | 1 | |
| OPTICHAMBER DIAMOND VHC SPACER | 1 | |
| POCKET CHAMBER SPACER | 1 | |
| PRIMEAIRE SPACER | 1 | |
| PROCHAMBER SPACER | 1 | |
| RITEFLO AEROCHAMBER SPACER | 1 | |
| RYBELSUS ORAL TABLET 1.5 MG, 4 MG, 9 MG | 1 | PA |
| SPACE CHAMBER SPACER | 1 | |
| VORTEX HOLDING CHAMBER SPACER | 1 | |
| GLUCOSE ELEVATING AGENTS | | |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION | 1 | |
| <i>diazoxide oral suspension 50 mg/ml</i> | 1 | |
| GLUCAGON (HCL) EMERGENCY KIT INJECTION RECON SOLN 1 MG | 1 | |
| <i>glucagon emergency kit (human) injection recon soln 1 mg</i> | 1 | |
| INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQU | | |
| AUTOJECT 2 INJECTION DEVICE SUBCUTANEOUS INSULIN PEN | 1 | |
| AUTOPEN 1 TO 21 UNITS SUBCUTANEOUS INSULIN PEN | 1 | |
| BD INTEGRA NEEDLE 23 GAUGE X 1" | 1 | |
| BD MICROTAINER LANCET 30 GAUGE | 1 | |
| BD SPECIALTY USE NEEDLES NEEDLE 30 GAUGE X 1/2" | 1 | |
| LANCETS 33 GAUGE | 1 | |
| LANCING DEVICE | 1 | |
| NOVOPEN ECHO SUBCUTANEOUS INSULIN PEN | 1 | |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | 1 | |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 1 | |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 1 | |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | 1 | |
| V-GO 20 DEVICE | 1 | |
| V-GO 30 DEVICE | 1 | |
| V-GO 40 DEVICE | 1 | |
| INSULIN THERAPY | | |
| FIASP FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 1 | |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 1 | |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 1 | |
| INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 1 | PA; ST |
| INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | 1 | PA; ST |
| INSULIN ASPART U-100 SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | 1 | |
| INSULIN ASPART U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| LANTUS SOLOSTAR U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 1 | |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| NOVOLOG FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | 1 | |
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 1 | |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | 1 | |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 1 | |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 1 | |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML | 1 | |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | 1 | PA |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | 1 | |
| TOUJEO SOLOSTAR U-300 SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | 1 | |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 1 | |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 1 | |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | 1 | PA |
| MISCELLANEOUS HORMONES | | |
| <i>cabergoline oral tablet 0.5 mg</i> | 1 | |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i> | 1 | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>calcitriol oral solution 1 mcg/ml</i> | 1 | |
| CERDELGA ORAL CAPSULE 84 MG | 2 | PA; LA |
| <i>cinacalcet oral tablet 30 mg, 60 mg, 90 mg</i> | 1 | PA |
| CRENESSITY ORAL CAPSULE 100 MG, 50 MG | 2 | PA |
| CRENESSITY ORAL SOLUTION 50 MG/ML | 2 | PA |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 1 | |
| DEPO-TESTOSTERONE INTRAMUSCULAR OIL 100 MG/ML | 1 | |
| <i>desmopressin injection solution 4 mcg/ml</i> | 2 | LA |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 1 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> | 1 | |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | 1 | |
| GALAFOLD ORAL CAPSULE 123 MG | 2 | PA; LA |
| JYNARQUE ORAL TABLET 15 MG, 30 MG | 2 | PA; QL (60 per 30 days) |
| JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) | 2 | PA; QL (60 per 30 days) |
| <i>methyltestosterone oral capsule 10 mg</i> | 1 | |
| <i>mifepristone oral tablet 300 mg</i> | 2 | PA; LA |
| <i>miglustat oral capsule 100 mg</i> | 2 | PA; LA |
| MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.) | 2 | PA; LA; QL (27 per 30 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i> | 1 | |
| <i>sapropterin oral powder in packet 100 mg, 500 mg</i> | 2 | PA; LA |
| <i>sapropterin oral tablet, soluble 100 mg</i> | 2 | PA; LA |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 2 | PA; LA; QL (30 per 30 days) |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 2 | PA |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> | 1 | |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 1 | |
| <i>testosterone transdermal gel 50 mg/5 gram (1 %)</i> | 1 | QL (60 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> | 1 | QL (2 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | 1 | QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | 1 | QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1.62 % (20.25 mg/1.25 gram)</i> | 1 | QL (30 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram), 1.62 % (40.5 mg/2.5 gram)</i> | 1 | QL (60 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i> | 1 | QL (2 per 30 days) |
| <i>tolvaptan oral tablet 15 mg, 30 mg</i> | 2 | PA; LA; QL (60 per 30 days) |
| YORVIPATH SUBCUTANEOUS PEN INJECTOR 168 MCG/0.56 ML, 294 MCG/0.98 ML, 420 MCG/1.4 ML | 2 | PA |
| NON-INSULIN HYPOGLYCEMIC AGENTS | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML | 1 | PA |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>glipizide oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>glipizide oral tablet extended release 24hr 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i> | 1 | |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> | 1 | |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i> | 1 | |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 1 | PA |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG | 1 | PA |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG | 1 | PA |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 1 | PA |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 1 | PA |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 1 | PA |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG | 1 | PA |
| <i>liraglutide subcutaneous pen injector 0.6 mg/0.1 ml (18 mg/3 ml)</i> | 1 | PA |
| <i>metformin oral solution 500 mg/5 ml</i> | 1 | ST |
| <i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i> | 1 | |
| <i>metformin oral tablet extended release 24 hr 500 mg, 750 mg</i> | 1 | |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 1 | PA |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 1 | |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 1 | PA |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> | 1 | |
| <i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> | 1 | |
| <i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> | 1 | |
| QTERN ORAL TABLET 10-5 MG, 5-5 MG | 1 | PA |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 1 | PA |
| <i>saxagliptin oral tablet 2.5 mg, 5 mg</i> | 1 | PA |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg, 5-1,000 mg, 5-500 mg</i> | 1 | PA |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 1 | PA |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 1 | PA |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 1 | PA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 25-1,000 MG, 5-1,000 MG | 1 | PA |
| TRADJENTA ORAL TABLET 5 MG | 1 | PA |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 12.5-2.5-1,000 MG, 25-5-1,000 MG, 5-2.5-1,000 MG | 1 | PA |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 1 | PA |
| VICTOZA 2-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) | 2 | PA |
| VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) | 2 | PA |
| THYROID HORMONES | | |
| ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG | 1 | |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> | 1 | |
| <i>niva thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>np thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| <i>thyroid (pork) oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|------|-----------------------|
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |

GASTROENTEROLOGY

ANTIDIARRHEALS & ANTISPASMODICS

| | | |
|---|---|----|
| <i>anaspaz oral tablet, disintegrating 0.125 mg</i> | 1 | |
| <i>belladonna alkaloids-opium rectal suppository 16.2-30 mg, 16.2-60 mg</i> | 1 | PA |
| <i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i> | 1 | |
| <i>dicyclomine oral capsule 10 mg</i> | 1 | |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 1 | |
| <i>dicyclomine oral tablet 20 mg</i> | 1 | |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i> | 1 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | 1 | |
| DONNATAL ORAL TABLET 16.2-0.1037 - 0.0194 MG | 1 | |
| <i>ed-spaz oral tablet, disintegrating 0.125 mg</i> | 1 | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>hyoscyamine sulfate oral drops 0.125 mg/ml</i> | 1 | |
| <i>hyoscyamine sulfate oral elixir 0.125 mg/5 ml</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet 0.125 mg</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet extended release 12 hr 0.375 mg</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet, disintegrating 0.125 mg</i> | 1 | |
| <i>hyoscyamine sulfate sublingual tablet 0.125 mg</i> | 1 | |
| <i>hyosyne oral drops 0.125 mg/ml</i> | 1 | |
| <i>hyosyne oral elixir 0.125 mg/5 ml</i> | 1 | |
| <i>loperamide oral capsule 2 mg</i> | 1 | |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 1 | |
| MOTOFEN ORAL TABLET 1-0.025 MG | 1 | |
| <i>opium oral tincture 10 mg/ml (morphine)</i> | 1 | |
| <i>oscimin oral tablet 0.125 mg</i> | 1 | |
| <i>oscimin sl sublingual tablet 0.125 mg</i> | 1 | |
| <i>phenobarb-hyoscy-atropine-scop oral elixir 16.2-0.1037 -0.0194 mg/5 ml</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>phenobarb-hyoscy-atropine-scop oral tablet 16.2-0.1037 -0.0194 mg</i> | 1 | |
| <i>phenohydro oral elixir 16.2-0.1037 -0.0194 mg/5 ml</i> | 1 | |
| <i>phenohydro oral tablet 16.2-0.1037 -0.0194 mg</i> | 1 | |
| <i>symax fastabs oral tablet, disintegrating 0.125 mg</i> | 1 | |
| <i>symax-sl sublingual tablet 0.125 mg</i> | 1 | |
| <i>symax-sr oral tablet extended release 12 hr 0.375 mg</i> | 1 | |
| MISCELLANEOUS GASTROINTESTINAL AGENTS | | |
| <i>alosetron oral tablet 0.5 mg, 1 mg</i> | 1 | |
| <i>alvimopan oral capsule 12 mg</i> | 1 | |
| ANTIVERT ORAL TABLET 50 MG | 1 | |
| <i>anucort-hc rectal suppository 25 mg</i> | 1 | |
| <i>aprepitant oral capsule 125 mg, 40 mg</i> | 1 | QL (1 per 30 days) |
| <i>aprepitant oral capsule 80 mg</i> | 1 | QL (2 per 30 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> | 1 | QL (1 per 30 days) |
| <i>balsalazide oral capsule 750 mg</i> | 1 | |
| <i>budesonide oral capsule, delayed, extend.release 3 mg</i> | 1 | |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | 2 | PA; ST |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 2 | PA; LA |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 2 | PA; LA |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/175 ML | 1 | ACA PV |
| <i>compro rectal suppository 25 mg</i> | 1 | |
| <i>constulose oral solution 10 gram/15 ml</i> | 1 | |
| CORTIFOAM RECTAL FOAM 10 % (80 MG) | 1 | ST |
| CREON ORAL CAPSULE,DELAYED RELEASE (DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000- 9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 1 | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> | 1 | |
| DIPENTUM ORAL CAPSULE 250 MG | 1 | PA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>enulose oral solution 10 gram/15 ml</i> | 1 | |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> | 1 | ACA PV |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> | 1 | ACA PV |
| <i>gavilyte-n oral recon soln 420 gram</i> | 1 | ACA PV |
| <i>generlac oral solution 10 gram/15 ml</i> | 1 | |
| <i>granisetron hcl oral tablet 1 mg</i> | 1 | QL (6 per 30 days) |
| <i>hemmorex-hc rectal suppository 25 mg, 30 mg</i> | 1 | |
| <i>hydrocortisone acetate rectal suppository 25 mg, 30 mg</i> | 1 | |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> | 1 | |
| <i>hydrocortisone topical cream with perineal applicator 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone-pramoxine rectal cream 1-1 %, 2.5-1 %, 2.5-1 % (4g)</i> | 1 | |
| <i>lactulose oral solution 10 gram/15 ml</i> | 1 | |
| <i>lidocaine hcl-hydrocortison ac rectal cream 3-0.5 %</i> | 1 | |
| LIDOCAINE HCL-HYDROCORTISON AC RECTAL GEL 3 %-2.5 % (7 GRAM) | 1 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 1 | PA |
| LIVMARLI ORAL SOLUTION 19 MG/ML | 2 | PA |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML | 2 | PA; QL (3 per 30 days) |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> | 1 | |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 1 | |
| MECLIZINE ORAL TABLET 50 MG | 1 | |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> | 1 | |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> | 1 | |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram, 800 mg</i> | 1 | |
| <i>mesalamine rectal enema 4 gram/60 ml</i> | 1 | |
| <i>mesalamine rectal suppository 1,000 mg</i> | 1 | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 1 | PA |
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> | 1 | |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 300MG/3ML(100MG /ML-200 MG/2ML) | 2 | PA; LA |
| OMVOH SUBCUTANEOUS SYRINGE 100 MG/ML, 300MG/3ML(100MG /ML-200 MG/2ML) | 2 | PA; LA |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | 1 | QL (2 per 30 days) |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 1 | QL (9 per 30 days) |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 1 | QL (9 per 30 days) |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> | 1 | ACA PV |
| <i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet 100-7.5-2.691 gram</i> | 1 | ACA PV |
| <i>peg-electrolyte oral recon soln 420 gram</i> | 1 | ACA PV |
| PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM | 1 | ACA PV |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>prochlorperazine rectal suppository 25 mg</i> | 1 | |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| RELISTOR ORAL TABLET 150 MG | 1 | |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML | 1 | |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML | 1 | |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> | 1 | |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 2 | PA; LA |
| <i>sodium, potassium, mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> | 1 | ST; ACA PV |
| SUCRAID ORAL SOLUTION 8,500 UNIT/ML | 2 | PA; QL (236 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>sulfasalazine oral tablet 500 mg</i> | 1 | |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> | 1 | |
| <i>trimethobenzamide oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet 250 mg, 500 mg</i> | 1 | |
| VARUBI ORAL TABLET 90 MG | 1 | PA |
| VELSIPTITY ORAL TABLET 2 MG | 2 | PA; LA |
| VIBERZI ORAL TABLET 100 MG, 75 MG | 1 | PA; QL (60 per 30 days) |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 1 | |
| ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML | 2 | PA |
| ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML | 2 | PA |
| ULCER THERAPY | | |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i> | 1 | |
| <i>bismuth subcit k-metronidz-tcn oral capsule 140-125-125 mg</i> | 1 | PA |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 1 | |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i> | 1 | |
| <i>dexlansoprazole oral capsule, biphasic delayed release 30 mg, 60 mg</i> | 1 | ST |
| <i>esomeprazole magnesium oral capsule, delayed release (dr/ec) 40 mg</i> | 1 | |
| <i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | |
| <i>lansoprazole oral capsule, delayed release (dr/ec) 15 mg, 30 mg</i> | 1 | |
| <i>lansoprazole oral tablet, disintegrat, delay rel 15 mg, 30 mg</i> | 1 | |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 1 | |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> | 1 | |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> | 1 | |
| <i>sucralfate oral suspension 100 mg/ml</i> | 1 | |
| <i>sucralfate oral tablet 1 gram</i> | 1 | |

IMMUNOLOGY, VACCINES & BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

| | | |
|--|---|--------|
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | 2 | PA; LA |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML | 2 | PA; LA |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 2 | PA |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 2 | PA; LA |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 2 | PA |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 2 | |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 2 | |
| LEUKINE INJECTION RECON SOLN 250 MCG | 2 | PA; LA |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 2 | |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 2 | |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 2 | PA |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML | 2 | PA; LA |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML | 2 | PA; LA |
| XOLREMDI ORAL CAPSULE 100 MG | 2 | PA; QL (120 per 30 days) |
| GROWTH HORMONES | | |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML | 2 | PA; LA |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) | 2 | PA; LA |
| OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 2 | PA; LA |
| OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG | 2 | PA; LA |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG | 2 | PA; LA |
| INTERFERONS | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 2 | PA; LA |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 2 | PA |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 2 | PA; LA |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 2 | PA; LA |
| VACCINES & MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML | 1 | VAC; ACA PV |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 1 | VAC; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| ADACEL (TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5- 3-5 MCG)-5LF/0.5 ML | 1 | VAC; ACA PV |
| ADACEL (TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 1 | VAC; ACA PV |
| AFLURIA TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| AFLURIA TRIV 2024-2025 INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML | 1 | VAC; ACA PV |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 1 | |
| BEXSERO INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML | 1 | VAC; ACA PV |
| BIOTHRAX INTRAMUSCULAR SUSPENSION 0.5 ML/DOSE | 1 | VAC; ACA PV |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML | 1 | VAC; ACA PV |
| CAPVAXIVE INTRAMUSCULAR SYRINGE 0.5 ML | 1 | VAC; ACA PV |
| COMIRNATY 2024-25 (12Y UP)(PF) INTRAMUSCULAR SYRINGE 30 MCG/0.3 ML | 1 | VAC; ACA PV |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF- MCG-LF/0.5ML | 1 | VAC; ACA PV |
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 1 | VAC; ACA PV |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 1 | VAC; ACA PV |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 1 | VAC; ACA PV |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 1 | VAC; ACA PV |
| FLUAD TRIV 2024-25(65Y UP)(PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| FLUARIX TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLUBLOK TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 135 MCG (45 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLUCELVAX TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLUCELVAX TRIV 2024-2025 INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLULAVAL TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLUMIST TRIVALENT 2024-2025 NASAL NASAL SPRAY SYRINGE 10EXP6.5-7.5 FF UNIT/0.2 ML | 1 | VAC; ACA PV |
| FLUZONE HIGH-DOSE TRIV 24-25 INTRAMUSCULAR SYRINGE 180 MCG/0.5 ML | 1 | VAC; ACA PV |
| FLUZONE TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| FLUZONE TRIV 2024-2025 INTRAMUSCULAR SUSPENSION 45 MCG (15 MCG X 3)/0.5 ML | 1 | VAC; ACA PV |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 1 | VAC; ACA PV |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 1 | VAC; ACA PV |
| GRASTEK SUBLINGUAL TABLET 2,800 BAU | 1 | PA |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1, 440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 1 | VAC; ACA PV |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 1 | VAC; ACA PV |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 1 | VAC; ACA PV |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 1 | VAC; ACA PV |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 1 | VAC; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 1 | VAC; ACA PV |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 1 | VAC; ACA PV |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 1 | VAC; ACA PV |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 1 | VAC; ACA PV |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 1 | VAC; ACA PV |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 1 | VAC; ACA PV |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION 10-5 MCG/0.5 ML | 1 | VAC; ACA PV |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 1 | VAC; ACA PV |
| MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | 1 | VAC; ACA PV |
| ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY | 2 | PA |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 1 | VAC; ACA PV |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 1 | VAC; ACA PV |
| PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML | 1 | VAC; ACA PV |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML | 1 | VAC; ACA PV |
| PNEUMOVAX-23 INJECTION SYRINGE 25 MCG/0.5 ML | 1 | VAC; ACA PV |
| PREVNAR 20 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 1 | VAC; ACA PV |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML | 1 | VAC; ACA PV |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | 1 | VAC; ACA PV |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML | 1 | VAC; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | 1 | VAC; ACA PV |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 1 | VAC; ACA PV |
| RAGWITEK SUBLINGUAL TABLET 12 AMB A 1 UNIT | 1 | PA |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 1 | VAC; ACA PV |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 1 | VAC; ACA PV |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | 1 | VAC; ACA PV |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 1 | VAC; ACA PV |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 1 | VAC; ACA PV |
| SPIKEVAX 2024-2025(12Y UP)(PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | 1 | VAC; ACA PV |
| STAMARIL (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,000 UNIT/0.5 ML | 1 | VAC; ACA PV |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML | 1 | VAC; ACA PV |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 1 | VAC; ACA PV |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 1 | VAC; ACA PV |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML | 1 | VAC; ACA PV |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 1 | VAC; ACA PV |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 1 | VAC; ACA PV |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 1 | VAC; ACA PV |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | 1 | VAC; ACA PV |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | 1 | VAC; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | 1 | VAC; ACA PV |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 1 | VAC; ACA PV |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT | 1 | VAC; ACA PV |
| VAXELIS (PF) INTRAMUSCULAR SUSPENSION 15 UNIT-5 UNIT- 10 MCG/0.5 ML | 1 | VAC; ACA PV |
| VAXELIS (PF) INTRAMUSCULAR SYRINGE 15 UNIT-5 UNIT- 10 MCG/0.5 ML | 1 | VAC; ACA PV |
| VAXNEUVANCE (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 1 | VAC; ACA PV |
| VIVOTIF ORAL CAPSULE, DELAYED RELEASE (DR/EC) 2 BILLION UNIT | 1 | VAC; ACA PV |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML | 1 | VAC; ACA PV |

IMMUNOLOGY

INTERLEUKINS

| | | |
|--|---|--|
| <i>imiquimod topical cream in packet 5 %</i> | 1 | |
|--|---|--|

MUSCULOSKELETAL & RHEUMATOLOGY

GOUT THERAPY

| | | |
|---|---|--|
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>colchicine oral capsule 0.6 mg</i> | 1 | |
| <i>colchicine oral tablet 0.6 mg</i> | 1 | |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | 1 | |
| <i>probenecid oral tablet 500 mg</i> | 1 | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | 1 | |

OSTEOPOROSIS THERAPY

| | | |
|--|---|-------------|
| <i>alendronate oral solution 70 mg/75 ml</i> | 1 | |
| <i>alendronate oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i> | 1 | |
| <i>ibandronate oral tablet 150 mg</i> | 1 | |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 2 | PA; LA |
| <i>raloxifene oral tablet 60 mg</i> | 1 | Och; ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> | 1 | |
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> | 1 | |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (600mcg/2.4ml)</i> | 2 | PA; LA; QL (1 per 30 days) |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML) | 2 | PA; QL (1 per 30 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 2 | PA; LA; QL (1 per 30 days) |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 2 | PA; LA |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 2 | PA; LA |
| ADALIMUMAB-ADAZ SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML | 2 | PA; LA |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SYRINGE 20 MG/0.2 ML, 40 MG/0.4 ML | 2 | PA; LA |
| ADALIMUMAB-ADB M SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| ADALIMUMAB-ADB M SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| ADALIMUMAB-ADB M(CF) PEN CROHNS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| ADALIMUMAB-ADB M(CF) PEN PS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| ADALIMUMAB-RYVK SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML | 2 | PA; LA |
| ADALIMUMAB-RYVK SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 2 | PA; LA |
| AURANOFIN ORAL CAPSULE 3 MG | 1 | |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 2 | PA; LA |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 2 | PA; LA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; LA |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 2 | PA; LA |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 2 | PA; LA |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 2 | PA; LA |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 2 | PA; LA |
| HUMIRA (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 2 | PA; LA |
| HUMIRA PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 2 | PA; LA |
| HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 2 | PA; LA |
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 2 | PA; LA |
| HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 2 | PA; LA |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 2 | PA; LA |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> | 1 | |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | 2 | PA; LA |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 2 | PA; LA |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 2 | PA; LA |
| OTEZLA ORAL TABLET 20 MG, 30 MG | 2 | PA; LA |
| OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | 2 | PA; LA |
| <i>penicillamine oral capsule 250 mg</i> | 1 | PA |
| <i>penicillamine oral tablet 250 mg</i> | 1 | PA |
| RIDAURA ORAL CAPSULE 3 MG | 1 | |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML | 2 | PA; LA |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG | 2 | PA; LA |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 1 | PA |
| SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 1 | PA |
| SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML | 2 | PA; LA |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 80 MG/0.8 ML | 2 | PA |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 2 | PA; LA |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML | 2 | PA; LA |
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML | 2 | PA; LA |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 2 | PA; LA |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 2 | PA; LA |
| XELJANZ ORAL SOLUTION 1 MG/ML | 2 | PA; LA |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 2 | PA; LA |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 2 | PA; LA |

OBSTETRICS & GYNECOLOGY

DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| CAYA CONTOURED VAGINAL DIAPHRAGM 65-80 MM | 1 | ACA PV |
| DUREX AVANTI BARE REAL FEEL | 1 | ACA PV |
| DUREX TROPICAL CONDOM DEVICE | 1 | ACA PV |
| FC2 FEMALE CONDOM | 1 | ACA PV |
| FEMCAP VAGINAL DEVICE 22 MM | 1 | ACA PV |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG | 2 | ACA PV |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG | 2 | ST; ACA PV |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG | 2 | ACA PV |
| PARAGARD T 380A INTRAUTERINE DEVICE 380 SQUARE MM | 2 | ACA PV |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG | 2 | ACA PV |
| TRUSTEX-RIA NON-LUB CONDOMS DEVICE | 1 | ACA PV |
| WIDE-SEAL VAGINAL DIAPHRAGM 60 MM | 1 | ACA PV |
| ESTROGENS & PROGESTINS | | |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG | 1 | |
| <i>camila oral tablet 0.35 mg</i> | 1 | ACA PV |
| COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR | 1 | |
| <i>covaryx h.s. oral tablet 0.625-1.25 mg</i> | 1 | |
| <i>covaryx oral tablet 1.25-2.5 mg</i> | 1 | |
| <i>deblitane oral tablet 0.35 mg</i> | 1 | ACA PV |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML | 1 | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | 1 | ACA PV |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL (8 per 30 days) |
| DUAVEE ORAL TABLET 0.45-20 MG | 1 | |
| <i>eemt hs oral tablet 0.625-1.25 mg</i> | 1 | |
| <i>eemt oral tablet 1.25-2.5 mg</i> | 1 | |
| <i>emzahh oral tablet 0.35 mg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>errin oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>estradiol transdermal gel in packet 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %)</i> | 1 | QL (30 per 30 days) |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL (8 per 30 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL (4 per 30 days) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> | 1 | |
| <i>estradiol vaginal tablet 10 mcg</i> | 1 | |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> | 1 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 1 | |
| ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR) | 1 | |
| <i>estrogens-methyltestosterone oral tablet 0.625-1.25 mg, 1.25-2.5 mg</i> | 1 | |
| EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%) | 1 | QL (2 per 30 days) |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 1 | |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | |
| <i>gallifrey oral tablet 5 mg</i> | 1 | |
| <i>heather oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>incassia oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>jencycla oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>jinteli oral tablet 1-5 mg-mcg</i> | 1 | |
| <i>lyleq oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL (8 per 30 days) |
| <i>lyza oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> | 1 | ACA PV |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG | 1 | |
| <i>mimvey oral tablet 1-0.5 mg</i> | 1 | |
| <i>nora-be oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>norethindrone acetate oral tablet 5 mg</i> | 1 | |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | |
| OPILL ORAL TABLET 0.075 MG | 1 | ACA PV; QL (28 per 28 days) |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | 1 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 1 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 1 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 1 | |
| <i>progesterone intramuscular oil 50 mg/ml</i> | 1 | LA |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> | 1 | |
| <i>sharobel oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>tulana oral tablet 0.35 mg</i> | 1 | ACA PV |
| <i>yuvafem vaginal tablet 10 mcg</i> | 1 | |
| MISCELLANEOUS OB/GYN | | |
| ANNOVERA VAGINAL RING 0.15-0.013 MG/24 HOUR | 1 | ACA PV |
| <i>clindamycin phosphate vaginal cream 2 %</i> | 1 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | ACA PV |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | ACA PV |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | ACA PV |
| <i>fem ph vaginal gel 0.9-0.025 %</i> | 1 | |
| GYNAZOLE-1 VAGINAL CREAM 2 % | 1 | |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| INTRAROSA VAGINAL INSERT 6.5 MG | 1 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 1 | |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 1 | |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | 1 | ACA PV |
| OSPHENA ORAL TABLET 60 MG | 1 | |
| PHEXXI VAGINAL GEL 1.8-1-0.4 % | 1 | ACA PV |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 1 | |
| <i>terconazole vaginal suppository 80 mg</i> | 1 | |
| <i>tranexamic acid oral tablet 650 mg</i> | 1 | |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24 HR | 1 | ACA PV |
| <i>vandazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 1 | |
| VCF CONTRACEPTIVE VAGINAL FILM 28 % | 1 | ACA PV |
| VCF CONTRACEPTIVE VAGINAL GEL 4 % | 1 | ACA PV |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | 1 | ACA PV |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | 1 | ACA PV |
| ORAL CONTRACEPTIVES & RELATED AGENTS | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>after pill oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | ACA PV |
| <i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>amethyst oral tablet 90-20 mcg (28)</i> | 1 | ACA PV |
| <i>apri oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | 1 | ACA PV |
| <i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>aubra oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> | 1 | ACA PV |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | 1 | ACA PV |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | 1 | ACA PV |
| <i>camrese lo oral tablets, dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>camrese oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | 1 | ACA PV |
| <i>charlotte 24 fe oral tablet, chewable 1 mg-20 mcg (24) /75 mg (4)</i> | 1 | ACA PV |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>cryselles (28) oral tablet 0.3-30 mg-mcg</i> | 1 | ACA PV |
| <i>curae oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>cyred oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | ACA PV |
| <i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>dolishale oral tablet 90-20 mcg (28)</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7)</i> | 1 | ACA PV |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i> | 1 | ACA PV |
| <i>econtra ez oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>econtra one-step oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | 1 | ACA PV |
| ELLA ORAL TABLET 30 MG | 1 | ACA PV |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 1 | ACA PV |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>estarylla oral tablet 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i> | 1 | ACA PV |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>finzala oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i> | 1 | ACA PV |
| <i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>hailey oral tablet 1.5-30 mg-mcg</i> | 1 | ACA PV |
| <i>her style oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>iclevia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i> | 1 | ACA PV |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>jaimiess oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | 1 | ACA PV |
| <i>jolessa oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i> | 1 | ACA PV |
| <i>joyeaux oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | 1 | ACA PV |
| <i>juleber oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 1 | ACA PV |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | 1 | ACA PV |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>kaitlib fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i> | 1 | ACA PV |
| <i>kalliga oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> | 1 | ACA PV |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>l norgest/e.estradiol-e.estradiol oral tablets, dose pack, 3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 1 | ACA PV |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | 1 | ACA PV |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i> | 1 | ACA PV |
| <i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i> | 1 | ACA PV |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 1 | ACA PV |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | 1 | ACA PV |
| <i>levonorgestrel oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28)</i> | 1 | ACA PV |
| <i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30 (10)</i> | 1 | ACA PV |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2) | 1 | ACA PV |
| <i>lojaimiess oral tablets, dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | 1 | ACA PV |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | 1 | ACA PV |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> | 1 | ACA PV |
| <i>lutra (28) oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>mibelas 24 fe oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i> | 1 | ACA PV |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 1 | ACA PV |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> | 1 | ACA PV |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>mili oral tablet 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>minzoya oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | 1 | ACA PV |
| <i>mono-linyah oral tablet 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>my choice oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>my way oral tablet 1.5 mg</i> | 1 | ACA PV |
| NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG | 1 | ACA PV |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 1 | ACA PV |
| <i>new day oral tablet 1.5 mg</i> | 1 | ACA PV |
| NEXTSTELLIS ORAL TABLET 3 MG- 14.2 MG (28) | 1 | ACA PV |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | 1 | ACA PV |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4)</i> | 1 | ACA PV |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg (24) /75 mg (4)</i> | 1 | ACA PV |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 1 | ACA PV |
| <i>nortrel 1/35 oral tablet 1-35 mg-mcg (21)</i> | 1 | ACA PV |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | ACA PV |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | ACA PV |
| <i>ocella oral tablet 3-0.03 mg</i> | 1 | ACA PV |
| <i>opcicon one-step oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>option-2 oral tablet 1.5 mg</i> | 1 | ACA PV |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | 1 | ACA PV |
| <i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> | 1 | ACA PV |
| <i>rivelsa oral tablets, dose pack, 3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | 1 | ACA PV |
| <i>setlakin oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i> | 1 | ACA PV |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | ACA PV |
| SLYND ORAL TABLET 4 MG (28) | 1 | ACA PV |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>syeda oral tablet 3-0.03 mg</i> | 1 | ACA PV |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 1 | ACA PV |
| <i>tilia fe oral tablet 1-20 (5)/1-30 (7) /1mg-35mcg (9)</i> | 1 | ACA PV |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 1 | ACA PV |
| <i>tri-legest fe oral tablet 1-20 (5)/1-30 (7) /1mg-35mcg (9)</i> | 1 | ACA PV |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 1 | ACA PV |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | 1 | ACA PV |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | 1 | ACA PV |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | 1 | ACA PV |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | 1 | ACA PV |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 1 | ACA PV |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 1 | ACA PV |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 1 | ACA PV |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | 1 | ACA PV |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 1 | ACA PV |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i> | 1 | ACA PV |
| TYBLUME ORAL TABLET, CHEWABLE 0.1 MG- 20 MCG | 1 | ACA PV |
| <i>valtya oral tablet 1-50 mg-mcg</i> | 1 | ACA PV |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | 1 | ACA PV |
| <i>vestura (28) oral tablet 3-0.02 mg</i> | 1 | ACA PV |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | 1 | ACA PV |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 1 | ACA PV |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | 1 | ACA PV |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>vylibra oral tablet 0.25-0.035 mg</i> | 1 | ACA PV |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i> | 1 | ACA PV |
| <i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | 1 | ACA PV |
| <i>zarah oral tablet 3-0.03 mg</i> | 1 | ACA PV |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | 1 | ACA PV |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> | 1 | ACA PV |

OXYTOCICS

methylergonovine oral tablet 0.2 mg

1

OPHTHALMOLOGY

ANTIBIOTICS

AZASITE OPHTHALMIC (EYE) DROPS 1 %

1

bacitracin ophthalmic (eye) ointment 500 unit/gram

1

bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram

1

BESIVANCE OPHTHALMIC (EYE) DROPS, SUSPENSION 0.6 %

1

ciprofloxacin hcl ophthalmic (eye) drops 0.3 %

1

erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)

1

gatifloxacin ophthalmic (eye) drops 0.5 %

1

gentamicin ophthalmic (eye) drops 0.3 %

1

levofloxacin ophthalmic (eye) drops 1.5 %

1

moxifloxacin ophthalmic (eye) drops 0.5 %

1

NATACYN OPHTHALMIC (EYE) DROPS, SUSPENSION 5 %

1

neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g

1

neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml

1

neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g

1

ofloxacin ophthalmic (eye) drops 0.3 %

1

polycin ophthalmic (eye) ointment 500-10,000 unit/gram

1

polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml

1

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 % | 1 | |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 1 | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 1 | |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| BETIMOL OPHTHALMIC (EYE) DROPS 0.25 % | 1 | |
| BETIMOL OPHTHALMIC (EYE) DROPS 0.5 % | 2 | |
| BETOPTIC S OPHTHALMIC (EYE) DROPS, SUSPENSION 0.25 % | 1 | PA; ST |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> | 1 | |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| CHOLINESTERASE INHIBITOR MIOTICS | | |
| PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 % | 2 | |
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>cyclopentolate ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>homatropaire ophthalmic (eye) drops 5 %</i> | 1 | |
| <i>tropicamide ophthalmic (eye) drops 0.5 %, 1 %</i> | 1 | |
| DIRECT ACTING MIOTICS | | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 1 | |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| <i>altacaine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 1 | |
| <i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 1 | |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> | 1 | |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 2 | PA |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 1 | |
| <i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i> | 1 | |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| TETRACAINE HCL (PF) OPHTHALMIC (EYE) DROPS 0.5 % | 1 | |
| <i>tetracaine hcl ophthalmic (eye) drops 0.5 %</i> | 1 | |
| ZERVIATE OPHTHALMIC (EYE) DROPPERETTE 0.24 % | 1 | PA |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 % | 1 | |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i> | 1 | |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 1 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 1 | |
| <i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i> | 1 | |
| NEVANAC OPHTHALMIC (EYE) DROPS, SUSPENSION 0.1 % | 1 | |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 1 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | 1 | |
| OTHER GLAUCOMA DRUGS | | |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i> | 1 | |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> | 1 | |
| <i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> | 1 | |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 1 | |
| <i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette 2-0.5 %</i> | 1 | |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> | 1 | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 1 | PA |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 1 | PA |
| SIMBRINZA OPHTHALMIC (EYE) DROPS, SUSPENSION 1-0.2 % | 1 | |
| <i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> | 1 | |
| <i>travoprost ophthalmic (eye) drops 0.004 %</i> | 1 | |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops, suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops, suspension 3.5-10,000-10 mg-unit-mg/ml</i> | 1 | |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | 1 | |
| TOBRADEX ST OPHTHALMIC (EYE) DROPS, SUSPENSION 0.3-0.05 % | 1 | ST |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops, suspension 0.3-0.1 %</i> | 1 | |
| ZYLET OPHTHALMIC (EYE) DROPS, SUSPENSION 0.3-0.5 % | 1 | PA |
| STEROIDS | | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | 1 | |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> | 1 | |
| <i>fluorometholone ophthalmic (eye) drops, suspension 0.1 %</i> | 1 | |
| FML FORTE OPHTHALMIC (EYE) DROPS, SUSPENSION 0.25 % | 1 | |
| INVELTYS OPHTHALMIC (EYE) DROPS, SUSPENSION 1 % | 1 | ST |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 1 | ST |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>loteprednol etabonate ophthalmic (eye) drops, gel 0.5 %</i> | 1 | |
| <i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.2 %, 0.5 %</i> | 1 | |
| MAXIDEX OPHTHALMIC (EYE) DROPS, SUSPENSION 0.1 % | 1 | |
| PRED MILD OPHTHALMIC (EYE) DROPS, SUSPENSION 0.12 % | 1 | |
| <i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | 1 | |
| STEROID-SULFONAMIDE COMBINATIONS | | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 1 | |
| SULFONAMIDES | | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 1 | |
| SYMPATHOMIMETICS | | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> | 1 | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 1 | |
| IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 % | 1 | |
| VASOCONSTRICTOR DECONGESTANTS | | |
| <i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i> | 1 | |
| RESPIRATORY, ALLERGY, COUGH & COLD | | |
| ANTI-HISTAMINE & ANTI-ALLERGENIC AGENTS | | |
| <i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> | 1 | PA; ST; QL (2 per 30 days) |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 1 | PA; ST; QL (240 per 30 days) |
| <i>cetirizine oral solution 1 mg/ml</i> | 1 | |
| <i>clemastine oral tablet 2.68 mg</i> | 1 | |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | 1 | |
| <i>cyproheptadine oral tablet 4 mg</i> | 1 | |
| <i>desloratadine oral tablet 5 mg</i> | 1 | PA; ST; QL (30 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| <i>desloratadine oral tablet, disintegrating 2.5 mg, 5 mg</i> | 1 | PA; ST; QL (30 per 30 days) |
| <i>dexchlorpheniramine maleate oral solution 2 mg/5 ml</i> | 1 | |
| EPINEPHRINE INJECTION AUTO-INJECTOR 0.15 MG/0.15 ML | 1 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i> | 1 | QL (4 per 30 days) |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 1 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> | 1 | |
| <i>levocetirizine oral tablet 5 mg</i> | 1 | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 1 | |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> | 1 | |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| COUGH & COLD THERAPY | | |
| <i>benzonatate oral capsule 100 mg, 150 mg, 200 mg</i> | 1 | |
| <i>brompheniramine-pseudoeph-dm oral syrup 2-30-10 mg/5 ml</i> | 1 | |
| <i>codeine-guaifenesin oral liquid 10-100 mg/5 ml</i> | 1 | |
| <i>g tussin ac oral liquid 10-100 mg/5 ml</i> | 1 | |
| <i>hydrocodone-chlorpheniramine oral suspension, extended rel 12 hr 10-8 mg/5 ml</i> | 1 | |
| <i>hydrocodone-homatropine oral syrup 5-1.5 mg/5 ml</i> | 1 | |
| <i>hydrocodone-homatropine oral tablet 5-1.5 mg</i> | 1 | |
| <i>hydromet oral syrup 5-1.5 mg/5 ml</i> | 1 | |
| <i>maxi-tuss ac oral liquid 10-100 mg/5 ml</i> | 1 | |
| <i>promethazine-codeine oral syrup 6.25-10 mg/5 ml</i> | 1 | |
| <i>promethazine-dm oral syrup 6.25-15 mg/5 ml</i> | 1 | |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i> | 1 | |
| PULMONARY AGENTS | | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 1 | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 2 | PA; LA |
| ADVAIR HFA INHALATION AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | 1 | QL (1 per 30 days) |
| ALBUTEROL HFA 90 MCG INHALER 90 MCG/ACTUATION (BRAND) | 1 | PA; QL |
| <i>albuterol hfa 90 mcg inhaler 90 mcg/actuation (generic)</i> | 1 | QL |
| <i>albuterol sulfate inhalation inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml</i> | 1 | |
| <i>albuterol sulfate inhalation oral syrup 2 mg/5 ml</i> | 1 | |
| <i>albuterol sulfate inhalation oral tablet 2 mg, 4 mg</i> | 1 | |
| <i>albuterol sulfate inhalation oral tablet extended release 12 hr 4 mg, 8 mg</i> | 1 | |
| ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION | 1 | PA; QL (2 per 30 days) |
| ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION | 1 | PA; QL (1 per 30 days) |
| ALYFTREK ORAL TABLET 10-50-125 MG, 4-20-50 MG | 2 | PA; LA |
| <i>alyq oral tablet 20 mg</i> | 2 | PA |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> | 2 | PA; LA |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 1 | QL (1 per 30 days) |
| <i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i> | 1 | |
| ARNUIITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION | 1 | QL (1 per 30 days) |
| ARNUIITY ELLIPTA INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION | 1 | |
| ASMANEX HFA INHALATION AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 1 | PA; QL (1 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 1 | PA; QL (1 per 30 days) |
| ATROVENT HFA INHALATION AEROSOL INHALER 17 MCG/ACTUATION | 1 | QL (2 per 30 days) |
| BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG | 1 | |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> | 2 | PA; LA |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE | 1 | QL (1 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 200-25 MCG/DOSE, 50-25 MCG/DOSE | 1 | |
| <i>breynga inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> | 1 | QL (1 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 1 | QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 1 | QL (30 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> | 1 | QL (1 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 1 | QL (2 per 30 days) |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 1 | |
| DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION | 1 | QL (1 per 30 days) |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML | 1 | |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | 2 | PA; LA |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML | 2 | PA; LA |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 44 MCG/ACTUATION | 1 | QL (1 per 30 days) |

| Drug Name | Tier | Requirements / Limits |
|--|-------------|------------------------------|
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION | 1 | QL (2 per 30 days) |
| <i>fluticasone propionate nasal spray, suspension 50 mcg/actuation</i> | 1 | |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 1 | QL (1 per 30 days) |
| <i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i> | 1 | |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT | 2 | PA; LA |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> | 2 | PA |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 1 | |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 1 | QL (180 per 30 days) |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i> | 1 | |
| <i>montelukast oral granules in packet 4 mg</i> | 1 | |
| <i>montelukast oral tablet 10 mg</i> | 1 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> | 1 | |
| <i>nebusal inhalation solution for nebulization 3 %</i> | 1 | |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 2 | PA; LA |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML | 2 | PA; LA |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 2 | PA; LA; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 2 | PA; LA |
| OPSYNVI ORAL TABLET 10-20 MG, 10-40 MG | 2 | PA; LA |
| <i>pirfenidone oral capsule 267 mg</i> | 2 | PA; LA; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg, 801 mg</i> | 2 | PA; LA; QL (90 per 30 days) |
| <i>pulmosal inhalation solution for nebulization 7 %</i> | 1 | |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 2 | PA; LA |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION | 1 | |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> | 2 | PA; LA |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 1 | |
| <i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> | 2 | PA |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> | 2 | PA |
| <i>sodium chloride inhalation solution for nebulization 0.9 %, 10 %, 3 %, 7 %</i> | 1 | |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION | 1 | |
| SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 1 | QL (1 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 1 | |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 1 | |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 2 | PA; LA |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> | 2 | PA |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 2 | PA; LA; QL (2 per 30 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150 MG/ML) | 2 | PA; LA; QL (2 per 30 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 1 | |
| TEZSPIRE SUBCUTANEOUS PEN INJECTOR 210 MG/1.91 ML (110 MG/ML) | 2 | PA; LA |
| TEZSPIRE SUBCUTANEOUS SYRINGE 210 MG/1.91 ML (110 MG/ML) | 2 | PA; LA |
| <i>theophylline oral elixir 80 mg/15 ml</i> | 1 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 1 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | 1 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 1 | |
| <i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> | 1 | |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 2 | PA; LA |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG | 1 | |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | 2 | PA; LA |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | 2 | PA; LA |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 16(112)-32(112) - 48(28) MCG, 32 MCG, 48 MCG, 64 MCG | 2 | PA; LA |
| TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML) | 2 | PA; LA |
| TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML) | 2 | PA; LA |
| TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML | 2 | PA; LA |
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML | 2 | PA; LA |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 1 | QL (1 per 30 days) |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>zileuton oral tablet, er multiphase 12 hr 600 mg</i> | 1 | ST |
| UROLOGICALS | | |
| ANTICHOLINERGICS & ANTISPASMODICS | | |
| <i>darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg</i> | 1 | |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> | 1 | |
| <i>flavoxate oral tablet 100 mg</i> | 1 | |
| <i>mirabegron oral tablet extended release 24 hr 25 mg, 50 mg</i> | 1 | ST |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 1 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> | 1 | |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>tropium oral capsule, extended release 24hr 60 mg</i> | 1 | |
| <i>tropium oral tablet 20 mg</i> | 1 | |
| BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> | 1 | |
| <i>dutasteride oral capsule 0.5 mg</i> | 1 | |
| <i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> | 1 | |
| <i>finasteride oral tablet 5 mg</i> | 1 | |
| <i>silodosin oral capsule 4 mg, 8 mg</i> | 1 | |
| <i>tamsulosin oral capsule 0.4 mg</i> | 1 | |
| CHOLINERGIC STIMULANTS | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 50 mg, 50 mg</i> | 1 | |
| MISCELLANEOUS UROLOGICALS | | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | 2 | PA |
| ELMIRON ORAL CAPSULE 100 MG | 1 | PA |
| K-PHOS NO 2 ORAL TABLET 305-700 MG | 1 | |
| K-PHOS ORIGINAL ORAL TABLET, SOLUBLE 500 MG | 1 | |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i> | 1 | |
| RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML | 1 | |
| URINARY ANESTHETICS | | |
| <i>phenazopyridine oral tablet 100 mg, 200 mg</i> | 1 | |
| VITAMIN, HEMATINIC & ELECTROLYTES | | |
| ELECTROLYTES | | |
| <i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> | 1 | |
| <i>sevelamer carbonate oral tablet 800 mg</i> | 1 | |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 1 | |
| <i>sps (with sorbitol) rectal enema 30-40 gram/120 ml</i> | 1 | |
| VELPHORO ORAL TABLET, CHEWABLE 500 MG | 1 | PA |

VITAMINS, HEMATINICS & ELECTROLYTES

ELECTROLYTES

| | | |
|---|---|--|
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 1 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 1 | |
| <i>effe-r-k oral tablet, effervescent 25 meq</i> | 1 | |
| <i>klor-con 10 oral tablet extended release 10 meq</i> | 1 | |
| <i>klor-con 8 oral tablet extended release 8 meq</i> | 1 | |
| <i>klor-con m10 oral tablet, er particles/crystals 10 meq</i> | 1 | |
| <i>klor-con m15 oral tablet, er particles/crystals 15 meq</i> | 1 | |
| <i>klor-con m20 oral tablet, er particles/crystals 20 meq</i> | 1 | |
| <i>klor-con/ef oral tablet, effervescent 25 meq</i> | 1 | |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 1 | |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 1 | |
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> | 1 | |
| POTASSIUM CHLORIDE ORAL TABLET EXTENDED RELEASE 15 MEQ | 1 | |
| <i>potassium chloride oral tablet, er particles/crystals 10 meq, 15 meq, 20 meq</i> | 1 | |

VITAMINS & HEMATINICS

| | | |
|---|---|----|
| ACCRUFER ORAL CAPSULE 30 MG | 1 | PA |
| <i>cyanocobalamin (vitamin b-12) injection solution 1,000 mcg/ml</i> | 1 | PA |
| <i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> | 1 | |

| Drug Name | Tier | Requirements / Limits |
|---|-------------|------------------------------|
| FLORIVA (FLUORIDE-VITAMIN D3) ORAL DROPS 0.25 MG (0.55 MG)-400 UNIT/ML | 1 | |
| <i>fluoride (sodium) oral drops 0.5 mg (1.1 mg sod.fluorid)/ml</i> | 1 | ACA PV |
| <i>fluoride (sodium) oral tablet, chewable 0.25 mg (0.55 mg sod. fluoride), 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride)</i> | 1 | ACA PV |
| <i>folic acid oral tablet 1 mg</i> | 1 | |
| <i>folic acid oral tablet 400 mcg, 800 mcg</i> | 1 | ACA PV |
| <i>hydroxocobalamin intramuscular solution 1,000 mcg/ml</i> | 1 | |
| <i>ludent fluoride oral tablet, chewable 0.25 mg (0.55 mg sod. fluoride), 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride)</i> | 1 | ACA PV |
| <i>m-natal plus oral tablet 27 mg iron- 1 mg</i> | 1 | |
| <i>multi-vitamin with fluoride oral drops 0.25 mg/ml, 0.5 mg/ml</i> | 1 | ACA PV |
| <i>multi-vitamin with fluoride oral tablet, chewable 0.25 mg, 0.5 mg, 1 mg</i> | 1 | ACA PV |
| <i>mvc-fluoride oral tablet, chewable 0.25 mg, 0.5 mg, 1 mg</i> | 1 | ACA PV |
| <i>mynatal oral capsule 65 mg iron- 1 mg</i> | 1 | |
| <i>mynatal plus oral tablet 65 mg iron- 1 mg</i> | 1 | |
| <i>mynatal-z oral tablet 65 mg iron- 1 mg</i> | 1 | |
| <i>prenatabs rx oral tablet 29 mg iron- 1 mg</i> | 1 | |
| <i>prenatal plus (calcium carb) oral tablet 27 mg iron- 1 mg</i> | 1 | |
| <i>prenatal plus oral tablet 29 mg iron- 1 mg</i> | 1 | |
| <i>trinatal rx 1 oral tablet 60 mg iron-1 mg</i> | 1 | |
| <i>tri-vitamin with fluoride oral drops 0.25 mg fluor. (0.55 mg)/ml, 0.5 mg fluoride (1.1 mg)/ml</i> | 1 | ACA PV |
| <i>vitamins a, c, d and fluoride oral drops 0.25 mg fluor. (0.55 mg)/ml, 0.5 mg fluoride (1.1 mg)/ml</i> | 1 | ACA PV |
| <i>westab plus oral tablet 27 mg iron- 1 mg</i> | 1 | |

Index

| | | |
|--|--------|--|
| A | | |
| <i>abacavir</i> | 1 | |
| <i>abacavir-lamivudine</i> | 1 | |
| ABILIFY MAINTENA..... | 26 | |
| <i>abiraterone</i> | 9 | |
| ABRYSVO (PF)..... | 69 | |
| <i>acamprosate</i> | 51 | |
| <i>acarbose</i> | 60 | |
| ACCRUFER..... | 100 | |
| <i>accutane</i> | 46 | |
| ACE AEROSOL CLOUD ENHANCER..... | 55 | |
| <i>acebutolol</i> | 35 | |
| <i>acetaminophen-codeine</i> | 21 | |
| <i>acetazolamide</i> | 90 | |
| <i>acetic acid</i> | 51, 53 | |
| <i>acetylcysteine</i> | 94 | |
| <i>acitretin</i> | 43 | |
| ACTEMRA..... | 75 | |
| ACTEMRA ACTPEN..... | 75 | |
| ACTHAR..... | 54 | |
| ACTHAR SELFJECT..... | 54 | |
| ACTHIB (PF)..... | 69 | |
| ACTIMMUNE..... | 69 | |
| ACUVAIL (PF)..... | 90 | |
| <i>acyclovir</i> | 1, 48 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 70 | |
| ADALIMUMAB-ADAZ..... | 75 | |
| ADALIMUMAB-ADBM..... | 75 | |
| ADALIMUMAB-ADBM(CF) PEN CROHNS..... | 75 | |
| ADALIMUMAB-ADBM(CF) PEN PS-UV..... | 75 | |
| ADALIMUMAB-RYVK..... | 75 | |
| <i>adapalene</i> | 46 | |
| ADAPALENE..... | 46 | |
| <i>adapalene-benzoyl peroxide</i> | 46 | |
| ADBRY..... | 45 | |
| <i>adefovir</i> | 1 | |
| ADEMPAS..... | 94 | |
| <i>adult aspirin regimen</i> | 24 | |
| ADVAIR HFA..... | 94 | |
| ADZENYS XR-ODT..... | 26 | |
| AEROCHAMBER MECHANICAL VENT..... | 55 | |
| AEROCHAMBER MINI..... | 55 | |
| AEROCHAMBER PLUS FLOW-VU..... | 55 | |
| AEROCHAMBER PLUS Z STAT..... | 55 | |
| AEROTRACH PLUS..... | 55 | |
| AEROVENT PLUS..... | 55 | |
| <i>afirmelle</i> | 81 | |
| AFLURIA TRIV 2024-2025 | 70 | |
| AFLURIA TRIV 2024-2025 (PF)..... | 70 | |
| <i>after pill</i> | 81 | |
| AIMOVIG AUTOINJECTOR | 19 | |
| AJOVY AUTOINJECTOR.. | 19 | |
| AJOVY SYRINGE..... | 19 | |
| <i>ala-cort</i> | 48 | |
| <i>albendazole</i> | 6 | |
| <i>albuterol sulfate inhalation</i> .. | 94 | |
| <i>alclometasone</i> | 48, 49 | |
| ALECENSA..... | 9 | |
| <i>alendronate</i> | 74 | |
| <i>alfuzosin</i> | 99 | |
| ALINIA..... | 6 | |
| <i>aliskiren</i> | 35 | |
| <i>allopurinol</i> | 74 | |
| <i>almotriptan malate</i> | 19 | |
| <i>alosetron</i> | 64 | |
| <i>alprazolam</i> | 26 | |
| <i>alprazolam intensol</i> | 26 | |
| ALTABAX..... | 47 | |
| <i>altacaine</i> | 89 | |
| <i>altavera (28)</i> | 81 | |
| ALVESCO..... | 94 | |
| <i>alvimopan</i> | 64 | |
| <i>alyacen 1/35 (28)</i> | 81 | |
| <i>alyacen 7/7/7 (28)</i> | 81 | |
| ALYFTREK..... | 94 | |
| <i>alyq</i> | 94 | |
| <i>amantadine hcl</i> | 1 | |
| <i>ambrisentan</i> | 94 | |
| <i>amcinonide</i> | 49 | |
| <i>amethia</i> | 81 | |
| <i>amethyst (28)</i> | 81 | |
| <i>amiloride</i> | 35 | |
| <i>amiloride-hydrochlorothiazide</i> | 35 | |
| <i>aminocaproic acid</i> | 40 | |
| <i>amiodarone</i> | 34 | |
| <i>amitriptyline</i> | 26 | |
| <i>amitriptyline-chlordiazepoxide</i> | 26 | |
| <i>amlodipine</i> | 35 | |
| <i>amlodipine-atorvastatin</i> | 41 | |
| <i>amlodipine-benazepril</i> | 35 | |
| <i>amlodipine-olmesartan</i> | 35 | |
| <i>amlodipine-valsartan</i> | 35 | |
| <i>amlodipine-valsartan-hctiazid</i> | 35 | |
| <i>ammonium lactate</i> | 45 | |
| <i>amnestem</i> | 46 | |
| <i>amoxapine</i> | 26 | |
| <i>amoxicil-clarithromy-</i> <i>lansopraz</i> | 67 | |
| <i>amoxicillin</i> | 7 | |
| <i>amoxicillin-pot clavulanate</i> ... | 7 | |
| <i>amphetamine sulfate</i> | 26 | |
| <i>ampicillin</i> | 7 | |
| <i>anagrelide</i> | 51 | |
| <i>anaspaz</i> | 63 | |
| <i>anastrozole</i> | 9 | |
| ANGELIQ..... | 78 | |
| ANNOVERA..... | 80 | |
| ANORO ELLIPTA..... | 94 | |
| ANTIVERT..... | 64 | |
| <i>anucort-hc</i> | 64 | |
| <i>apraclonidine</i> | 92 | |
| <i>aprepitant</i> | 64 | |
| <i>apri</i> | 81 | |
| APTIVUS..... | 2 | |
| <i>aranelle (28)</i> | 81 | |
| ARANESP (IN POLYSORBATE)..... | 68 | |
| ARCALYST..... | 68 | |
| AREXVY (PF)..... | 70 | |
| <i>arformoterol</i> | 94 | |
| <i>aripiprazole</i> | 26, 27 | |
| ARISTADA..... | 27 | |
| ARISTADA INITIO..... | 27 | |
| <i>armodafinil</i> | 27 | |
| ARMOUR THYROID..... | 62 | |
| ARNUITY ELLIPTA..... | 94 | |
| <i>ascomp with codeine</i> | 22 | |
| <i>asenapine maleate</i> | 27 | |
| <i>ashlyna</i> | 81 | |
| ASMANEX HFA..... | 94 | |
| ASMANEX TWISTHALER | 95 | |

| | | | | |
|--------------------------------------|--------|--|---|------------|
| <i>aspirin</i> | 24 | BCG VACCINE, LIVE (PF) 70 | <i>brimonidine</i> | 92 |
| <i>aspirin childrens</i> | 24 | BD INTEGRA NEEDLE 56 | <i>brimonidine-timolol</i> | 90 |
| <i>aspirin-dipyridamole</i> | 40 | BD MICROTAINER | <i>brinzolamide</i> | 90 |
| <i>atazanavir</i> | 2 | LANCET 56 | BRIVIACT | 15 |
| <i>atenolol</i> | 35 | BD SPECIALTY USE | <i>bromfenac</i> | 90 |
| <i>atenolol-chlorthalidone</i> | 35 | NEEDLES 56 | <i>bromocriptine</i> | 18 |
| <i>atomoxetine</i> | 27 | <i>belladonna alkaloids-opium</i> ..63 | <i>brompheniramine-pseudoeph-</i> | |
| <i>atorvastatin</i> | 41 | BELSOMRA | <i>dm</i> | 93 |
| <i>atovaquone</i> | 6 | <i>benazepril</i> | <i>budesonide</i> | 64, 95 |
| <i>atovaquone-proguanil</i> | 6 | <i>benazepril-hydrochlorothiazide</i> | <i>budesonide-formoterol</i> | 95 |
| <i>atropine</i> | 89 | | <i>bumetanide</i> | 35 |
| ATROVENT HFA | 95 | BENLYSTA..... | <i>buprenorphine</i> | 22 |
| <i>aubra</i> | 81 | <i>benzonatate</i> | <i>buprenorphine hcl</i> | 22 |
| <i>aubra eq</i> | 81 | <i>benztropine</i> | <i>buprenorphine-naloxone</i> | 24 |
| AUGTYRO | 9 | <i>bepotastine besilate</i> | <i>bupropion hcl</i> | 27 |
| AURANOFIN | 75 | BESIVANCE..... | <i>bupropion hcl (smoking deter)</i> | |
| <i>aurovela 1.5/30 (21)</i> | 81 | BESREMI..... | | 52 |
| <i>aurovela 1/20 (21)</i> | 82 | <i>betamethasone dipropionate</i> 49 | <i>buspirone</i> | 27 |
| <i>aurovela 24 fe</i> | 82 | <i>betamethasone valerate</i> | <i>butalbital-acetaminop-caf-cod</i> | |
| <i>aurovela fe 1.5/30 (28)</i> | 82 | <i>betamethasone, augmented</i> ..49 | | 22 |
| <i>aurovela fe 1-20 (28)</i> | 82 | BETASERON | <i>butalbital-acetaminophen-caff</i> | |
| AUSTEDO | 20 | <i>betaxolol</i> | | 22 |
| AUSTEDO XR..... | 20 | <i>bethanechol chloride</i> | <i>butalbital-aspirin-caffeine</i> | 22 |
| AUSTEDO XR TITRATION | | BETIMOL | <i>butorphanol</i> | 24 |
| KT(WK1-4)..... | 20 | BETOPTIC S..... | BYDUREON BCISE..... | 60 |
| AUTOJECT 2 INJECTION | | BEVESPI AEROSPHERE... 95 | C | |
| DEVICE | 56 | <i>bexarotene</i> | CABENUVA..... | 2 |
| AUTOPEN 1 TO 21 UNITS | 56 | BEXSERO..... | <i>cabergoline</i> | 58 |
| <i>aviane</i> | 82 | BEYFORTUS..... | CABLIVI..... | 40 |
| <i>avidoxy</i> | 8 | <i>bicalutamide</i> | CABOMETYX..... | 10 |
| AVONEX..... | 33 | BIKTARVY | <i>calcipotriene</i> | 43 |
| <i>ayuna</i> | 82 | <i>bimatoprost</i> | <i>calcipotriene-betamethasone</i> 44 | |
| AZASITE | 88 | BIOTHRAX | <i>calcitonin (salmon)</i> | 58 |
| <i>azathioprine</i> | 9 | <i>bismuth subcit k-metronidz-tcn</i> | <i>calcitriol</i> | 44, 58, 59 |
| <i>azelaic acid</i> | 46 | | <i>calcium acetate(phosphat bind)</i> | |
| <i>azelastine</i> | 53, 89 | <i>bisoprolol fumarate</i> | | 100 |
| AZELEX..... | 46 | <i>bisoprolol-hydrochlorothiazide</i> | CALQUENCE | |
| <i>azithromycin</i> | 5 | | (ACALABRUTINIB MAL) | |
| <i>azurette (28)</i> | 82 | <i>blisovi 24 fe</i> | | 10 |
| B | | <i>blisovi fe 1.5/30 (28)</i> | <i>camila</i> | 78 |
| <i>bacitracin</i> | 88 | <i>blisovi fe 1/20 (28)</i> | <i>camrese</i> | 82 |
| <i>bacitracin-polymyxin b</i> | 88 | BOOSTRIX TDAP..... | <i>camrese lo</i> | 82 |
| <i>baclofen</i> | 21 | <i>bosentan</i> | CAMZYOS..... | 43 |
| BAFIERTAM..... | 33 | BOSULIF | <i>candesartan</i> | 35 |
| <i>balsalazide</i> | 64 | BRAFTOVI..... | <i>candesartan-</i> | |
| BALVERSA..... | 9 | BREATHERITE MDI | <i>hydrochlorothiazid</i> | 36 |
| <i>balziva (28)</i> | 82 | SPACER..... | <i>capecitabine</i> | 10 |
| BAQSIMI..... | 56 | BREO ELLIPTA | CAPRELSA..... | 10 |
| BARACLUDE | 2 | <i>breyna</i> | <i>captopril</i> | 36 |
| BAXDELA..... | 8 | <i>briellyn</i> | <i>captopril-hydrochlorothiazide</i> | |
| <i>bayer low dose aspirin</i> | 24 | BRILINTA | | 36 |

| | | | | | |
|--|--------|---|-----------|--------------------------------------|------------|
| CAPVAXIVE..... | 70 | <i>cinacalcet</i> | 59 | CORLANOR..... | 43 |
| <i>carbamazepine</i> | 15 | CIPRO HC..... | 53 | CORTIFOAM..... | 64 |
| <i>carbidopa</i> | 18 | <i>ciprofloxacin</i> | 8 | <i>cortisone</i> | 54 |
| <i>carbidopa-levodopa</i> | 18 | <i>ciprofloxacin hcl</i> | 8, 53, 88 | CORTROPHIN GEL..... | 54 |
| <i>carbidopa-levodopa-</i> | | <i>ciprofloxacin-dexamethasone</i> | | COSENTYX..... | 44 |
| <i>entacapone</i> | 18 | | 54 | COSENTYX (2 SYRINGES) | |
| <i>carbinoxamine maleate</i> | 92 | <i>citalopram</i> | 27 | | 44 |
| <i>carglumic acid</i> | 51 | <i>claravis</i> | 46 | COSENTYX PEN | 44 |
| <i>carisoprodol</i> | 21 | <i>clarithromycin</i> | 5 | COSENTYX PEN (2 PENS) | 44 |
| <i>carteolol</i> | 89 | <i>clemastine</i> | 92 | COSENTYX UNOREADY | |
| <i>cartia xt</i> | 36 | CLENPIQ..... | 64 | PEN..... | 44 |
| <i>carvedilol</i> | 36 | <i>clindamycin hcl</i> | 6 | COTELLIC..... | 10 |
| <i>carvedilol phosphate</i> | 36 | <i>clindamycin pediatric</i> | 6 | COTEMPLA XR-ODT | 28 |
| CAYA CONTOURED..... | 78 | <i>clindamycin phosphate</i> ... | 46, 80 | <i>covaryx</i> | 78 |
| CAYSTON..... | 6 | <i>clindamycin-benzoyl peroxide</i> | | <i>covaryx h.s.</i> | 78 |
| <i>caziant (28)</i> | 82 | | 46 | CRENESSITY..... | 59 |
| <i>cefaclor</i> | 4 | <i>clobazam</i> | 15 | CREON..... | 64 |
| <i>cefadroxil</i> | 4, 5 | <i>clobetasol</i> | 49 | CRESEMBA..... | 1 |
| <i>cefdinir</i> | 5 | <i>clobetasol-emollient</i> | 49 | <i>cromolyn</i> | 64, 90, 95 |
| <i>cefixime</i> | 5 | <i>clomipramine</i> | 27 | <i>crotan</i> | 50 |
| <i>cefpodoxime</i> | 5 | <i>clonazepam</i> | 15 | <i>cryselle (28)</i> | 82 |
| <i>cefprozil</i> | 5 | <i>clonidine</i> | 36 | <i>curae</i> | 82 |
| <i>cefuroxime axetil</i> | 5 | <i>clonidine hcl</i> | 27, 36 | <i>cyanocobalamin (vitamin b-12)</i> | |
| <i>celecoxib</i> | 24 | <i>clopidogrel</i> | 40 | | 100 |
| CELONTIN..... | 15 | <i>clorazepate dipotassium</i> | 27 | <i>cyclobenzaprine</i> | 21 |
| <i>cephalexin</i> | 5 | <i>clotrimazole</i> | 1, 48 | <i>cyclopentolate</i> | 89 |
| CERDELGA..... | 59 | <i>clotrimazole-betamethasone</i> | 48 | <i>cyclophosphamide</i> | 10 |
| <i>cetirizine</i> | 92 | <i>clozapine</i> | 27 | <i>cycloserine</i> | 6 |
| <i>cevimeline</i> | 51 | COARTEM | 6 | <i>cyclosporine</i> | 10, 90 |
| <i>charlotte 24 fe</i> | 82 | <i>codeine sulfate</i> | 22 | <i>cyclosporine modified</i> | 10 |
| <i>chateal eq (28)</i> | 82 | <i>codeine-butalbital-asa-caff</i> .. | 22 | CYLTEZO(CF) | 76 |
| CHEMET | 51 | <i>codeine-guaifenesin</i> | 93 | CYLTEZO(CF) PEN..... | 76 |
| <i>chlordiazepoxide hcl</i> | 27 | <i>colchicine</i> | 74 | CYLTEZO(CF) PEN | |
| <i>chlordiazepoxide-clidinium</i> .. | 63 | <i>colesevelam</i> | 41, 42 | CROHN'S-UC-HS..... | 76 |
| <i>chlorhexidine gluconate</i> | 53 | <i>colestipol</i> | 42 | CYLTEZO(CF) PEN | |
| <i>chloroquine phosphate</i> | 6 | COMBIPATCH..... | 78 | PSORIASIS-UV | 76 |
| <i>chlorpromazine</i> | 27 | COMBIVENT RESPIMAT .. | 95 | <i>cyproheptadine</i> | 92 |
| <i>chlorthalidone</i> | 36 | COMETRIQ..... | 10 | <i>cyred</i> | 82 |
| <i>chlorzoxazone</i> | 21 | COMIRNATY 2024-25 (12Y | | <i>cyred eq</i> | 82 |
| CHOLBAM..... | 64 | UP)(PF) | 70 | CYSTAGON | 99 |
| <i>cholestyramine (with sugar)</i> | 41 | COMPACT SPACE | | CYSTARAN..... | 90 |
| <i>cholestyramine light</i> | 41 | CHAMBER | 55 | D | |
| <i>ciclodan</i> | 47 | COMPLERA | 2 | <i>dabigatran etexilate</i> | 40 |
| <i>ciclopirox</i> | 47, 48 | <i>compro</i> | 64 | <i>dalfampridine</i> | 20 |
| <i>cilostazol</i> | 40 | <i>constulose</i> | 64 | <i>danazol</i> | 59 |
| CIMDUO..... | 2 | CONTOUR NEXT TEST | | <i>dantrolene</i> | 21 |
| <i>cimetidine</i> | 67 | STRIPS | 55 | <i>dapsone</i> | 6 |
| <i>cimetidine hcl</i> | 67 | CONTOUR PLUS TEST | | DAPTACEL (DTAP | |
| CIMZIA..... | 64 | STRIP | 55 | PEDIATRIC) (PF)..... | 70 |
| CIMZIA POWDER FOR | | CONTOUR TEST STRIPS .. | 55 | <i>darifenacin</i> | 98 |
| RECONST..... | 64 | COPIKTRA | 10 | <i>darunavir</i> | 2 |

| | | | | | |
|--|------------|---------------------------------------|--------|--|-----|
| <i>dasatinib</i> | 10 | <i>dicyclomine</i> | 63 | DYANA VEL XR | 28 |
| <i>dasetta 1/35 (28)</i> | 82 | DIFICID | 5 | E | |
| <i>dasetta 7/7/7 (28)</i> | 82 | <i>diflunisal</i> | 24 | <i>e.e.s. 400</i> | 5 |
| DAURISMO..... | 10 | <i>difluprednate</i> | 91 | EASIVENT HOLDING | |
| DAYBUE | 20 | <i>digoxin</i> | 39, 40 | CHAMBER | 55 |
| <i>daysee</i> | 82 | <i>dihydroergotamine</i> | 19 | EBGLYSS PEN..... | 45 |
| <i>deblitane</i> | 78 | DILANTIN..... | 15 | EBGLYSS SYRINGE..... | 45 |
| <i>deferasirox</i> | 51 | <i>diltiazem</i> | 36 | <i>econazole nitrate</i> | 48 |
| <i>deferiprone</i> | 51 | <i>dilt-xr</i> | 36 | <i>econtra ez</i> | 83 |
| <i>deflazacort</i> | 54 | <i>dimethyl fumarate</i> | 33 | <i>econtra one-step</i> | 83 |
| <i>demeclocycline</i> | 8 | DIPENTUM | 64 | <i>ecotrin low strength</i> | 24 |
| DENGVAXIA (PF)..... | 70 | <i>diphenoxylate-atropine</i> | 63 | EDARBI | 36 |
| <i>denta 5000 plus</i> | 53 | <i>dipyridamole</i> | 40 | EDARBYCLOR | 36 |
| <i>denta 5000 plus sensitive</i> | 53 | <i>diskets</i> | 22 | <i>ed-spaz</i> | 63 |
| <i>dentagel</i> | 53 | <i>disopyramide phosphate</i> | 34 | EDURANT | 2 |
| DEPO-ESTRADIOL..... | 78 | <i>disulfiram</i> | 51 | <i>eemt</i> | 78 |
| DEPO-SUBQ PROVERA 104 | | <i>divalproex</i> | 15 | <i>eemt hs</i> | 78 |
| | 78 | <i>dofetilide</i> | 34 | <i>efavirenz</i> | 2 |
| DEPO-TESTOSTERONE...59 | | <i>dolishale</i> | 82 | <i>efavirenz-emtricitabin-tenofov2</i> | |
| <i>dermacinrx lidocan</i> | 47 | <i>donepezil</i> | 20 | <i>efavirenz-lamivu-tenofov disop</i> | |
| DESCOVY | 2 | DONNATAL..... | 63 | | 2 |
| <i>desipramine</i> | 28 | DOPTELET..... | 40 | <i>effe-r-k</i> | 100 |
| <i>desloratadine</i> | 92, 93 | <i>dorzolamide</i> | 90 | <i>eletriptan</i> | 19 |
| <i>desmopressin</i> | 59 | <i>dorzolamide-timolol</i> | 90 | ELIGARD..... | 10 |
| <i>desog-e.estradiol/e.estradiol</i> | 82 | <i>dorzolamide-timolol (pf)</i> | 90 | ELIGARD (3 MONTH) | 10 |
| <i>desonide</i> | 49 | <i>dotti</i> | 78 | ELIGARD (4 MONTH) | 10 |
| <i>desoximetasone</i> | 49 | DOVATO | 2 | ELIGARD (6 MONTH) | 10 |
| DESVENLAFAXINE | 28 | <i>doxazosin</i> | 36 | <i>elinest</i> | 83 |
| <i>desvenlafaxine succinate</i> | 28 | <i>doxepin</i> | 28 | ELIQUIS..... | 40 |
| <i>dexamethasone</i> | 54 | <i>doxercalciferol</i> | 59 | ELIQUIS DVT-PE TREAT | |
| <i>dexamethasone intensol</i> | 54 | <i>doxycycline hyclate</i> | 8 | 30D START..... | 40 |
| <i>dexamethasone sodium</i> | | <i>doxycycline monohydrate</i> | 8 | ELIXOPHYLLIN | 95 |
| <i>phosphate</i> | 91 | <i>dronabinol</i> | 65 | ELLA | 83 |
| <i>dexchlorpheniramine maleate</i> | | <i>drospirenone-e.estradiol-lm.fa</i> | | ELMIRON | 99 |
| | 93 | | 83 | <i>eluryng</i> | 80 |
| DEXCOM G6 SENSOR | 55 | <i>drospirenone-ethinyl estradiol</i> | | EMGALITY PEN..... | 19 |
| DEXCOM G6 | | | 83 | EMGALITY SYRINGE..... | 19 |
| TRANSMITTER..... | 55 | DRYSOL DAB-O-MATIC .. | 45 | EMSAM | 28 |
| DEXCOM G7 SENSOR | 55 | DSUVIA..... | 22 | <i>emtricitabine</i> | 2 |
| <i>dexlansoprazole</i> | 67 | DUAVEE..... | 78 | <i>emtricitabine-tenofovir (tdf)</i> ... | 2 |
| <i>dexmethylphenidate</i> | 28 | DULERA..... | 95 | EMTRIVA..... | 2 |
| <i>dextroamphetamine sulfate</i> .. | 28 | <i>duloxetine</i> | 28 | EMVERM..... | 6 |
| <i>dextroamphetamine-</i> | | DUOPA | 18 | <i>emzahn</i> | 78 |
| <i>amphetamine</i> | 28 | DUPIXENT PEN | 45 | <i>enalapril maleate</i> | 36 |
| <i>diazepam</i> | 15, 28 | DUPIXENT SYRINGE..... | 45 | <i>enalapril-hydrochlorothiazide</i> | |
| <i>diazepam intensol</i> | 28 | DUREX AVANTI BARE | | | 36 |
| <i>diazoxide</i> | 56 | REAL FEEL | 78 | ENBREL..... | 76 |
| <i>diclofenac potassium</i> | 24 | DUREX TROPICAL | | ENBREL MINI | 76 |
| <i>diclofenac sodium</i> | 24, 45, 90 | CONDOM | 78 | ENBREL SURECLICK | 76 |
| <i>diclofenac-misoprostol</i> | 24 | <i>dutasteride</i> | 99 | <i>endocet</i> | 22 |
| <i>dicloxacillin</i> | 7 | <i>dutasteride-tamsulosin</i> | 99 | ENGERIX-B (PF) | 70 |

| | | | |
|---|---|--|---------|
| ENGERIX-B PEDIATRIC | <i>etonogestrel-ethinyl estradiol</i> | <i>flavoxate</i> | 98 |
| (PF)..... | | <i>flecainide</i> | 34 |
| <i>enilloring</i> | <i>etoposide</i> | FLEXICHAMBER | 55 |
| <i>enoxaparin</i> | <i>etravirine</i> | FLORIVA (FLUORIDE- | |
| <i>enpresse</i> | EUCRISA..... | VITAMIN D3)..... | 101 |
| <i>enskyce</i> | EURAX | FLUAD TRIV 2024-25(65Y | |
| <i>entacapone</i> | <i>euthyrox</i> | UP)(PF)..... | 70 |
| <i>entecavir</i> | EVAMIST | FLUARIX TRIV 2024-2025 | |
| ENTRESTO | <i>everolimus (antineoplastic)</i> .10, | (PF)..... | 71 |
| ENTRESTO SPRINKLE | 11 | FLUBLOK TRIV 2024-2025 | |
| <i>enulose</i> | <i>everolimus</i> | (PF)..... | 71 |
| EPCLUSA..... | (immunosuppressive)..... | FLUCELVAX TRIV 2024- | |
| EPIDIOLEX | EVOTAZ..... | 2025 | 71 |
| <i>epinastine</i> | <i>exemestane</i> | FLUCELVAX TRIV 2024- | |
| <i>epinephrine</i> | <i>ezetimibe</i> | 2025 (PF)..... | 71 |
| EPINEPHRINE | <i>ezetimibe-simvastatin</i> | <i>fluconazole</i> | 1 |
| <i>epitol</i> | F | <i>flucytosine</i> | 1 |
| <i>eplerenone</i> | FABHALTA..... | <i>fludrocortisone</i> | 54 |
| EPOGEN | <i>falmina (28)</i> | FLULAVAL TRIV 2024-2025 | |
| <i>eprosartan</i> | <i>famciclovir</i> | (PF)..... | 71 |
| <i>ergocalciferol (vitamin d2)</i> .100 | <i>famotidine</i> | FLUMIST TRIVALENT | |
| <i>ergoloid</i> | FANAPT | 2024-2025..... | 71 |
| ERGOMAR..... | FASENRA..... | <i>fluocinolone</i> | 49 |
| <i>ergotamine-caffeine</i> | FASENRA PEN | <i>fluocinolone acetonide oil</i> | 53 |
| ERLEADA | FC2 FEMALE CONDOM ... | <i>fluocinolone and shower cap</i> | 49 |
| <i>erlotinib</i> | <i>febuxostat</i> | <i>fluocinonide</i> | 50 |
| <i>errin</i> | <i>feirza</i> | <i>fluocinonide-e</i> | 50 |
| <i>ery pads</i> | <i>felbamate</i> | <i>fluoride (sodium)</i> | 53, 101 |
| <i>erygel</i> | <i>felodipine</i> | <i>fluorometholone</i> | 91 |
| <i>ery-tab</i> | <i>fem ph</i> | <i>flurouracil</i> | 45 |
| <i>erythrocin (as stearate)</i> | FEMCAP | FLUOROURACIL | 45 |
| <i>erythromycin</i> | FEMRING | <i>fluoxetine</i> | 29 |
| <i>erythromycin ethylsuccinate</i> ...5 | <i>fenofibrate</i> | <i>fluphenazine hcl</i> | 29 |
| <i>erythromycin with ethanol</i> | <i>fenofibrate micronized</i> | <i>flurazepam</i> | 29 |
| <i>erythromycin-benzoyl peroxide</i> | <i>fenofibrate nanocrystallized</i> .42 | <i>flurbiprofen</i> | 25 |
| | <i>fenofibric acid</i> | <i>flurbiprofen sodium</i> | 90 |
| <i>escitalopram oxalate</i> | <i>fenofibric acid (choline)</i> | <i>fluticasone propionate</i> | 50, 96 |
| <i>esomeprazole magnesium</i> | <i>fentanyl</i> | FLUTICASONE | |
| <i>estarylla</i> | <i>fentanyl citrate</i> | PROPIONATE | 95, 96 |
| <i>estazolam</i> | FERRIPROX | <i>fluticasone propion-salmeterol</i> | |
| <i>estradiol</i> | <i>fesoterodine</i> | | 96 |
| <i>estradiol valerate</i> | FETZIMA..... | <i>fluvastatin</i> | 42 |
| <i>estradiol-norethindrone acet</i> | FIASP FLEXTOUCH U-100 | <i>flvoxamine</i> | 29 |
| 79 | INSULIN | FLUZONE HIGH-DOSE | |
| ESTRING | FIASP PENFILL U-100 | TRIV 24-25 | 71 |
| <i>estrogens-methyltestosterone</i> | INSULIN | FLUZONE TRIV 2024-2025 | |
| 79 | FIASP U-100 INSULIN..... | | 71 |
| <i>eszopiclone</i> | <i>finasteride</i> | FLUZONE TRIV 2024-2025 | |
| <i>ethacrynic acid</i> | <i>finzala</i> | (PF)..... | 71 |
| <i>ethambutol</i> | <i>flac otic oil</i> | FML FORTE | 91 |
| <i>ethosuximide</i> | | <i>folic acid</i> | 101 |
| <i>ethynodiol diac-eth estradiol</i> | | | |
| 83 | | | |
| <i>etodolac</i> | | | |
| 24 | | | |

| | | | | | |
|---------------------------------------|--------|--|--------|--------------------------------------|------------|
| <i>fondaparinux</i> | 40 | GLUCAGON (HCL) | | HUMIRA(CF) PEN | |
| <i>formoterol fumarate</i> | 96 | EMERGENCY KIT | 56 | CROHNS-UC-HS (ONLY | |
| <i>fosamprenavir</i> | 2 | <i>glucagon emergency kit</i> | | NDCS STARTING WITH | |
| <i>fosfomycin tromethamine</i> | 9 | (<i>human</i>) | 56 | 00074)..... | 76 |
| <i>fosinopril</i> | 37 | <i>glyburide</i> | 60 | HUMIRA(CF) PEN PSOR- | |
| <i>fosinopril-hydrochlorothiazide</i> | | <i>glyburide micronized</i> | 60 | UV-ADOL HS (ONLY | |
| | 37 | <i>glyburide-metformin</i> | 60 | NDCS STARTING WITH | |
| FRAGMIN | 40 | <i>glycopyrrolate</i> | 63 | 00074)..... | 76 |
| FREESTYLE LIBRE 14 DAY | | GLYXAMBI | 60 | HUMULIN R U-500 (CONC) | |
| SENSOR..... | 55 | GONITRO | 43 | INSULIN | 57 |
| FREESTYLE LIBRE 2 | | <i>granisetron hcl</i> | 65 | HUMULIN R U-500 (CONC) | |
| SENSOR..... | 55 | GRANIX | 68 | KWIKPEN..... | 57 |
| FREESTYLE LIBRE 3 PLUS | | GRASTEK..... | 71 | HYCAMTIN..... | 11 |
| SENSOR..... | 55 | <i>griseofulvin microsize</i> | 1 | <i>hydralazine</i> | 37 |
| FREESTYLE LIBRE 3 | | <i>griseofulvin ultramicrosize</i> | 1 | <i>hydrochlorothiazide</i> | 37 |
| SENSOR..... | 55 | <i>guanfacine</i> | 29, 37 | <i>hydrocodone bitartrate</i> | 22 |
| <i>frovatriptan</i> | 19 | GYNAZOLE-1 | 80 | <i>hydrocodone-acetaminophen</i> | 22 |
| FULPHILA..... | 68 | H | | <i>hydrocodone-</i> | |
| <i>furosemide</i> | 37 | HAEGARDA..... | 96 | <i>chlorpheniramine</i> | 93 |
| FUZEON | 3 | <i>hailey</i> | 83 | <i>hydrocodone-homatropine</i> .. | 93 |
| <i>fyavolv</i> | 79 | <i>hailey 24 fe</i> | 83 | <i>hydrocodone-ibuprofen</i> | 23 |
| G | | <i>hailey fe 1.5/30 (28)</i> | 83 | <i>hydrocortisone</i> | 50, 54, 65 |
| <i>g tussin ac</i> | 93 | <i>hailey fe 1/20 (28)</i> | 83 | <i>hydrocortisone acetate</i> | 65 |
| <i>gabapentin</i> | 16 | <i>halobetasol propionate</i> | 50 | <i>hydrocortisone butyrate</i> | 50 |
| GALAFOLD | 59 | <i>haloette</i> | 80 | <i>hydrocortisone valerate</i> | 50 |
| <i>galantamine</i> | 20 | <i>haloperidol</i> | 29 | <i>hydrocortisone-acetic acid</i> .. | 53 |
| <i>gallifrey</i> | 79 | <i>haloperidol decanoate</i> | 29 | <i>hydrocortisone-pramoxine</i> .. | 44, |
| GARDASIL 9 (PF)..... | 71 | <i>haloperidol lactate</i> | 29 | 65 | |
| <i>gatifloxacin</i> | 88 | HARVONI..... | 3 | <i>hydromet</i> | 93 |
| <i>gavilyte-c</i> | 65 | HAVRIX (PF) | 71 | <i>hydromorphone</i> | 23 |
| <i>gavilyte-g</i> | 65 | <i>heather</i> | 79 | <i>hydroxocobalamin</i> | 101 |
| <i>gavilyte-n</i> | 65 | <i>hemmorex-hc</i> | 65 | <i>hydroxychloroquine</i> | 6 |
| <i>gefitinib</i> | 11 | <i>heparin (porcine)</i> | 40 | <i>hydroxyurea</i> | 11 |
| <i>gemfibrozil</i> | 42 | <i>heparin, porcine (pf)</i> | 40, 41 | <i>hydroxyzine hcl</i> | 93 |
| <i>gemmily</i> | 83 | HEPARIN, PORCINE (PF) . | 41 | <i>hydroxyzine pamoate</i> | 93 |
| <i>generlac</i> | 65 | HEPLISAV-B (PF)..... | 71 | <i>hyoscyamine sulfate</i> | 63 |
| <i>gengraf</i> | 11 | <i>her style</i> | 83 | <i>hyosyne</i> | 63 |
| GENOTROPIN | 69 | HIBERIX (PF)..... | 71 | I | |
| GENOTROPIN MINIQUICK | | <i>homatropaire</i> | 89 | <i>ibandronate</i> | 74 |
| | 69 | HUMIRA (ONLY NDCS | | <i>ibu</i> | 25 |
| <i>gentamicin</i> | 47, 88 | STARTING WITH 00074) | | <i>ibuprofen</i> | 25 |
| GENVOYA | 3 | | 76 | <i>icatibant</i> | 96 |
| GILOTRIF..... | 11 | HUMIRA PEN (ONLY NDCS | | <i>iclevia</i> | 83 |
| GIVLAARI..... | 51 | STARTING WITH 00074) | | ICLUSIG | 11 |
| <i>glatiramer</i> | 33 | | 76 | <i>icosapent ethyl</i> | 42 |
| <i>glatopa</i> | 33 | HUMIRA(CF) (ONLY NDCS | | IDHIFA..... | 11 |
| GLEOSTINE..... | 11 | STARTING WITH 00074) | | <i>imatinib</i> | 11 |
| <i>glimepiride</i> | 60 | | 76 | IMBRUVICA | 11 |
| <i>glipizide</i> | 60 | HUMIRA(CF) PEN (ONLY | | <i>imipramine hcl</i> | 29 |
| <i>glipizide-metformin</i> | 60 | NDCS STARTING WITH | | <i>imipramine pamoate</i> | 29 |
| | | 00074)..... | 76 | <i>imiquimod</i> | 74 |

| | | | | | |
|---|--------|---|--------|---|-------|
| IMOVAX RABIES VACCINE (PF)..... | 71 | <i>jolessa</i> | 83 | <i>lanthanum</i> | 99 |
| <i>incassia</i> | 79 | JORNAY PM..... | 30 | LANTUS SOLOSTAR U-100 INSULIN..... | 57 |
| INCRELEX..... | 51 | <i>joyeaux</i> | 83 | LANTUS U-100 INSULIN .. | 57 |
| <i>indapamide</i> | 37 | JUBLIA..... | 48 | <i>lapatinib</i> | 11 |
| <i>indomethacin</i> | 25 | <i>juleber</i> | 83 | <i>larin 1.5/30 (21)</i> | 84 |
| INFANRIX (DTAP) (PF)..... | 71 | JULUCA..... | 3 | <i>larin 1/20 (21)</i> | 84 |
| INLYTA..... | 11 | <i>junel 1.5/30 (21)</i> | 84 | <i>larin 24 fe</i> | 84 |
| INSULIN ASP PRT-INSULIN ASPART..... | 57 | <i>junel 1/20 (21)</i> | 84 | <i>larin fe 1.5/30 (28)</i> | 84 |
| INSULIN ASPART U-100 .. | 57 | <i>junel fe 1.5/30 (28)</i> | 84 | <i>larin fe 1/20 (28)</i> | 84 |
| INSULIN LISPRO..... | 57 | <i>junel fe 1/20 (28)</i> | 84 | <i>latanoprost</i> | 91 |
| INSULIN SYRINGE-NEEDLE U-100..... | 55 | <i>junel fe 24</i> | 84 | <i>layolis fe</i> | 84 |
| INTRAROSA..... | 81 | JUXTAPID..... | 42 | LAZCLUZE..... | 11 |
| INVEGA SUSTENNA..... | 30 | JYNARQUE..... | 59 | <i>leena 28</i> | 84 |
| INVELTYS..... | 91 | JYNNEOS (PF)..... | 72 | <i>leflunomide</i> | 76 |
| IOPIDINE..... | 92 | K | | <i>lenalidomide</i> | 11 |
| IPOL..... | 72 | <i>kaitlib fe</i> | 84 | LENVIMA..... | 12 |
| <i>ipratropium bromide</i> | 53, 96 | <i>kalliga</i> | 84 | <i>lessina</i> | 84 |
| <i>ipratropium-albuterol</i> | 96 | <i>kariva (28)</i> | 84 | <i>letrozole</i> | 12 |
| <i>irbesartan</i> | 37 | <i>kelnor 1/35 (28)</i> | 84 | <i>leucovorin calcium</i> | 9 |
| <i>irbesartan-hydrochlorothiazide</i> | 37 | <i>kelnor 1/50 (28)</i> | 84 | LEUKERAN..... | 12 |
| ISENTRESS..... | 3 | KESIMPTA PEN..... | 34 | LEUKINE..... | 68 |
| ISENTRESS HD..... | 3 | <i>ketconazole</i> | 1, 48 | <i>leuprolide</i> | 12 |
| <i>isibloom</i> | 83 | <i>ketoprofen</i> | 25 | LEUPROLIDE (3 MONTH)..... | 12 |
| <i>isoniazid</i> | 6 | <i>ketorolac</i> | 25, 90 | <i>levalbuterol hcl</i> | 96 |
| <i>isosorbide dinitrate</i> | 43 | KINRIX (PF)..... | 72 | <i>levetiracetam</i> | 16 |
| <i>isosorbide mononitrate</i> | 43 | <i>kiprofen</i> | 25 | <i>levobunolol</i> | 89 |
| <i>isotretinoin</i> | 46 | KISQALI..... | 11 | <i>levocarnitine</i> | 51 |
| <i>isradipine</i> | 37 | <i>klayesta</i> | 48 | <i>levocarnitine (with sugar)</i> | 51 |
| ITOVEBI..... | 11 | <i>klor-con 10</i> | 100 | <i>levocetirizine</i> | 93 |
| <i>itraconazole</i> | 1 | <i>klor-con 8</i> | 100 | <i>levofloxacin</i> | 8, 88 |
| <i>ivabradine</i> | 43 | <i>klor-con m10</i> | 100 | <i>levonest (28)</i> | 84 |
| <i>ivermectin</i> | 6, 46 | <i>klor-con m15</i> | 100 | <i>levonorgest-eth.estradiol-iron</i> | 84 |
| IXIARO (PF)..... | 72 | <i>klor-con m20</i> | 100 | <i>levonorgestrel</i> | 84 |
| J | | <i>klor-con/ef</i> | 100 | <i>levonorgestrel-ethinyl estrad</i> | 84 |
| <i>jaimiess</i> | 83 | KLOXXADO..... | 25 | <i>levonorg-eth estrad triphasic</i> | 85 |
| JAKAFI..... | 11 | <i>kourzeq</i> | 53 | <i>levora-28</i> | 85 |
| <i>jantoven</i> | 41 | K-PHOS NO 2..... | 99 | <i>levo-t</i> | 62 |
| JANUMET..... | 60 | K-PHOS ORIGINAL..... | 99 | <i>levothyroxine</i> | 62 |
| JANUMET XR..... | 60 | <i>kurvelo (28)</i> | 84 | <i>levoxyl</i> | 62 |
| JANUVIA..... | 60 | KYLEENA..... | 78 | LIBERVANT..... | 16 |
| JARDIANCE..... | 61 | L | | <i>lidocaine</i> | 47 |
| <i>jasmiel (28)</i> | 83 | <i>l norgest/e.estradiol-e.estrad</i> | 84 | <i>lidocaine hcl</i> | 47 |
| <i>jencycla</i> | 79 | <i>labetalol</i> | 37 | <i>lidocaine hcl-hydrocortison ac</i> | 65 |
| JENTADUETO..... | 61 | <i>lacosamide</i> | 16 | LIDOCAINE HCL-HYDROCORTISON AC..... | 65 |
| JENTADUETO XR..... | 61 | <i>lactulose</i> | 65 | <i>lidocaine viscous</i> | 47 |
| <i>jinteli</i> | 79 | <i>lamivudine</i> | 3 | <i>lidocaine-prilocaine</i> | 47 |
| JOENJA..... | 51 | <i>lamivudine-zidovudine</i> | 3 | <i>lidocort</i> | 47 |
| | | <i>lamotrigine</i> | 16 | | |
| | | LANCETS..... | 56 | | |
| | | LANCING DEVICE..... | 56 | | |
| | | <i>lansoprazole</i> | 67 | | |

| | | | | | |
|---------------------------------------|-----|---------------------------------------|--------|---|---------------|
| LILETTA | 78 | <i>lyza</i> | 79 | <i>methsuximide</i> | 16 |
| <i>linezolid</i> | 6 | M | | <i>methyl dopa</i> | 37 |
| LINZESS | 65 | <i>mafenide acetate</i> | 47 | <i>methyl dopa-</i> | |
| <i>liothyronine</i> | 62 | <i>malathion</i> | 50 | <i>hydrochlorothiazide</i> | 37 |
| <i>liraglutide</i> | 61 | <i>maraviroc</i> | 3 | <i>methyl ergonovine</i> | 88 |
| <i>lisdexamfetamine</i> | 30 | <i>marlissa (28)</i> | 85 | <i>methylphenidate</i> | 31 |
| <i>lisinopril</i> | 37 | MARPLAN | 30 | <i>methylphenidate hcl</i> | 30, 31 |
| <i>lisinopril-hydrochlorothiazide</i> | | MATULANE..... | 12 | <i>methylprednisolone</i> | 54 |
| | 37 | <i>matzim la</i> | 37 | <i>methyltestosterone</i> | 59 |
| LITEAIRE MDI CHAMBER | | MAXIDEX | 92 | <i>metoclopramide hcl</i> | 65, 66 |
| | 55 | <i>maxi-tuss ac</i> | 93 | <i>metolazone</i> | 37 |
| <i>lithium carbonate</i> | 30 | MAYZENT | 34 | <i>metoprolol succinate</i> | 37 |
| <i>lithium citrate</i> | 30 | MAYZENT STARTER(FOR | | <i>metoprolol ta-hydrochlorothiaz</i> | |
| LIVMARLI | 65 | 1MG MAINT) | 34 | | 37 |
| LO LOESTRIN FE..... | 85 | MAYZENT STARTER(FOR | | <i>metoprolol tartrate</i> | 38 |
| <i>lofexidine</i> | 25 | 2MG MAINT) | 34 | <i>metronidazole</i> | 6, 46, 47, 81 |
| <i>lojaimiess</i> | 85 | <i>meclizine</i> | 65 | <i>mexiletine</i> | 34 |
| LONSURF..... | 12 | MECLIZINE | 65 | <i>mibelas 24 fe</i> | 85 |
| <i>loperamide</i> | 63 | <i>meclofenamate</i> | 25 | <i>miconazole-3</i> | 81 |
| <i>lopinavir-ritonavir</i> | 3 | <i>medroxyprogesterone</i> | 79, 80 | MICROCHAMBER | 56 |
| <i>lorazepam</i> | 30 | <i>mefenamic acid</i> | 25 | <i>microgestin 1.5/30 (21)</i> | 85 |
| <i>lorazepam intensol</i> | 30 | <i>mefloquine</i> | 6 | <i>microgestin 1/20 (21)</i> | 85 |
| <i>loryna (28)</i> | 85 | <i>megestrol</i> | 12 | <i>microgestin fe 1.5/30 (28)</i> | 85 |
| <i>losartan</i> | 37 | MEKINIST | 12 | <i>microgestin fe 1/20 (28)</i> | 85 |
| <i>losartan-hydrochlorothiazide</i> | | MEKTOVI..... | 12 | MICROSPACER..... | 56 |
| | 37 | <i>meloxicam</i> | 25 | <i>midazolam</i> | 31 |
| LOTEMAX | 91 | <i>memantine</i> | 20 | <i>midodrine</i> | 51 |
| <i>loteprednol etabonate</i> | 92 | MENEST | 80 | <i>mifepristone</i> | 59 |
| <i>lovastatin</i> | 42 | MENQUADFI (PF)..... | 72 | <i>migergot</i> | 19 |
| <i>low-ogestrel (28)</i> | 85 | MENVEO A-C-Y-W-135-DIP | | <i>miglitol</i> | 61 |
| <i>loxapine succinate</i> | 30 | (PF)..... | 72 | <i>miglustat</i> | 59 |
| <i>lo-zumandimine (28)</i> | 85 | <i>meperidine</i> | 23 | <i>mili</i> | 85 |
| <i>lubiprostone</i> | 65 | <i>meprobamate</i> | 21 | <i>millipred</i> | 54 |
| <i>ludent fluoride</i> | 101 | <i>mercaptopurine</i> | 12 | <i>mimvey</i> | 80 |
| LUMIGAN | 91 | <i>merzee</i> | 85 | <i>minocycline</i> | 8 |
| LUPRON DEPOT | 12 | <i>mesalamine</i> | 65 | <i>minoxidil</i> | 38 |
| LUPRON DEPOT (3 | | MESNEX..... | 9 | <i>minzoya</i> | 85 |
| MONTH)..... | 12 | <i>metaxalone</i> | 21 | <i>mirabegron</i> | 98 |
| LUPRON DEPOT (4 | | <i>metformin</i> | 61 | MIRENA | 78 |
| MONTH)..... | 12 | <i>methadone</i> | 23 | <i>mirtazapine</i> | 31 |
| LUPRON DEPOT (6 | | <i>methadose</i> | 23 | <i>misoprostol</i> | 67 |
| MONTH)..... | 12 | <i>methamphetamine</i> | 30 | M-M-R II (PF)..... | 72 |
| LUPRON DEPOT-PED | 12 | <i>methazolamide</i> | 90 | <i>m-natal plus</i> | 101 |
| LUPRON DEPOT-PED (3 | | <i>methenamine hippurate</i> | 9 | <i>modafinil</i> | 31 |
| MONTH)..... | 12 | <i>methenamine mandelate</i> | 9 | <i>moexipril</i> | 38 |
| <i>lurasidone</i> | 30 | <i>methimazole</i> | 55 | <i>molindone</i> | 31 |
| <i>lutra (28)</i> | 85 | <i>methocarbamol</i> | 21 | <i>mometasone</i> | 50 |
| <i>lyleq</i> | 79 | <i>methotrexate sodium</i> | 13 | <i>mono-lynyah</i> | 85 |
| <i>lyllana</i> | 79 | <i>methotrexate sodium (pf)</i> | 13 | <i>montelukast</i> | 96 |
| LYNPARZA..... | 12 | <i>methoxsalen</i> | 45 | <i>morphine</i> | 23 |
| LYSODREN..... | 12 | <i>methscopolamine</i> | 63 | <i>morphine concentrate</i> | 23 |

| | | | | | |
|---------------------------------------|--------|---|--------|---------------------------------------|-----------|
| MOTOFEN..... | 63 | <i>new day</i> | 85 | NOVOLOG MIX 70-30 U-100 | |
| MOUNJARO..... | 61 | NEXTSTELLIS..... | 85 | INSULN | 58 |
| MOVANTIK..... | 66 | <i>niacin</i> | 42 | NOVOLOG MIX 70- | |
| <i>moxifloxacin</i> | 8, 88 | <i>nicardipine</i> | 38 | 30FLEXPEN U-100 | 58 |
| MRESVIA (PF)..... | 72 | <i>nicorette</i> | 52 | NOVOLOG PENFILL U-100 | |
| MULPLETA..... | 41 | <i>nicotine</i> | 52 | INSULIN | 58 |
| MULTAQ..... | 34 | <i>nicotine (polacrilex)</i> | 52 | NOVOPEN ECHO | 56 |
| <i>multi-vitamin with fluoride</i> . | 101 | NICOTROL NS..... | 52 | <i>np thyroid</i> | 62 |
| <i>mupirocin</i> | 47 | <i>nifedipine</i> | 38 | NUCALA | 96 |
| <i>mupirocin calcium</i> | 47 | <i>nikki (28)</i> | 85 | NUCYNTA ER | 25 |
| <i>mvc-fluoride</i> | 101 | <i>nilutamide</i> | 13 | NUEDEXTA | 20 |
| <i>my choice</i> | 85 | <i>nimodipine</i> | 38 | NURTEC ODT..... | 19 |
| <i>my way</i> | 85 | NINLARO | 13 | <i>nyamyc</i> | 48 |
| MYALEPT | 59 | <i>nisoldipine</i> | 38 | <i>nylia 1/35 (28)</i> | 86 |
| <i>mycophenolate mofetil</i> | 13 | <i>nitazoxanide</i> | 6 | <i>nylia 7/7/7 (28)</i> | 86 |
| <i>mycophenolate sodium</i> | 13 | <i>nitisinone</i> | 51 | <i>nystatin</i> | 1, 48 |
| <i>mynatal</i> | 101 | <i>nitro-bid</i> | 43 | <i>nystatin-triamcinolone</i> | 48 |
| <i>mynatal plus</i> | 101 | NITRO-DUR | 43 | <i>nystop</i> | 48 |
| <i>mynatal-z</i> | 101 | <i>nitrofurantoin macrocrystal</i> ... | 9 | NYVEPRIA..... | 68 |
| N | | <i>nitrofurantoin monohyd/m-</i> | | O | |
| <i>nabumetone</i> | 25 | <i>cryst</i> | 9 | <i>ocella</i> | 86 |
| <i>nadolol</i> | 38 | <i>nitroglycerin</i> | 43, 66 | <i>octreotide acetate</i> | 13 |
| <i>naftifine</i> | 48 | <i>nitro-time</i> | 43 | ODEFSEY | 3 |
| <i>naloxone</i> | 25 | <i>niva thyroid</i> | 62 | OFEV..... | 96 |
| <i>naltrexone</i> | 25 | NIVESTYM | 68 | <i>ofloxacin</i> | 8, 53, 88 |
| <i>naproxen</i> | 25 | <i>nizatidine</i> | 68 | <i>olanzapine</i> | 31 |
| <i>naproxen sodium</i> | 25 | <i>nora-be</i> | 80 | <i>olmesartan</i> | 38 |
| <i>naratriptan</i> | 19 | <i>norelgestromin-ethin.estradiol</i> | | <i>olmesartan-amlodipin-</i> | |
| NATACYN | 88 | | 81 | <i>hcthiazid</i> | 38 |
| NATAZIA | 85 | <i>noreth-ethinyl estradiol-iron</i> 85 | | <i>olmesartan-</i> | |
| <i>nateglinide</i> | 61 | <i>norethindrone (contraceptive)</i> | | <i>hydrochlorothiazide</i> | 38 |
| NAYZILAM..... | 16 | | 80 | <i>olopatadine</i> | 53, 90 |
| <i>nebivolol</i> | 38 | <i>norethindrone acetate</i> | 80 | OLUMIANT..... | 76 |
| <i>nebusal</i> | 96 | <i>norethindrone ac-eth estradiol</i> | | <i>omega-3 acid ethyl esters</i> | 42 |
| <i>necon 0.5/35 (28)</i> | 85 | | 80, 85 | <i>omeprazole</i> | 68 |
| <i>nefazodone</i> | 31 | <i>norethindrone-e.estradiol-iron</i> | | OMNIPOD 5 G6-G7 INTRO | |
| <i>neomycin</i> | 6 | | 86 | KT(GEN5)..... | 56 |
| <i>neomycin-bacitracin-poly-hc</i> 91 | | <i>norgestimate-ethinyl estradiol</i> | | OMNIPOD 5 G6-G7 PODS | |
| <i>neomycin-bacitracin-</i> | | | 86 | (GEN 5) | 56 |
| <i>polymyxin</i> | 88 | <i>nortrel 0.5/35 (28)</i> | 86 | OMNIPOD DASH INTRO | |
| <i>neomycin-polymyxin b-</i> | | <i>nortrel 1/35 (21)</i> | 86 | KIT (GEN 4)..... | 56 |
| <i>dexameth</i> | 91 | <i>nortrel 1/35 (28)</i> | 86 | OMNIPOD DASH PODS | |
| <i>neomycin-polymyxin-</i> | | <i>nortrel 7/7/7 (28)</i> | 86 | (GEN 4) | 57 |
| <i>gramicidin</i> | 88 | <i>nortriptyline</i> | 31 | OMNITROPE..... | 69 |
| <i>neomycin-polymyxin-hc</i> .. | 54, 91 | NORVIR..... | 3 | OMVOH | 66 |
| <i>neo-polycin</i> | 88 | NOVOLIN 70-30 FLEXPEN | | OMVOH PEN | 66 |
| <i>neo-polycin hc</i> | 91 | U-100..... | 57 | <i>ondansetron</i> | 66 |
| NERLYNX..... | 13 | NOVOLIN N FLEXPEN | 57 | <i>ondansetron hcl</i> | 66 |
| NEUPRO..... | 18 | NOVOLIN R FLEXPEN..... | 58 | ONETOUCH ULTRA TEST | |
| NEVANAC | 90 | NOVOLOG FLEXPEN U-100 | | | 55 |
| <i>nevirapine</i> | 3 | INSULIN | 58 | | |

| | | |
|---------------------------------------|--------|--|
| ONETOUCH VERIO TEST | | |
| STRIPS..... | 55 | |
| <i>opcicon one-step</i> | 86 | |
| OPILL..... | 80 | |
| <i>opium tincture</i> | 63 | |
| OPSUMIT | 96 | |
| OPSYNVI..... | 96 | |
| OPTICHAMBER DIAMOND | | |
| VHC | 56 | |
| <i>option-2</i> | 86 | |
| OPVEE..... | 25 | |
| ORALAIR..... | 72 | |
| <i>oralone</i> | 53 | |
| ORAVIG | 1 | |
| ORENCIA | 77 | |
| ORENCIA CLICKJECT | 77 | |
| ORENITRAM..... | 38 | |
| <i>orphenadrine citrate</i> | 21 | |
| <i>orphenadrine-asa-caffeine</i> .. | 21 | |
| <i>orphengesic forte</i> | 21 | |
| <i>oscimin</i> | 63 | |
| <i>oscimin sl</i> | 63 | |
| <i>oseltamivir</i> | 3 | |
| OSPHENA | 81 | |
| OTEZLA | 77 | |
| OTEZLA STARTER..... | 77 | |
| OTOVEL..... | 54 | |
| <i>oxaprozin</i> | 25 | |
| <i>oxazepam</i> | 31 | |
| <i>oxcarbazepine</i> | 16 | |
| <i>oxiconazole</i> | 48 | |
| <i>oxybutynin chloride</i> | 98 | |
| <i>oxycodone</i> | 23 | |
| <i>oxycodone-acetaminophen</i> ... | 23 | |
| OXYCONTIN | 23, 24 | |
| <i>oxymorphone</i> | 24 | |
| OZEMPIC | 61 | |
| P | | |
| <i>pacerone</i> | 35 | |
| <i>paliperidone</i> | 31 | |
| PANRETIN | 45 | |
| <i>pantoprazole</i> | 68 | |
| PARAGARD T 380A..... | 78 | |
| <i>paricalcitol</i> | 59 | |
| <i>paroex oral rinse</i> | 53 | |
| <i>paromomycin</i> | 6 | |
| <i>paroxetine hcl</i> | 31 | |
| <i>paroxetine</i> | | |
| <i>mesylate(menop.sym)</i> | 31 | |
| PASER | 7 | |
| PAXLOVID | 3 | |
| <i>pazopanib</i> | 13 | |
| PEDIARIX (PF) | 72 | |
| PEDVAX HIB (PF)..... | 72 | |
| <i>peg 3350-electrolytes</i> | 66 | |
| <i>peg3350-sod sul-nacl-kcl-asb-c</i> | | |
| | 66 | |
| PEGASYS | 69 | |
| <i>peg-electrolyte soln</i> | 66 | |
| PEN NEEDLE, DIABETIC .57 | | |
| PENBRAYA (PF) | 72 | |
| <i>penciclovir</i> | 48 | |
| <i>penicillamine</i> | 77 | |
| <i>penicillin v potassium</i> | 8 | |
| PENTACEL (PF) | 72 | |
| <i>pentamidine</i> | 7 | |
| <i>pentazocine-naloxone</i> | 25 | |
| <i>pentoxifylline</i> | 41 | |
| <i>perindopril erbumine</i> | 38 | |
| <i>periogard</i> | 53 | |
| <i>permethrin</i> | 51 | |
| <i>perphenazine</i> | 31 | |
| <i>perphenazine-amitriptyline</i> .. | 31 | |
| <i>phenazopyridine</i> | 99 | |
| <i>phenelzine</i> | 31 | |
| <i>phenobarb-hyoscy-atropine-</i> | | |
| <i>scop</i> | 63, 64 | |
| <i>phenobarbital</i> | 17 | |
| <i>phenohytro</i> | 64 | |
| <i>phenoxybenzamine</i> | 38 | |
| <i>phenylephrine hcl</i> | 92 | |
| <i>phenytoin</i> | 17 | |
| <i>phenytoin sodium extended</i> .. | 17 | |
| PHEXXI | 81 | |
| <i>philit</i> | 86 | |
| PHOSPHOLINE IODIDE.... | 89 | |
| PHYSIOLYTE | 51 | |
| PHYSIOSOL IRRIGATION | 51 | |
| <i>phytonadione (vitamin k1)</i> | 41 | |
| <i>pilocarpine hcl</i> | 53, 89 | |
| <i>pimecrolimus</i> | 45 | |
| <i>pimozide</i> | 31 | |
| <i>pimtree (28)</i> | 86 | |
| <i>pindolol</i> | 38 | |
| <i>pioglitazone</i> | 61 | |
| <i>pioglitazone-glimepiride</i> | 61 | |
| <i>pioglitazone-metformin</i> | 61 | |
| PIQRAY | 13 | |
| <i>pirfenidone</i> | 96 | |
| <i>piroxicam</i> | 25 | |
| PLEGRIDY | 34 | |
| PLENVU | 66 | |
| PNEUMOVAX-23 | 72 | |
| POCKET CHAMBER..... | 56 | |
| <i>podofilox</i> | 45 | |
| <i>polycin</i> | 88 | |
| <i>polymyxin b sulf-trimethoprim</i> | | |
| | 88 | |
| POMALYST..... | 13 | |
| <i>portia 28</i> | 86 | |
| <i>potassium chloride</i> | 100 | |
| POTASSIUM CHLORIDE | 100 | |
| <i>potassium citrate</i> | 99 | |
| <i>potassium iodide</i> | 55 | |
| <i>pramipexole</i> | 18 | |
| <i>prasugrel hcl</i> | 41 | |
| <i>pravastatin</i> | 42 | |
| <i>praziquantel</i> | 7 | |
| <i>prazosin</i> | 38 | |
| PRED MILD..... | 92 | |
| <i>prednicarbate</i> | 50 | |
| <i>prednisolone</i> | 54 | |
| <i>prednisolone acetate</i> | 92 | |
| <i>prednisolone sodium</i> | | |
| <i>phosphate</i> | 54, 92 | |
| <i>prednisone</i> | 54, 55 | |
| <i>pregabalin</i> | 17 | |
| PREMARIN | 80 | |
| PREMPHASE..... | 80 | |
| PREMPRO | 80 | |
| <i>prenatabs rx</i> | 101 | |
| <i>prenatal plus</i> | 101 | |
| <i>prenatal plus (calcium carb)</i> | | |
| | 101 | |
| <i>prevalite</i> | 42 | |
| PREVNAR 20 (PF) | 72 | |
| PREZCOBIX..... | 3 | |
| PRIFTIN | 7 | |
| <i>primaquine</i> | 7 | |
| PRIMEAIRE..... | 56 | |
| <i>primidone</i> | 17 | |
| PRIMSOL..... | 9 | |
| PRIORIX (PF)..... | 72 | |
| <i>probenecid</i> | 74 | |
| <i>probenecid-colchicine</i> | 74 | |
| <i>procentra</i> | 31 | |
| PROCHAMBER..... | 56 | |
| <i>prochlorperazine</i> | 66 | |
| <i>prochlorperazine maleate</i> | 66 | |
| PROCRIT | 69 | |
| <i>procto-med hc</i> | 66 | |
| <i>proctosol hc</i> | 66 | |
| <i>proctozone-hc</i> | 66 | |

| | | | | | |
|--------------------------------------|--------|---------------------------------------|--------|--|--------|
| <i>progesterone</i> | 80 | REBIF REBIDOSE | 34 | RYDAPT | 13 |
| <i>progesterone micronized</i> | 80 | REBIF TITRATION PACK. | 34 | S | |
| PROLIA | 74 | <i>reclipsen (28)</i> | 86 | <i>sajazir</i> | 97 |
| PROMACTA..... | 41 | RECOMBIVAX HB (PF) | 73 | <i>salsalate</i> | 25 |
| <i>promethazine</i> | 93 | REGANEX | 46 | SANTYL | 50 |
| <i>promethazine-codeine</i> | 93 | RELENZA DISKHALER | 3 | <i>sapropterin</i> | 59 |
| <i>promethazine-dm</i> | 93 | RELION NOVOLIN 70/30.. | 58 | SAVELLA..... | 77 |
| <i>promethazine-phenylephrine</i> | 93 | RELION NOVOLIN N | 58 | <i>saxagliptin</i> | 61 |
| <i>promethegan</i> | 93 | RELION NOVOLIN R | 58 | <i>saxagliptin-metformin</i> | 61 |
| <i>propafenone</i> | 35 | RELISTOR..... | 66 | SCENESSE..... | 46 |
| <i>proparacaine</i> | 90 | RENACIDIN | 99 | <i>scopolamine base</i> | 66 |
| <i>propranolol</i> | 38 | <i>repaglinide</i> | 61 | <i>selegiline hcl</i> | 19 |
| <i>propranolol-</i> | | REPATHA PUSHTRONEX | 42 | <i>selenium sulfide</i> | 44 |
| <i>hydrochlorothiazid</i> | 38 | REPATHA SURECLICK | 42 | SELZENTRY | 4 |
| <i>propylthiouracil</i> | 55 | REPATHA SYRINGE | 42 | SEREVENT DISKUS | 97 |
| PROQUAD (PF) | 72 | RETACRIT | 69 | <i>sertraline</i> | 32 |
| <i>protriptyline</i> | 31 | RETEVMO..... | 13 | <i>setlakin</i> | 86 |
| <i>prudoxin</i> | 46 | REVLIMID | 13 | <i>sevelamer carbonate</i> | 99 |
| <i>pulmosal</i> | 96 | REVUFORJ..... | 13 | <i>sevelamer hcl</i> | 99 |
| PULMOZYME..... | 96 | REXULTI..... | 32 | <i>sf 53</i> | |
| <i>pyrazinamide</i> | 7 | REYATAZ | 4 | <i>sf 5000 plus</i> | 53 |
| <i>pyridostigmine bromide</i> | 21 | RHOPRESSA..... | 91 | <i>sharobel</i> | 80 |
| <i>pyrimethamine</i> | 7 | <i>ribavirin</i> | 4 | SHINGRIX (PF) | 73 |
| PYRUKYND..... | 52 | RIDAURA..... | 77 | SIGNIFOR..... | 13 |
| Q | | <i>rifabutin</i> | 7 | <i>sildenafil (pulm.hypertension)</i> | |
| QBRELIS | 38 | <i>rifampin</i> | 7 | | 97 |
| QINLOCK..... | 13 | <i>riluzole</i> | 52 | SILIQ..... | 44 |
| QTERN..... | 61 | <i>rimantadine</i> | 4 | <i>silodosin</i> | 99 |
| QUADRACEL (PF) | 72, 73 | <i>ringer's</i> | 51 | <i>silver sulfadiazine</i> | 45 |
| <i>quetiapine</i> | 31, 32 | RINVOQ | 77 | SIMBRINZA | 91 |
| QUILLICHEW ER..... | 32 | RINVOQ LQ | 77 | SIMLANDI(CF) | 77 |
| QUILLIVANT XR..... | 32 | <i>risedronate</i> | 52, 75 | SIMLANDI(CF) | |
| <i>quinapril</i> | 38 | <i>risperidone</i> | 32 | AUTOINJECTOR | 77 |
| <i>quinapril-hydrochlorothiazide</i> | | <i>risperidone microspheres</i> | 32 | <i>simliya (28)</i> | 86 |
| | 39 | RITEFLO AEROCHAMBER | | <i>simpesse</i> | 86 |
| <i>quinidine gluconate</i> | 35 | | 56 | SIMPONI..... | 77 |
| <i>quinidine sulfate</i> | 35 | <i>ritonavir</i> | 4 | <i>simvastatin</i> | 43 |
| <i>quinine sulfate</i> | 7 | <i>rivastigmine</i> | 20 | <i>sirolimus</i> | 13 |
| <i>quit 2</i> | 52 | <i>rivastigmine tartrate</i> | 20 | SIRTURO | 7 |
| <i>quit 4</i> | 52 | <i>rivelsa</i> | 86 | SIVEXTRO | 7 |
| QVAR REDIHALER..... | 96 | <i>rizatriptan</i> | 19 | SKYLA..... | 78 |
| R | | <i>roflumilast</i> | 96 | SKYRIZI | 44, 66 |
| RABAVERT (PF) | 73 | <i>ropinirole</i> | 18, 19 | SKYTROFA | 69 |
| <i>rabeprazole</i> | 68 | <i>rosadan</i> | 47 | SLYND..... | 86 |
| RAGWITEK..... | 73 | <i>rosuvastatin</i> | 42 | <i>sodium chloride</i> | 52, 97 |
| <i>raloxifene</i> | 74 | ROTARIX | 73 | <i>sodium fluoride 5000 plus</i> | 53 |
| <i>ramelteon</i> | 32 | ROTATEQ VACCINE..... | 73 | <i>sodium fluoride-pot nitrate</i> ... | 53 |
| <i>ramipril</i> | 39 | <i>roweepa</i> | 17 | SODIUM OXYBATE | 32 |
| <i>ranolazine</i> | 43 | RUBRACA..... | 13 | <i>sodium phenylbutyrate</i> | 52 |
| <i>rasagiline</i> | 18 | <i>rufinamide</i> | 17 | <i>sodium polystyrene sulfonate</i> | |
| REBIF (WITH ALBUMIN).34 | | RYBELSUS..... | 56, 61 | | 100 |

| | | |
|---|--|---------------------------------------|
| <i>sodium,potassium,mag sulfates</i> | <i>sulfasalazine</i> | <i>terazosin</i> |
| 66 | 67 | 39 |
| <i>solifenacin</i> | <i>sulfatrim</i> | <i>terbinafine hcl</i> |
| 98 | 8 | 1 |
| SOLQUA 100/33 | <i>sulindac</i> | <i>terbutaline</i> |
| 58 | 26 | 97 |
| SOLTAMOX..... | <i>sumatriptan</i> | <i>terconazole</i> |
| 13 | 19 | 81 |
| SOMATULINE DEPOT | <i>sumatriptan succinate</i> | <i>teriflunomide</i> |
| 14 | 19, 20 | 34 |
| SOMAVERT | <i>sunitinib malate</i> | <i>teriparatide</i> |
| 59 | 14 | 75 |
| <i>sorafenib</i> | SUNOSI..... | TERIPARATIDE |
| 14 | 32 | 75 |
| <i>sotalol</i> | <i>syeda</i> | <i>testosterone</i> |
| 35 | 86 | 59, 60 |
| <i>sotalol af</i> | <i>symax fastabs</i> | <i>testosterone cypionate</i> |
| 35 | 64 | 59 |
| SOTYKTU | <i>symax-sl</i> | <i>testosterone enanthate</i> |
| 44 | 64 | 59 |
| SOVALDI | <i>symax-sr</i> | <i>tetrabenazine</i> |
| 4 | 64 | 20 |
| SPACE CHAMBER..... | SYMDEKO | <i>tetracaine hcl</i> |
| 56 | 97 | 90 |
| SPIKEVAX 2024-2025(12Y | SYMLINPEN 120 | TETRACAINE HCL (PF).... |
| UP)(PF) | 61 | 90 |
| 73 | SYMLINPEN 60 | <i>tetracycline</i> |
| <i>spinosad</i> | 4 | 8 |
| 51 | SYMTUZA..... | TEZSPIRE |
| SPIRIVA RESPIMAT | 61 | 97 |
| 97 | SYNJARDY | THALOMID |
| <i>spironolactone</i> | 61 | 14 |
| 39 | SYNJARDY XR..... | <i>theophylline</i> |
| <i>spironolacton-</i> | 62 | 97 |
| <i>hydrochlorothiaz</i> | SYNTHROID..... | <i>thioridazine</i> |
| 39 | 62 | 32 |
| SPRAVATO..... | T | <i>thiothixene</i> |
| 32 | TABLOID | 32 |
| <i>sprintec (28)</i> | 14 | <i>thyroid (pork)</i> |
| 86 | <i>tacrolimus</i> | 62 |
| <i>sps (with sorbitol)</i> | 14, 46 | <i>tiadylt er</i> |
| 100 | <i>tadalafil (pulm. hypertension)</i> | 39 |
| <i>sronyx</i> | | <i>tiagabine</i> |
| 86 | 97 | 17 |
| <i>ssd</i> | TAFINLAR | TIBSOVO |
| 45 | 14 | 14 |
| SSKI | <i>tafluprost (pf)</i> | TICOVAC |
| 55 | 91 | 73 |
| <i>st joseph aspirin</i> | TAGRISO | <i>tilia fe</i> |
| 25 | 14 | 87 |
| <i>st. joseph aspirin</i> | TAKHZYRO | <i>timolol</i> |
| 26 | 97 | 89 |
| STAMARIL (PF) | TALTZ AUTOINJECTOR .. | <i>timolol maleate</i> |
| 73 | 44 | 39, 89 |
| STELARA..... | TALTZ AUTOINJECTOR (2 | <i>tinidazole</i> |
| 44 | PACK)..... | 7 |
| STIOLTO RESPIMAT | 44 | <i>tiopronin</i> |
| 97 | TALTZ AUTOINJECTOR (3 | 52 |
| STIVARGA..... | PACK)..... | <i>tiotropium bromide</i> |
| 14 | 44 | 97 |
| <i>stop smoking aid</i> | TALTZ SYRINGE..... | TIVICAY..... |
| 52 | 45 | 4 |
| STRENSIQ..... | TALZENNA..... | <i>tizanidine</i> |
| 59 | 14 | 21 |
| STRIBILD..... | <i>tamoxifen</i> | TOBRADEX ST..... |
| 4 | 14 | 91 |
| STRIVERDI RESPIMAT ... | <i>tamsulosin</i> | <i>tobramycin</i> |
| 97 | 99 | 7, 89 |
| SUBLOCADE..... | <i>tarina 24 fe</i> | <i>tobramycin in 0.225 % nacl</i> ... |
| 24 | 86 | 7 |
| <i>subvenite</i> | <i>tarina fe 1/20 (28)</i> | <i>tobramycin-dexamethasone</i> .. |
| 17 | 87 | 91 |
| <i>subvenite starter (blue) kit</i> ... | TASIGNA | TOBREX |
| 17 | 14 | 89 |
| <i>subvenite starter (green) kit</i> . | <i>tasimelteon</i> | <i>tolcapone</i> |
| 17 | 32 | 19 |
| <i>subvenite starter (orange) kit</i> | <i>tavaborole</i> | <i>tolmetin</i> |
| 17 | 48 | 26 |
| SUCRAID | <i>tazarotene</i> | <i>tolterodine</i> |
| 66 | 47 | 99 |
| <i>sucralfate</i> | TDVAX | <i>tolvaptan</i> |
| 68 | 73 | 60 |
| SULCONAZOLE..... | <i>telmisartan</i> | <i>topiramate</i> |
| 48 | 39 | 17 |
| <i>sulfacetamide sodium</i> | <i>telmisartan-amlodipine</i> | <i>toremifene</i> |
| 44, 92 | 39 | 14 |
| <i>sulfacetamide sodium (acne)</i> | <i>telmisartan-hydrochlorothiazid</i> | <i>torseמידe</i> |
| 47 | | 39 |
| <i>sulfacetamide-prednisolone</i> . | | TOUJEO MAX U-300 |
| 92 | 39 | SOLOSTAR |
| <i>sulfadiazine</i> | 32 | 58 |
| 8 | <i>temazepam</i> | TOUJEO SOLOSTAR U-300 |
| <i>sulfamethoxazole-trimethoprim</i> | | INSULIN |
| | 14 | 58 |
| 8 | TENIVAC (PF) | TRACLEER |
| <i>SULFAMYLON</i> | 73 | 97 |
| 47 | <i>tenofovir disoproxil fumarate</i> . | TRADJENTA |
| | 4 | 62 |
| | | <i>tramadol</i> |
| | | 26 |

| | | | | | |
|---|-----|---------------------------------------|--------|--|-----|
| <i>tramadol-acetaminophen</i> | 26 | <i>trosipium</i> | 99 | <i>velivet triphasic regimen (28)</i> | |
| <i>trandolapril</i> | 39 | TRULICITY..... | 62 | | 87 |
| <i>trandolapril-verapamil</i> | 39 | TRUMENBA..... | 73 | VELPHORO..... | 100 |
| <i>tranexamic acid</i> | 81 | TRUSTEX-RIA NON-LUB | | VELSIPITY..... | 67 |
| <i>tranylcypromine</i> | 32 | CONDOMS | 78 | VEMLIDY..... | 4 |
| <i>travoprost</i> | 91 | <i>tulana</i> | 80 | VENCLEXTA | 14 |
| <i>trazodone</i> | 32 | <i>turqoz (28)</i> | 87 | VENCLEXTA STARTING | |
| TRECTOR..... | 7 | TWINRIX (PF)..... | 73 | PACK | 14 |
| TRELEGY ELLIPTA | 98 | TWIRLA | 81 | <i>venlafaxine</i> | 33 |
| TREMFYA..... | 45 | TYBLUME..... | 87 | VENTAVIS | 98 |
| TREMFYA PEN | 45 | TYBOST | 4 | <i>verapamil</i> | 39 |
| TRESIBA FLEXTOUCH U- | | TYENNE..... | 77 | VERZENIO | 14 |
| 100..... | 58 | TYENNE AUTOINJECTOR | | <i>vestura (28)</i> | 87 |
| TRESIBA FLEXTOUCH U- | | | 77 | V-GO 20 | 57 |
| 200..... | 58 | TYMLOS..... | 75 | V-GO 30 | 57 |
| TRESIBA U-100 INSULIN | 58 | TYPHIM VI | 73 | V-GO 40 | 57 |
| <i>tretinoin</i> | 47 | TYVASO..... | 98 | VIBERZI | 67 |
| <i>tretinoin (antineoplastic)</i> | 14 | TYVASO DPI | 98 | VICTOZA 2-PAK | 62 |
| <i>tretinoin microspheres</i> | 47 | TYVASO REFILL KIT..... | 98 | VICTOZA 3-PAK | 62 |
| <i>triamcinolone acetonide</i> .50, 53 | | TYVASO STARTER KIT .. | 98 | <i>vienna</i> | 87 |
| <i>triamterene</i> | 39 | U | | <i>vigabatrin</i> | 17 |
| <i>triamterene-hydrochlorothiazid</i> | | UBRELVY | 20 | <i>vigadrone</i> | 17 |
| | 39 | ULESFIA..... | 51 | <i>vigpoder</i> | 18 |
| <i>triazolam</i> | 32 | <i>unithroid</i> | 63 | <i>vilazodone</i> | 33 |
| <i>triderm</i> | 50 | <i>ursodiol</i> | 67 | <i>viorele (28)</i> | 87 |
| <i>trientine</i> | 52 | V | | VIRACEPT..... | 4 |
| <i>tri-estarylla</i> | 87 | <i>valacyclovir</i> | 4 | VIREAD | 4 |
| <i>trifluoperazine</i> | 32 | VALCHLOR | 46 | VISTOGARD | 9 |
| <i>trifluridine</i> | 89 | <i>valganciclovir</i> | 4 | <i>vitamins a,c,d and fluoride</i> .101 | |
| <i>trihexyphenidyl</i> | 19 | <i>valproic acid</i> | 17 | VITRAKVI..... | 14 |
| TRIJARDY XR..... | 62 | <i>valproic acid (as sodium salt)</i> | | VIVITROL | 26 |
| TRIKAFTA | 98 | | 17 | VIVOTIF..... | 74 |
| <i>tri-legest fe</i> | 87 | <i>valsartan</i> | 39 | <i>volnea (28)</i> | 87 |
| <i>tri-linyah</i> | 87 | <i>valsartan-hydrochlorothiazide</i> | | VONJO | 14 |
| <i>tri-lo-estarylla</i> | 87 | | 39 | <i>voriconazole</i> | 1 |
| <i>tri-lo-marzia</i> | 87 | VALTOCO | 17 | VORTEX HOLDING | |
| <i>tri-lo-mili</i> | 87 | <i>valtya</i> | 87 | CHAMBER | 56 |
| <i>tri-lo-sprintec</i> | 87 | <i>vanadom</i> | 21 | VOSEVI | 4 |
| <i>trimethobenzamide</i> | 67 | <i>vancomycin</i> | 9 | VRAYLAR..... | 33 |
| <i>trimethoprim</i> | 9 | <i>vandazole</i> | 81 | VUMERITY | 34 |
| <i>tri-mili</i> | 87 | VAQTA (PF)..... | 73, 74 | <i>vyfemla (28)</i> | 87 |
| <i>trimipramine</i> | 32 | <i>varenicline tartrate</i> | 52 | <i>vylibra</i> | 88 |
| <i>trinatal rx 1</i> | 101 | VARIVAX (PF) | 74 | W | |
| TRINTELLIX..... | 32 | VARUBI..... | 67 | <i>warfarin</i> | 41 |
| <i>tri-sprintec (28)</i> | 87 | VAXCHORA VACCINE.... | 74 | <i>water for irrigation, sterile</i> ...52 | |
| TRIUMEQ..... | 4 | VAXELIS (PF)..... | 74 | WELIREG | 14 |
| <i>tri-vitamin with fluoride</i> | 101 | VAXNEUVANCE (PF) | 74 | <i>wera (28)</i> | 88 |
| <i>trivora (28)</i> | 87 | VCF CONTRACEPTIVE | | <i>westab plus</i> | 101 |
| <i>tri-vylibra</i> | 87 | FILM | 81 | WIDE-SEAL DIAPHRAGM | |
| <i>tri-vylibra lo</i> | 87 | VCF CONTRACEPTIVE GEL | | | 78 |
| <i>tropicamide</i> | 89 | | 81 | <i>wixela inhub</i> | 98 |

| | | | | | |
|------------------------|--------|--------------------------|----|-------------------------------|----|
| <i>wymzya fe</i> | 88 | XYWAV..... | 33 | ZEPOSIA STARTER PACK | |
| X | | Y | | (7-DAY) | 21 |
| XALKORI..... | 14, 15 | YF-VAX (PF)..... | 74 | ZERVIATE..... | 90 |
| XARELTO | 41 | YONSA | 15 | <i>zidovudine</i> | 4 |
| XARELTO DVT-PE TREAT | | YORVIPATH..... | 60 | ZILBRYSQ..... | 21 |
| 30D START | 41 | <i>yuvafem</i> | 80 | <i>zileuton</i> | 98 |
| XCOPRI | 18 | Z | | <i>ziprasidone hcl</i> | 33 |
| XCOPRI MAINTENANCE | | <i>zafemy</i> | 81 | ZIRGAN | 89 |
| PACK | 18 | <i>zafirlukast</i> | 98 | ZOKINVY | 52 |
| XCOPRI TITRATION PACK | | <i>zaleplon</i> | 33 | ZOLINZA | 15 |
| | 18 | <i>zarah</i> | 88 | <i>zolmitriptan</i> | 20 |
| XELJANZ | 77 | ZAVZPRET..... | 20 | <i>zolpidem</i> | 33 |
| XELJANZ XR..... | 77 | ZELBORAF | 15 | <i>zonisamide</i> | 18 |
| XIFAXAN..... | 7 | <i>zenatane</i> | 47 | ZONTIVITY | 41 |
| XOLREMDI..... | 69 | ZENPEP | 67 | <i>zovia 1-35 (28)</i> | 88 |
| XOSPATA | 15 | ZEPATIER | 4 | <i>zumandimine (28)</i> | 88 |
| XTANDI..... | 15 | ZEPOSIA..... | 21 | ZYKADIA | 15 |
| <i>xulane</i> | 81 | ZEPOSIA STARTER KIT (28- | | ZYLET | 91 |
| XULTOPHY 100/3.6 | 58 | DAY)..... | 21 | ZYMFENTRA..... | 67 |
| XYREM | 33 | | | | |