

## MEDICAL POLICY – 2.04.123

# Serum Biomarker Panel Testing for Systemic Lupus Erythematosus and Other Connective Tissue Diseases

BCBSA Ref. Policy: 2.04.123

Effective Date: Sept. 1, 2024

Last Revised: Aug. 12, 2024


Replaces: N/A

### RELATED MEDICAL POLICIES:

2.04.119 Multibiomarker Disease Activity Blood Test for Rheumatoid Arthritis

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [CODING](#) | [RELATED INFORMATION](#)  
[EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

## Introduction

Connective tissue holds the body together as it surrounds and supports other tissues and organs. Tendons, ligaments, skin, blood vessels, and cartilage are examples of connective tissue. Connective tissue is also found in many organs such as the heart and lungs. Connective tissue is made up of two main proteins, elastin and collagen. If the connective tissue becomes inflamed, the inflammation can damage the elastin and collagen and it can affect the body parts they are associated with. There are many different connective tissue diseases, and their symptoms can overlap. Tests that look at several different substances in the blood at one time have been developed to try to identify specific connective tissue disorders. These tests are unproven. More studies are needed to see if they bring more health benefits than the standard ways of diagnosing these disorders.

**Note:** The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

## Policy Coverage Criteria

Testing	Investigational
<b>Serum biomarker panel testing</b>	<b>Serum biomarker panel testing with proprietary algorithms and/or index scores for the diagnosis of systemic lupus erythematosus and other connective tissue diseases is considered investigational.</b>

## Coding

Code	Description
<b>CPT</b>	
0062U	Autoimmune (systemic lupus erythematosus), IgG and IgM analysis of 80 biomarkers, utilizing serum, algorithm reported with a risk score (SLE-key Rule Out)
0312U	Autoimmune diseases (e.g., systemic lupus erythematosus [SLE]), analysis of 8 IgG autoantibodies and 2 cell-bound complement activation products using enzyme-linked immunosorbent immunoassay (ELISA), flow cytometry and indirect immunofluorescence, serum, or plasma and whole blood, individual components reported along with an algorithmic SLE-likelihood assessment (Avisé Lupus)
0446U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 10 cytokine soluble mediator biomarkers by immunoassay, plasma, individual components reported with an algorithmic risk score for current disease activity (new codes effective 4/1/2024)
0447U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 11 cytokine soluble mediator biomarkers by immunoassay, plasma, individual components reported with an algorithmic prognostic risk score for developing a clinical flare (new codes effective 4/1/2024)
81599	Unlisted multianalyte assay with algorithmic analysis
84999	Unlisted chemistry procedure

**Note:** CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

## Related Information



## Serum Biomarker Panel Tests

Tests offered by Exagen Diagnostics laboratory (see [Description](#) and [Regulatory Status](#)) include:

- Advise CTD
- Advise Lupus
- Advise SLE Monitor
- Advise SLE Prognostic

Other tests offered by other laboratories

- SLE-key Rule Out, Veracis, Inc.

## Evidence Review

---

### Description

Systemic lupus erythematosus (SLE) is an autoimmune connective tissue disease (CTD) that can be difficult to diagnose because individuals often present with diverse, nonspecific symptoms that overlap with other CTDs; to further complicate matters, commonly used laboratory tests are not highly accurate. Moreover, similar symptoms may also present themselves in individuals with fibromyalgia. Currently, differential diagnosis depends on a combination of clinical signs and symptoms and individual laboratory tests. More accurate laboratory tests for SLE and other CTDs could facilitate diagnosis of the disease. Laboratory-developed, diagnostic panel tests with proprietary algorithms and/or index scores for the diagnosis of SLE and other autoimmune CTDs have become commercially available.

## Background

### Connective Tissue Diseases

#### Systemic Lupus Erythematosus

SLE is an autoimmune CTD. It is one of several types of lupus, the others being cutaneous and drug-induced. About 90% of lupus patients are women between the ages of 15 and 44 years. SLE causes inflammation and can affect any part of the body, most commonly the skin, heart, joints, lungs, blood vessels, liver, kidneys, and nervous system. Although generally not fatal, SLE can increase mortality, most commonly from cardiovascular disease due to accelerated atherosclerosis. SLE can also lead to kidney failure, which may reduce survival. The survival rate in the United States is approximately 95% at 5 years and 78% at 20 years.<sup>1</sup> The morbidity associated with SLE is substantial. Symptoms such as joint and muscle pain can impact quality of life and functional status. SLE also increases individuals' risk of infection, cancer, avascular necrosis (bone death), and pregnancy complications (e.g., preeclampsia, preterm birth). The course of the disease is variable, and individuals generally experience flares of mild-to-severe illness and remission.

#### Other Connective Tissue Diseases

Several other CTDs may require a differential diagnosis from SLE (e.g., rheumatoid arthritis, thyroid disease, Sjögren syndrome, antiphospholipid syndrome, and polymyositis).

Rheumatoid arthritis is a chronic inflammatory peripheral polyarthritis. Rheumatoid arthritis can lead to deformity through stretching of tendons and ligaments and destruction of joints through erosion of cartilage and bone. Rheumatoid arthritis can also affect the skin, eyes, lungs, heart, and blood vessels.

Graves disease is an autoimmune disorder that leads to overactivity of the thyroid gland. The disease arises from thyroid-stimulating hormone receptor antibodies. It is the most common cause of hyperthyroidism. Blood tests may show raised thyroid-stimulating immunoglobulin antibodies.

Hashimoto disease, also known as chronic lymphocytic thyroiditis, is an autoimmune disorder and is the most common cause of hypothyroidism second to iodine insufficiency. It is characterized by an underactive thyroid gland and gradual thyroid failure. Diagnosis is confirmed with blood tests for thyroid-stimulating hormone (T4) and antithyroid antibodies.

Sjögren syndrome is an autoimmune disorder characterized by dryness of the eyes and mouth due to diminished lacrimal and salivary gland function. Affected individuals may also have symptoms of fatigue, myalgia, and cognitive dysfunction, which may be difficult to distinguish clinically from fibromyalgia or medication side effects. Typical antibodies include antinuclear antibody (ANA), anti-Sjögren-syndrome-related antigen, anti-Sjögren syndrome type B, or rheumatoid factor.

Antiphospholipid syndrome is a systemic autoimmune disorder characterized by venous or arterial thrombosis and/or pregnancy morbidity. Antiphospholipid antibodies are directed against phospholipid-binding proteins.

Polymyositis and dermatomyositis are inflammatory myopathies characterized by muscle weakness and inflammation. Dermatomyositis may also have skin manifestations.

## Summary of Evidence

For individuals with signs and/or symptoms of SLE who receive serum biomarker panel testing, the evidence includes several diagnostic accuracy studies and one prospective evaluation of clinical utility that compared the impact of the test results on physicians' evaluation of individuals with a clinical suspicion for SLE. The relevant outcomes are test accuracy, symptoms, and quality of life. Observational studies have been primarily retrospective in design, not performed in the intended-use population and lacking concurrent, appropriate comparator. Additionally, a randomized controlled trial (RCT) evaluated the influence of test results from Avise and standard diagnosis laboratory testing on rheumatologists' change in physician global assessment for the likelihood of SLE, which is not a health outcome. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals with signs and/or symptoms of CTD (besides SLE) who receive serum biomarker panel testing, more studies are needed. The relevant outcomes are test accuracy, symptoms, and quality of life. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

## Ongoing and Unpublished Clinical Trials

A search of [ClinicalTrials.gov](https://clinicaltrials.gov) in April 2024 did not identify any ongoing or unpublished trials that would likely influence this review.

## Practice Guidelines and Position Statements

The purpose of the following information is to provide reference material. Inclusion does not imply endorsement or alignment with the policy conclusions.

Guidelines or position statements will be considered for inclusion if they were issued by, or jointly by, a US professional society, an international society with US representation, or National Institute for Health and Care Excellence (NICE). Priority will be given to guidelines that are informed by a systematic review, include strength of evidence ratings, and include a description of management of conflict of interest.

No guidelines or statements were identified.

## Medicare National Coverage

There is no national coverage determination.

## Regulatory Status

Clinical laboratories may develop and validate tests in-house and market them as a laboratory service; laboratory-developed tests must meet the general regulatory standards of the Clinical Laboratory Improvement Amendments (CLIA). The Avise tests (Exagen Diagnostics) are available under the auspices of CLIA. Laboratories that offer laboratory-developed tests must be licensed by the CLIA for high-complexity testing. To date, the US Food and Drug Administration has chosen not to require any regulatory review of this test.

## References

---

1. Kasitanon N, Magder LS, Petri M. Predictors of survival in systemic lupus erythematosus. *Medicine (Baltimore)*. May 2006; 85(3): 147-156. PMID 16721257
2. J C-V, Chitkara P, Christianakis S, et al. Finding the best approach to autoimmune connective tissue disease diagnosis (Paid supplement supported by Exagen Diagnostics). *Rheumatology News*. 2014;August:1-8.



3. American College of Rheumatology (ACR). 1997 Update of the 1982 American College of Rheumatology Revised Criteria for Classification of Systemic Lupus Erythematosus. n.d.; <https://www.rheumatology.org/Portals/0/Files/1997%20Update%20of%201982%20Revised.pdf>. Accessed July 11, 2024.
4. Hochberg MC. Updating the American College of Rheumatology revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum.* Sep 1997; 40(9): 1725. PMID 9324032
5. Aringer M, Costenbader K, Daikh D, et al. 2019 European League Against Rheumatism/American College of Rheumatology Classification Criteria for Systemic Lupus Erythematosus. *Arthritis Rheumatol.* Sep 2019; 71(9): 1400-1412. PMID 31385462
6. Guidelines for referral and management of systemic lupus erythematosus in adults. American College of Rheumatology Ad Hoc Committee on Systemic Lupus Erythematosus Guidelines. *Arthritis Rheum.* Sep 1999; 42(9): 1785-96. PMID 10513791
7. Petri M, Orbai AM, Alarcón GS, et al. Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. *Arthritis Rheum.* Aug 2012; 64(8): 2677-86. PMID 22553077
8. Suresh E. Systemic lupus erythematosus: diagnosis for the non-specialist. *Br J Hosp Med (Lond).* Oct 2007; 68(10): 538-41. PMID 17974296
9. Food and Drug Administration. Guidance for Industry: Systemic Lupus Erythematosus - Developing Medical Products for Treatment. June 2010. <https://www.fda.gov/media/71150/download>. Accessed July 11, 2024.
10. McElhone K, Abbott J, Shelmerdine J, et al. Development and validation of a disease-specific health-related quality of life measure, the LupusQoL, for adults with systemic lupus erythematosus. *Arthritis Rheum.* Aug 15 2007; 57(6): 972-9. PMID 17665467
11. Romero-Diaz J, Isenberg D, Ramsey-Goldman R. Measures of adult systemic lupus erythematosus: updated version of British Isles Lupus Assessment Group (BILAG 2004), European Consensus Lupus Activity Measurements (ECLAM), Systemic Lupus Activity Measure, Revised (SLAM-R), Systemic Lupus Activity Questionnaire for Population Studies (SLAQ), Systemic Lupus Erythematosus Disease Activity Index 2000 (SLEDAI-2K), and Systemic Lupus International Collaborating Clinics/American College of Rheumatology Damage Index (SDI). *Arthritis Care Res (Hoboken).* Nov 2011; 63 Suppl 11(0 11): S37-46. PMID 22588757
12. Isenberg DA, Rahman A, Allen E, et al. BILAG 2004. Development and initial validation of an updated version of the British Isles Lupus Assessment Group's disease activity index for patients with systemic lupus erythematosus. *Rheumatology (Oxford).* Jul 2005; 44(7): 902-6. PMID 15814577
13. Gladman DD, Ibañez D, Urowitz MB. Systemic lupus erythematosus disease activity index 2000. *J Rheumatol.* Feb 2002; 29(2): 288-91. PMID 11838846
14. Bae SC, Koh HK, Chang DK, et al. Reliability and validity of systemic lupus activity measure-revised (SLAM-R) for measuring clinical disease activity in systemic lupus erythematosus. *Lupus.* 2001; 10(6): 405-9. PMID 11434575
15. Vitali C, Bencivelli W, Isenberg DA, et al. Disease activity in systemic lupus erythematosus: report of the Consensus Study Group of the European Workshop for Rheumatology Research. II. Identification of the variables indicative of disease activity and their use in the development of an activity score. The European Consensus Study Group for Disease Activity in SLE. *Clin Exp Rheumatol.* 1992; 10(5): 541-7. PMID 1458710



16. Gladman D, Ginzler E, Goldsmith C, et al. The development and initial validation of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology damage index for systemic lupus erythematosus. *Arthritis Rheum.* Mar 1996; 39(3): 363-9. PMID 8607884
17. Kalunian KC, Chatham WW, Massarotti EM, et al. Measurement of cell-bound complement activation products enhances diagnostic performance in systemic lupus erythematosus. *Arthritis Rheum.* Dec 2012; 64(12): 4040-7. PMID 22932861
18. Liu CC, Kao AH, Hawkins DM, et al. Lymphocyte-bound complement activation products as biomarkers for diagnosis of systemic lupus erythematosus. *Clin Transl Sci.* Aug 2009; 2(4): 300-8. PMID 20161444
19. Navratil JS, Manzi S, Kao AH, et al. Platelet C4d is highly specific for systemic lupus erythematosus. *Arthritis Rheum.* Feb 2006; 54(2): 670-4. PMID 16447243
20. Putterman C, Furie R, Ramsey-Goldman R, et al. Cell-bound complement activation products in systemic lupus erythematosus: comparison with anti-double-stranded DNA and standard complement measurements. *Lupus Sci Med.* 2014; 1(1): e000056. PMID 25396070
21. Wallace DJ, Silverman SL, Conklin J, et al. Systemic lupus erythematosus and primary fibromyalgia can be distinguished by testing for cell-bound complement activation products. *Lupus Sci Med.* 2016; 3(1): e000127. PMID 26870391
22. Mossell J, Goldman JA, Barken D, et al. The Avise Lupus Test and Cell-bound Complement Activation Products Aid the Diagnosis of Systemic Lupus Erythematosus. *Open Rheumatol J.* 2016; 10: 71-80. PMID 27867431
23. Liang E, Taylor M, McMahon M. Utility of the AVISE Connective Tissue Disease test in predicting lupus diagnosis and progression. *Lupus Sci Med.* 2020; 7(1): e000345. PMID 32231785
24. O'Malley T, Xie F, Su Y, et al. Complement activation products vs standard ANA testing: Treatment outcomes, diagnosis, and economic impact (CAPSTONE) in systemic lupus erythematosus. *J Manag Care Spec Pharm.* Sep 2022; 28(9): 1021-1032. PMID 35775579
25. Ramsey-Goldman R, Alexander RV, Massarotti EM, et al. Complement Activation in Patients With Probable Systemic Lupus Erythematosus and Ability to Predict Progression to American College of Rheumatology-Classified Systemic Lupus Erythematosus. *Arthritis Rheumatol.* Jan 2020; 72(1): 78-88. PMID 31469249
26. Ramsey-Goldman R, Alexander RV, Conklin J, et al. A Multianalyte Assay Panel With Cell-Bound Complement Activation Products Predicts Transition of Probable Lupus to American College of Rheumatology-Classified Lupus. *ACR Open Rheumatol.* Feb 2021; 3(2): 116-123. PMID 33538130
27. Wallace DJ, Alexander RV, O'Malley T, et al. Randomised prospective trial to assess the clinical utility of multianalyte assay panel with complement activation products for the diagnosis of SLE. *Lupus Sci Med.* 2019; 6(1): e000349. PMID 31592328

## History





Date	Comments
10/13/14	New policy, add to Pathology/Laboratory section. Policy created with literature review through July 23, 2014. Serum biomarker panel tests for systemic lupus erythematosus with proprietary algorithms and/or index scores are considered investigational.
10/13/15	Annual Review. Added the names of the currently available SLE panel tests to the Policy Guidelines section. Policy updated with literature review through June 30, 2015; reference 12, 15 added. Policy statement unchanged. Coding update, informational CPT codes removed: 83520, 86038, 86039, 86146, 86147, 86200, 86225, 86235, 86376, 86800, 88184, 88185 and 88187.
09/01/16	Annual Review, approved August 9, 2016. Policy updated with literature review through April 29, 2016; no references added. Policy statement unchanged.
09/01/17	Annual Review, approved August 22, 2017. Policy updated with literature review through April 25, 2017; references 10 and 15 added. The phrase "and other connective tissue diseases" added to policy statement and title.
09/01/18	Annual Review, approved August 10, 2018. Policy updated with literature review through April 2018; reference 13 added. Policy statement unchanged.
09/01/19	Annual Review, approved August 6, 2019. Policy updated with literature review through April 2019; no references added. Policy statement unchanged. Added CPT code 0062U.
09/01/20	Annual Review, approved August 20, 2020. Policy updated with literature review through May, 2020; references added. Policy statement unchanged.
09/01/21	Annual Review, approved August 3, 2021. Policy updated with literature review through April 27, 2021; reference added. Policy statement unchanged.
04/01/22	Coding update. Added new CPT code 0312U.
08/01/22	Annual Review, approved July 25, 2022. Policy updated with literature review through May 11, 2022; no references added. Policy statement unchanged.
09/01/23	Annual Review, approved August 21, 2023. Policy updated with literature review through April 24, 2023; reference added. Policy statement unchanged. Changed the wording from "patient" to "individual" throughout the policy for standardization.
04/01/24	Coding update. Added new CPT codes 0446U and 0447U.
09/01/24	Annual Review, approved August 12, 2024. Policy updated with literature review through April 18, 2024; no references added. Policy statement unchanged.

**Disclaimer:** This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply.



CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2024 Premera All Rights Reserved.

**Scope:** Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.

