

MEDICAL POLICY - 6.01.46

Dynamic Spinal Visualization and Vertebral Motion Analysis

BCBSA Ref. Policy: 6.01.46

Effective Date: Dec. 1, 2024 Last Revised: Nov. 11, 2024 RELATED MEDICAL POLICIES: 8.03.501 Chiropractic Services

Replaces:

6.01.508

Select a hyperlink below to be directed to that section.

POLICY CRITERIA | CODING | RELATED INFORMATION EVIDENCE REVIEW | REFERENCES | HISTORY

Clicking this icon returns you to the hyperlinks menu above.

Introduction

Dynamic spinal visualization is a way to see how the spine moves as a person bends or twists. It's thought that looking at moving images could help a healthcare professional diagnose the cause of neck or back pain or other problems with the spine. There are several different ways to create moving images as the spine twists or turns. Most techniques use x-ray to create images on film, a video monitor, or computer screen. Several x-rays are taken, assembled in order, and then played to create a moving image. Other technologies use fluoroscopy and magnetic resonance imaging. Because there are not enough medical studies to show how well dynamic spinal visualization works, it's considered unproven.

Note: The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

Policy Coverage Criteria

Service	Investigational		
Dynamic spinal	The following dynamic spinal visualization techniques are		
visualization	considered investigational, including, but not limited to:		
	Digital motion x-ray of the spine		
	Cineradiography/videofluoroscopy		
	Dynamic magnetic resonance imaging		
Vertebral motion analysis	Vertebral motion analysis is considered investigational.		
(e.g., The KineGraph VMA)			

Coding

Code	Description
СРТ	
76120	Cineradiography/videoradiography, except where specifically included
76125	Cineradiography/videoradiography to complement routine examination (list separately in addition to code for primary procedure)
76496	Unlisted fluoroscopic procedure (e.g., diagnostic, interventional)
76499	Unlisted diagnostic radiographic procedure

Note: CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

Related Information

N/A

Evidence Review

Description

Dynamic spinal visualization is a general term addressing different imaging technologies that simultaneously visualize spine (vertebrae) movements and external body movement. Vertebral motion analysis uses similar imaging as dynamic spinal visualization, with the addition of controlled movement and computerized tracking. These technologies have been proposed for the evaluation of spinal disorders including neck and back pain.

Background

Flexion/Extension Radiography

Dynamic spinal visualization and vertebral motion analysis are proposed for individuals who are being evaluated for back or neck pain and are being considered for standard flexion/extension radiographs. Flexion/extension radiographs may be performed with passive external force or by the individual's own movement. Typically, radiographs are taken at the end ranges of flexion and extension and the intervertebral movements (rotation and translation) are measured to assess spinal instability. Flexion/extension radiographs may be used to assess radiographic instability in order to diagnose and determine the most effective treatment (e.g., physical therapy, decompression, or spinal fusion) or to assess the efficacy of spinal fusion).

Dynamic Spinal Visualization

Digital Motion X-Ray

Most spinal visualization technologies use x-rays to create images either on film, video monitor, or computer screen. Digital motion x-ray involves the use of either film x-ray or computer-based x-ray "snapshots" taken in sequence as an individual moves. Film x-rays are digitized into a computer for manipulation, while computer-based x-rays are automatically created in a digital format. Using a computer program, the digitized snapshots are then sequenced and played on a video monitor, creating a moving image of the inside of the body. This moving image can then be evaluated by a physician alone or by using computer software that evaluates several aspects of the body's structure, such as intervertebral flexion and extension, to determine the presence or absence of abnormalities.



Videofluoroscopy and Cineradiography

Videofluoroscopy and cineradiography are different names for the same procedure, which uses fluoroscopy to create real-time video images of internal structures of the body. Unlike standard x-rays, which take a single picture at one point in time, fluoroscopy provides motion pictures of the body. The results of these techniques can be displayed on a video monitor as the procedure is being conducted, as well as recorded, to allow computer analysis or evaluation at a later time. Like digital motion x-ray, the results can be evaluated by a physician alone or with the assistance of computer software.

Dynamic Magnetic Resonance Imaging

Dynamic magnetic resonance imaging (MRI) is also being developed to image the cervical spine. This technique uses an MRI-compatible stepless motorized positioning device and a real-time true fast imaging with steady-state precession sequence to provide passive kinematic imaging of the cervical spine. The quality of the images is lower than a typical MRI sequence but is proposed to be adequate to observe changes in the alignment of vertebral bodies, the width of the spinal canal, and the spinal cord. Higher resolution imaging can be performed at the end positions of flexion and extension.

Vertebral Motion Analysis

Vertebral motion analysis systems like the KineGraph VMA (Vertebral Motion Analyzer) provide assisted bending with fluoroscopic imaging and computerized analysis. The device uses facial recognition software to track vertebral bodies across the images. Proposed benefits of the vertebral motion analysis are a reduction in individual-driven variability in bending and assessment of vertebral movement across the entire series of imaging rather than at the end range of flexion and extension.

Summary of Evidence

For individuals who have back or neck pain who receive dynamic spinal visualization, the evidence includes comparative trials. The relevant outcomes are test accuracy, symptoms, and functional outcomes. Techniques include digital motion x-rays, cineradiography/ videofluoroscopy, or dynamic MRI of the spine and neck. Most available studies compare spine kinetics in individuals with neck or back pain with spine kinetics in healthy controls. In a



feasibility study of 21 individuals examining dynamic MRI for the detection of spondylolithesis, 3 dynamic MRI protocols demonstrated sensitivities of 68.8% to 78.6% when compared to standard flexion-extension radiographs. No evidence was identified on the effect of this technology on symptoms or functional outcomes. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals who have back or neck pain who receive VMA, the evidence includes comparisons to standard flexion/extension radiographs. The relevant outcomes are test accuracy, symptoms, and functional outcomes. These studies reported that VMA reduces variability in measurement of rotational and translational spine movement compared with standard flexion/extension radiographs. Whether the reduction in variability improves diagnostic accuracy or health outcomes is uncertain. The single study that reported on diagnostic accuracy lacked a true criterion standard, limiting interpretation of findings. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Ongoing and Unpublished Clinical Trials

A search of **ClinicalTrials.gov** in August 2024 did not identify any ongoing or unpublished trials that would likely influence this review.

Practice Guidelines and Position Statements

The purpose of the following information is to provide reference material. Inclusion does not imply endorsement or alignment with the evidence review conclusions.

Guidelines or position statements will be considered for inclusion if they were issued by, or jointly by, a United States (US) professional society, an international society with US representation, or National Institute for Health and Care Excellence. Priority will be given to guidelines that are informed by a systematic review, include strength of evidence ratings, and include a description of management of conflict of interest.

No guidelines or statements were identified.

Medicare National Coverage

There is no national coverage determination.

Regulatory Status

In 2012, The KineGraph VMA (Vertebral Motion Analyzer, Ortho Kinematics) was cleared for marketing by the US Food and Drug Administration (FDA) through the 510(k) process (k133875). The system includes a Motion Normalizer for individual positioning, standard fluoroscopic imaging, and automated image recognition software. Processing of scans by Ortho Kinematics is charged separately. **Table 1** lists a sampling of the spinal visualization and motion analysis devices currently cleared by the FDA.

FDA product code: LLZ.

Table 1. Spinal Visualization and Motion Analysis Devices Cleared by the US Food and Drug Administration

Device	Manufacturer	Date Cleared	510(k) No.	Indication
SuRgical Planner (SRP) BrainStorm	Surgical Theater, Inc.	07/17/2020	K201465	For use in spinal visualization and motion analysis for neck and back pain
Bone VCAR (BVCAR)	GE Medical Systems SCS	4/8/2019	K183204	For use in spinal visualization and motion analysis for neck and back pain
mediCAD 4.0	mediCAD Hectec Gmbh	9/7/2018	K170702	For use in spinal visualization and motion analysis for neck and back pain
VirtuOst Vertebral Fracture Assessment	O.N. Diagnostics LLC.	8/3/2018	K171435	For use in spinal visualization and motion analysis for neck and back pain
Surgical Planning Software Version 1.1	Ortho Kinematics Inc.	11/8/2017	K173247	For use in spinal visualization and motion analysis for neck and back pain
VMA System version 3.0	Ortho Kinematics Inc.	8/25/2017	K172327	For use in spinal visualization and motion analysis for neck and back pain
OKI Surgical Planning Software	Ortho Kinematics Inc.	8/22/2017	K171617	For use in spinal visualization and motion analysis for neck and back pain
UNiD Spine Analyzer	MEDICREA INTERNATIONAL	5/24/2017	K170172	For use in spinal visualization and motion analysis for neck and back pain
Dynamika	IMAGE ANALYSIS LIMITED	5/17/2017	K161601	For use in spinal visualization and motion analysis for neck and back pain



Device	Manufacturer	Date	510(k)	Indication
		Cleared	No.	
spineEOS	ONEFIT MEDICAL	4/8/2016	K160407	For use in spinal visualization and motion analysis for neck and back pain
Philips Eleva Workspot with SkyFlow	Philips Medical Systems DMC GmbH	12/22/2015	K153318	For use in spinal visualization and motion analysis for neck and back pain
Centricity Universal Viewer	GE HEALTHCARE	5/26/2015	K150420	For use in spinal visualization and motion analysis for neck and back pain
SPINEDESIGN Spine Surgery Planning (Software Application)	MEDTRONIC SOFAMOR DANEK USA INC.	5/22/2015	K142648	For use in spinal visualization and motion analysis for neck and back pain

References

- 1. Xu N, Wang S, Yuan H, et al. Does Dynamic Supine Magnetic Resonance Imaging Improve the Diagnostic Accuracy of Cervical Spondylotic Myelopathy? A Review of the Current Evidence. World Neurosurg. Apr 2017; 100: 474-479. PMID 28130164
- 2. Teyhen DS, Flynn TW, Childs JD, et al. Arthrokinematics in a subgroup of patients likely to benefit from a lumbar stabilization exercise program. Phys Ther. Mar 2007; 87(3): 313-25. PMID 17311885
- 3. Ahmadi A, Maroufi N, Behtash H, et al. Kinematic analysis of dynamic lumbar motion in patients with lumbar segmental instability using digital videofluoroscopy. Eur Spine J. Nov 2009; 18(11): 1677-85. PMID 19727854
- 4. Walter WR, Alizai H, Bruno M, et al. Real-time dynamic 3-T MRI assessment of spine kinematics: a feasibility study utilizing three different fast pulse sequences. Acta Radiol. Jan 2021; 62(1): 58-66. PMID 32233646
- 5. Hino H, Abumi K, Kanayama M, et al. Dynamic motion analysis of normal and unstable cervical spines using cineradiography. An in vivo study. Spine (Phila Pa 1976). Jan 15 1999; 24(2): 163-8. PMID 9926388
- 6. Takayanagi K, Takahashi K, Yamagata M, et al. Using cineradiography for continuous dynamic-motion analysis of the lumbar spine. Spine (Phila Pa 1976). Sep 01 2001; 26(17): 1858-65. PMID 11568694
- Wong KW, Leong JC, Chan MK, et al. The flexion-extension profile of lumbar spine in 100 healthy volunteers. Spine (Phila Pa 1976). Aug 01 2004; 29(15): 1636-41. PMID 15284509
- 8. Huneidi M, Jankowski PP, Bouyer B, et al. Contribution of MRI and imaging exams in the diagnosis of lumbar pseudarthrosis.

 Orthop Traumatol Surg Res. Jan 19 2024: 103817. PMID 38246489
- Shin JJ, Yoo SJ, Kim TW, et al. Radiological and Clinical Significance of Cervical Dynamic Magnetic Resonance Imaging for Cervical Spondylotic Myelopathy. Neurospine. Jun 2024; 21(2): 443-454. PMID 38955522
- 10. Cheng B, Castellvi AE, Davis RJ, et al. Variability in Flexion Extension Radiographs of the Lumbar Spine: A Comparison of Uncontrolled and Controlled Bending. Int J Spine Surg. 2016; 10: 20. PMID 27441178
- 11. Yeager MS, Cook DJ, Cheng BC. Reliability of computer-assisted lumbar intervertebral measurements using a novel vertebral motion analysis system. Spine J. Feb 01 2014; 14(2): 274-81. PMID 24239805



12. Davis RJ, Lee DC, Wade C, et al. Measurement Performance of a Computer Assisted Vertebral Motion Analysis System. Int J Spine Surg. 2015; 9: 36. PMID 26273554

History

Date	Comments
02/13/07	Add to Radiology Section - New Policy
04/08/08	Replace policy - Policy updated with literature search; no change to the policy statement. References added.
11/10/09	Replace policy - Policy updated with literature search; no change to the policy statement.
11/09/10	Replace policy - Policy updated with literature review; references 7 and 8 have been added, others removed and reordered. The policy statement remains unchanged.
11/10/11	Replace policy – Policy updated with literature review through July 2011; no new references added; policy statement unchanged. ICD-10 codes added.
06/26/12	Related policies updated with the addition of 6.01.513.
09/26/12	Update Related Policy – Add 7.01.126; ICD-10 codes are now effective 10/01/2014.
11/27/12	Replace policy - Policy updated with literature review through July 2012; reference 9 added; policy statement unchanged.
02/01/13	Update Related Policies, add 8.03.501.
06/14/13	Update Related Policies. Remove 6.01.513 as it was archived.
12/04/13	Replace policy. Policy updated with literature review through August 15, 2013.Reference 8 added; others renumbered/removed. Policy statement unchanged.
01/21/14	Update Related Policies. Add 7.01.551.
11/20/14	Annual Review. Policy updated with literature review through July 24, 2014; policy statement unchanged.
11/10/15	Annual Review. Policy updated with literature review through August 11, 2015; no references added. Policy statement unchanged.
08/31/16	Coding Update. Add CPT code 76496.
12/01/16	Annual Review, approved November 8, 2016. Policy updated with literature review through October 7, 2016. Reference 12 added. No change to the policy statement.
06/01/17	Annual Review, approved May 2, 2017. Policy moved into new format. Policy updated with literature review through January 25, 2017; no references added. Policy statement unchanged.



Date	Comments
12/01/17	Interim Review, approved November 14, 2017. Policy statement clarified to now include specific dynamic spinal visualization techniques, Hayes reference added.
12/01/18	Annual Review, approved November 6, 2018. Policy updated with literature review through July 2018; references 7-9 added. Policy title changed from "Dynamic Spinal Visualization" to "Dynamic Spinal Visualization and Vertebral Motion Analysis" Vertebral motion analysis added to policy as investigational.
12/01/19	Annual Review, approved November 6, 2019. Policy updated with literature review through July 2019; no references added. Policy statements unchanged.
01/01/21	Annual Review, approved December 1, 2020. Policy updated with literature review through July 29, 2020; no references added. Policy statements unchanged.
12/01/21	Annual Review, approved November 2, 2021. Policy updated with literature review through July 23, 2021; reference added. Policy statements unchanged.
12/13/21	Corrected the Last Revised date on the policy header.
01/01/23	Annual Review, approved December 12, 2022. Policy updated with literature review through July 30, 2022, no references added. Policy statements unchanged. Changed the wording from "patient" to "individual" throughout the policy for standardization.
12/01/23	Annual Review, approved November 6, 2023. Policy updated with literature review through August 4, 2023; no references added. Policy statements unchanged.
12/01/24	Annual Review, approved November 11, 2024. Policy updated with literature review through August 5, 2024; references added. Policy statements unchanged.

Disclaimer: This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2024 Premera All Rights Reserved.

Scope: Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.

