

MEDICAL POLICY – 1.01.18

Pneumatic Compression Pumps for Treatment of Lymphedema and Venous Ulcers

BCBSA Ref. Policy: 1.01.18

Effective Date: May 1, 2018

Last Revised: April 18, 2018


Replaces: N/A

RELATED MEDICAL POLICIES:

1.01.525 Postsurgical Outpatient Use of Limb Pneumatic Compression Devices for Venous Thromboembolism Prophylaxis

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [DOCUMENTATION REQUIREMENTS](#) | [CODING](#)
[RELATED INFORMATION](#) | [EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

Introduction

Swelling due to too much fluid in the arm or leg is called lymphedema. The usual treatment is raising the arm or leg or wearing an elastic compression garment, which applies gentle pressure to the limb. If the usual treatments don't work, wearing an inflatable garment attached to a pump may be medically necessary. There are basically three kinds of garments and pumps. One type of garment consists of a single chamber and the pump pushes in a pre-set, non-calibrated amount of pressure. Another type of garment contains several chambers, and the pressure is non-calibrated but can be set to a single pressure that is sequentially sent to each of those chambers. The last type of garment and pump contains several chambers, and the pump can be calibrated to send each chamber a different amount of pressure. This policy describes when each of these different types of lymphedema pumps may be medically necessary.

Note: The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

Policy Coverage Criteria

Type of Pump	Medical Necessity
<p>Lymphedema pumps</p> <ul style="list-style-type: none"> • Single compartment <ul style="list-style-type: none"> ○ Nonprogrammable ○ Programmable • Multi-chamber <ul style="list-style-type: none"> ○ Nonprogrammable ○ Programmable 	<p>Single-compartment or multichamber nonprogrammable lymphedema pumps applied to the limb may be considered medically necessary for the treatment of lymphedema that has failed to respond to conservative measures, such as elevation of the limb and use of compression garments.</p> <p>Single-compartment or multichamber programmable lymphedema pumps applied to the limb may be considered medically necessary for the treatment of lymphedema when:</p> <ul style="list-style-type: none"> • The individual is otherwise eligible for nonprogrammable pumps <p>AND</p> <ul style="list-style-type: none"> • There is documentation that the individual has unique characteristics that prevent satisfactory pneumatic compression with single-compartment or multichamber nonprogrammable lymphedema pumps (eg, significant scarring) <p>Single-compartment or multichamber lymphedema pumps applied to the limb are considered investigational in all situations other than those specified above in the first 2 policy statements.</p>

Type of Pump	Investigational
<p>Lymphedema pumps</p> <p>Pneumatic compression pumps</p>	<p>The use of lymphedema pumps to treat the trunk or chest in patients with lymphedema limited to the upper and/or lower limbs is considered investigational.</p> <p>The use of pneumatic compression pumps to treat venous ulcers is considered investigational.</p>



Documentation Requirements

For a nonprogrammable pump, the medical records submitted for review should include:

- Clinical documentation supporting that member has lymphedema which has failed to respond to conservative treatment such as limb elevation and use of compression garments

For a programmable pump, the medical records submitted for review should include:

- Clinical documentation supporting that member has lymphedema which has failed to respond to conservative treatment such as limb elevation and use of compression garments

AND

- Documentation that member has tried the nonprogrammable pump and it was not effective in relieving member's symptoms OR documentation indicating member has unique characteristics that prevent standard nonprogrammable pump from being effective (eg, significant scarring)

Coding

Claims for lymphedema pumps are coded with 2 HCPCS codes:

- One to describe the actual pump
- One to describe the appliance (ie, sleeve) that is put on the affected body part

Note: Pneumatic compression pumps may be used in lymphedema clinics or purchased or rented for home use. This policy addresses the home use of pneumatic compression pumps. For other indications see [Related Policies](#).

The various types of pumps may be identified by HCPCS codes.

Code	Description
HCPCS	
E0650	Pneumatic compressor, nonsegmental home model
E0651	Pneumatic compressor, segmental home model without calibrated gradient pressure
E0652	Pneumatic compressor, segmental home model with calibrated gradient pressure
E0656	Segmental pneumatic appliance for use with pneumatic compressor, trunk



Code	Description
E0657	Segmental pneumatic appliance for use with pneumatic compressor, chest
E0670	Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk

Note: CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

Related Information

Benefit Application

Compliance may be an issue with lymphedema pumps, due to either lack of effectiveness or patient dissatisfaction with the pumping process itself. Therefore, the Company may consider requiring that a pump rented initially for a period of 1 to 2 months before purchase to confirm compliance.

Evidence Review

Description

Pneumatic compression pumps are proposed as a treatment for patients with lymphedema who have failed conservative measures. They are also proposed to supplement standard care for patients with venous ulcers. A variety of pumps are available; they can be single chamber (non-segmented) or multi-chamber (segmented) and have varying designs and complexity.



Background

Lymphedema and Venous Ulcers

Lymphedema is an abnormal accumulation of lymph fluid in subcutaneous tissues or body cavities resulting from obstruction of lymphatic flow. Lymphedema can be subdivided into primary and secondary categories. Primary lymphedema has no recognizable etiology, while secondary lymphedema is related to a variety of causes including surgical removal of lymph nodes, postradiation fibrosis, scarring of lymphatic channels, or congenital anomalies. Conservative therapy is the initial treatment for lymphedema and includes general measures such as limb elevation and exercise as well as use of compression garments and compression bandaging. Another conservative treatment is manual lymphatic drainage, a massage-like technique used to move edema fluid from distal to proximal areas. Manual lymphatic drainage is performed by physical therapists with special training. Complete decongestive therapy is a comprehensive program that includes manual lymphatic drainage in conjunction with a range of other conservative treatments. Rarely, surgery is used as a treatment option.

Venous ulcers, which occur most commonly on the medial distal leg, can develop in patients with chronic venous insufficiency when leg veins become blocked. Standard treatment for venous ulcers includes compression bandages or hosiery supplemented by conservative measures such as leg elevation. Pneumatic compression pumps are proposed as a treatment for venous ulcers, especially for patients who do not respond to these standard therapies.

Treatment

Pneumatic compression pumps consist of pneumatic cuffs connected to a pump. They use compressed air to apply pressure to the affected limb. The intention is to force excess lymph fluid out of the limb and into central body compartments in which lymphatic drainage should be preserved. Many different pneumatic compression pumps are available for treating lymphedema, with varying materials, design, degree of pressure, and complexity. There are 3 primary types of pumps as follows:

- **Single-chamber nonprogrammable pumps:** These are the simplest pumps, consisting of a single chamber that is inflated at the same time to apply uniform pressure.
- **Multichamber nonprogrammable pumps:** These pumps have multiple chambers, ranging from 2 to 12 or more. The chambers are inflated sequentially and have a fixed pressure in



each compartment. They can either have the same pressure in each compartment or a pressure gradient, but they do not include the ability to manually adjust the pressure in individual compartments.

- **Single-chamber or multichamber programmable pumps:** These are similar to the pumps described above except that it is possible to adjust the pressure manually in the individual compartments and/or the length and frequency of the inflation cycles. In some situations, including patients with scarring, contractures, or highly sensitive skin, programmable pumps are generally considered the preferred option.

Pneumatic compression pumps may be used in lymphedema clinics, purchased, or rented for home use; home use is addressed herein.

Summary of Evidence

For individuals who have lymphedema who failed to respond to conservative therapy and who receive pneumatic compression pumps applied only to the limb, the evidence includes randomized controlled trials (RCTs) and systematic reviews of RCTs. Relevant outcomes are symptoms, change in disease status, functional outcomes, and quality of life. Most of the RCTs were rated as moderate-to-high quality by an Agency for Healthcare Research and Quality review, and about half reported significant improvement with pumps compared with conservative care. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have lymphedema who failed to respond to conservative therapy and who receive pneumatic compression pumps applied to trunk and/or chest as well as the limb, the evidence includes 2 RCTs comparing treatment with and without truncal involvement. Relevant outcomes are symptoms, change in disease status, functional outcomes, and quality of life. In 1 RCT, 2 of 4 key outcomes were significantly better with truncal treatment than without. This trial was limited by a small sample size, failure to adjust statistically for multiple primary outcomes, and use of intermediate outcomes (eg, amount of fluid removed) rather than health outcomes (eg, functional status, quality of life). The other RCT did not find statistically significant differences between groups for any of the efficacy outcomes. The available evidence does not demonstrate that pumps treating the trunk or chest provide incremental improvement beyond that provided by pumps treating only the affected limb. The evidence is insufficient to determine the effects of the technology on health outcomes.



For individuals who have venous ulcers who receive pneumatic compression pumps, the evidence includes several RCTs and a systematic review of RCTs. Relevant outcomes are symptoms, change in disease status, morbid events, and quality of life. A meta-analysis of 3 trials found significantly higher healing rates with lymphedema pumps plus continuous compression than with continuous compression alone; however, 2 of the 3 trials were judged to be at high risk of bias. Moreover, the 2 trials comparing lymphedema pumps with continuous compression did not find significant between-group differences in healing rates. The evidence is insufficient to determine the effects of the technology on health outcomes.

Ongoing and Unpublished Clinical Trials

A currently unpublished trial that might influence this review is listed in [Table 1](#).

Table 1. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
Ongoing			
NCT01239160 ^a	Two Pneumatic Compression Devices in the Treatment of Lower Extremity Lymphedema (ACE)	262	Jul 2018

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.

Practice Guidelines and Position Statements

Society for Vascular Surgery and American Venous Forum

The 2014 joint guidelines from the Society for Vascular Surgery and the American Venous Forum on the management of venous ulcers included the following statement on pneumatic compression¹¹:

We suggest use of intermittent pneumatic compression when other compression options are not available, cannot be used, or have failed to aid in venous leg ulcer healing after prolonged compression therapy. [GRADE - 2; LEVEL OF EVIDENCE - C]



International Union of Phlebology

A 2013 consensus statement from the International Union of Phlebology indicated that primary lymphedema could be managed effectively by a sequenced and targeted management program based on a combination of decongestive lymphatic therapy and compression therapy.¹² Treatment should include compression garments, self-massage, skin care, exercises, and if desired, pneumatic compression therapy applied in the home.

Medicare National Coverage

A 2002 national coverage determination for pneumatic compression devices by the Centers for Medicare & Medicaid Services has stated the following¹³:

A. Lymphedema

...Pneumatic compression devices are covered in the home setting for the treatment of lymphedema if the patient has undergone a four-week trial of conservative therapy and the treating physician determines that there has been no significant improvement or if significant symptoms remain after the trial. The trial of conservative therapy must include use of an appropriate compression bandage system or compression garment, exercise, and elevation of the limb. The garment may be prefabricated or custom-fabricated but must provide adequate graduated compression.

B. Chronic Venous Insufficiency With Venous Stasis Ulcers

Chronic venous insufficiency (CVI) of the lower extremities is a condition caused by abnormalities of the venous wall and valves, leading to obstruction or reflux of blood flow in the veins. Signs of CVI include hyperpigmentation, stasis dermatitis, chronic edema, and venous ulcers.

Pneumatic compression devices are covered in the home setting for the treatment of CVI of the lower extremities only if the patient has one or more venous stasis ulcer(s) which have failed to heal after a 6 month trial of conservative therapy directed by the treating physician. The trial of conservative therapy must include a compression



bandage system or compression garment, appropriate dressings for the wound, exercise, and elevation of the limb.

Regulatory Status

Several pneumatic compression pumps, indicated for primary or adjunctive treatment of primary or secondary (eg, post-mastectomy) lymphedema have been cleared for marketing by the U.S. Food and Drug Administration through the 510(k) process. Examples of devices with these indications intended for home or clinic/hospital use include:

- Compression Pump, Model GS-128 (Medmark Technologies)
- The Sequential Circulator® (Bio Compression Systems)
- The Lympha-Press® and Lympha-Press Optimal (Mego Afek)
- The Flexitouch™ system (Tactile Medical, formerly Tactile Systems Technology)
- The PowerPress Unit Sequential Circulator (Neomedic)

Several pneumatic compression devices have been cleared by the Food and Drug Administration for treatment of venous stasis ulcers. Examples of devices for this indication include:

- The Model GS-128
- The Lympha-Press
- The Flexitouch
- The PowerPress Unit
- Nanotherm™ (ThermoTek)
- CTU676 devices (Compression Technologies)
- Recovery+™ (Pulsar Scientific)

FDA product code: JOW.



References

1. Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). Special Report: Comparative Efficacy of Different Types of Pneumatic Compression Pumps for the Treatment of Lymphedema. TEC Assessments 1998;Volume 13:Tab 2.
2. Oremus M, Walker K, Dayes I, et al. Technology Assessment: Diagnosis and Treatment of Secondary Lymphedema (Project ID: LYMT0908). Rockville, MD: Agency for Healthcare Research and Quality; 2010.
3. Oremus M, Dayes I, Walker K, et al. Systematic review: conservative treatments for secondary lymphedema. *BMC Cancer*. Jan 4 2012;12:6. PMID 22216837
4. Shao Y, Qi K, Zhou QH, et al. Intermittent pneumatic compression pump for breast cancer-related lymphedema: a systematic review and meta-analysis of randomized controlled trials. *Oncol Res Treat*. Apr 2014;37(4):170-174. PMID 24732640
5. Uzkeser H, Karatay S, Erdemci B, et al. Efficacy of manual lymphatic drainage and intermittent pneumatic compression pump use in the treatment of lymphedema after mastectomy: a randomized controlled trial. *Breast Cancer*. May 2015;22(3):300-307. PMID 23925581
6. Fife CE, Davey S, Maus EA, et al. A randomized controlled trial comparing two types of pneumatic compression for breast cancer-related lymphedema treatment in the home. *Support Care Cancer*. May 2 2012;20(12):3279-3286. PMID 22549506
7. Ridner SH, Murphy B, Deng J, et al. A randomized clinical trial comparing advanced pneumatic truncal, chest, and arm treatment to arm treatment only in self-care of arm lymphedema. *Breast Cancer Res Treat*. Jan 2012;131(1):147-158. PMID 21960113
8. Nelson EA, Hillman A, Thomas K. Intermittent pneumatic compression for treating venous leg ulcers. *Cochrane Database Syst Rev*. May 12 2014;5(5):CD001899. PMID 24820100
9. Dolibog P, Franek A, Taradaj J, et al. A comparative clinical study on five types of compression therapy in patients with venous leg ulcers. *Int J Med Sci*. Jan 2014;11(1):34-43. PMID 24396284
10. Dolibog P, Franek A, Taradaj J, et al. A randomized, controlled clinical pilot study comparing three types of compression therapy to treat venous leg ulcers in patients with superficial and/or segmental deep venous reflux. *Ostomy Wound Manage*. Aug 2013;59(8):22-30. PMID 23934375
11. O'Donnell TF, Jr., Passman MA, Marston WA, et al. Management of venous leg ulcers: clinical practice guidelines of the Society for Vascular Surgery (R) and the American Venous Forum. *J Vasc Surg*. Aug 2014;60(2 Suppl):3s-59s. PMID 24974070
12. Lee BB, Andrade M, Antignani PL, et al. Diagnosis and treatment of primary lymphedema. Consensus document of the International Union of Phlebology (IUP)-2013. *Int Angiol*. Dec 2013;32(6):541-574. PMID 24212289
13. Centers for Medicare and Medicaid Services. National Coverage Determination (NCD) for Pneumatic Compression Devices (280.6). 2002; <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=225&ncdver=1&NCAId=50&NcaName=Lymphedema+Pumps&CoverageSelection=National&Keyword=lymphedema+pumps&KeywordLookup=Title&KeywordSearchType=And&clickon=search&bc=gAAABAAEAA&> Accessed April 2018.

History



Date	Comments
09/01/98	Add to Durable Medical Equipment Section - New medical policy.
04/04/00	Replace Policy - Scheduled review; no criteria changes
10/08/02	Replace Policy - Policy reviewed without literature review; new review date only.
08/12/03	Replace Policy - Policy reviewed; Medicare language added; no criteria changes.
05/26/06	Update Scope and Disclaimer - No other changes.
04/10/07	Replace Policy - Policy updated with literature review; no change in policy statement. Codes updated.
05/13/08	Replace Policy - Policy updated with literature search; no change in policy statement. Rationale and References updated; status changed from AR to BC.
01/13/09	Replace Policy - Policy updated with literature search; no change to the policy statement. References added; codes added (E0656 and E0657, effective 1/1/09).
09/14/10	Replace Policy - Policy updated with literature review through May 2010; references 2-8 added. Title changed to "Pneumatic Compression Pumps for Lymphedema" (previously entitled, "Lymphedema Pumps.") "Non-programmable" has been added to the first policy statement and "elastic garments" has been changed to "compression garments". Programmable pumps have been changed to medically necessary if criteria are met; a new policy statement has been added that two-phase multi-chamber pumps are investigational.
05/10/11	Replace Policy - Policy reviewed with literature search on pneumatic compression pumps for treating truncal areas. No change in policy statements. Reference 2 has been added; others renumbered. Coding of pumps clarified.
08/24/12	Update Coding Section – ICD-10 codes are now effective 10/01/14.
12/11/12	Replace Policy. Policy reviewed with literature search through August 2012. Title changed to Pneumatic Compression Pumps for Treatment of Lymphedema and Venous Ulcers. Statement on two-phase pumps deleted. Clarification added to first policy statement (when other conservative measures, have been tried but have failed to improve the patient's condition. Statement added that use of lymphedema pumps to treat the trunk or chest in patients with lymphedema limited to the upper and/or lower limbs is considered investigational. The use of lymphedema pumps to treat venous ulcers is considered investigational. References 1, 4, 8-10 and 13 added; other references renumbered or removed. HCPCS code E0665 and ICD-10 codes added.
01/10/13	Coding update. HCPCS code E0670, effective 1/1/13, added to policy.
03/15/13	Update Related Policies. Add 1.01.525.
12/09/13	Replace policy. The words "Applied to the limb" added to the first 3 policy statements for clarification. In the statement on venous ulcers, "lymphedema pumps" changed to "pneumatic compression pumps". Policy reviewed with literature search through



Date	Comments
	August 16, 2013. References 7 and 11 added; other references renumbered/removed. Policy statements revised as noted. HCPCS codes E0655 – E0673 removed from policy (minus E0656, E0657 & E0670); these address the sleeves and the policy addresses the pumps only.
01/30/14	Update Related Policies. Change title to 2.01.82.
02/13/14	Update Related Policies. Change title to 1.01.525.
05/19/14	Update Related policies. Remove 2.02.17 as it was archived.
11/20/14	Annual Review. Added Benefit Application statement that The Company may require rental before purchase to ensure compliance with use of the device. Policy reviewed with literature review through July 25, 2014. References 4 and 11-13 added; others renumbered/removed. Policy statements unchanged. HCPCS codes E0650, E0651, E0655, E0665-E0669, E0671-E0673 removed; these relate to another policy.
11/10/15	Annual Review. Policy updated with literature review through August 10, 2015; references 5 and 11 added. Policy statements unchanged.
02/01/16	Coding update. Added E650 and E0651.
08/01/16	Annual Review, approved July 12, 2016. Policy updated with literature review. No change in policy statement.
03/24/17	Policy moved into new format; no change to policy statements.
06/01/17	Annual Review, approved May 2, 2017. Policy updated with literature review through January 25, 2017; reference 11 added. Policy statements unchanged.
04/01/18	Updated Related Policies; removed 2.01.82 as it has been archived.
05/01/18	Annual Review, approved April 18, 2018. Policy updated with literature review through January 2018; no references added. Policy statements unchanged.

Disclaimer: This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2018 Premera All Rights Reserved.

Scope: Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.



Discrimination is Against the Law

Premera Blue Cross complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Premera does not exclude people or treat them differently because of race, color, national origin, age, disability or sex.

Premera:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact the Civil Rights Coordinator.

If you believe that Premera has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Civil Rights Coordinator - Complaints and Appeals
PO Box 91102, Seattle, WA 98111
Toll free 855-332-4535, Fax 425-918-5592, TTY 800-842-5357
Email AppealsDepartmentInquiries@Premera.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services
200 Independence Avenue SW, Room 509F, HHH Building
Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD)
Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Getting Help in Other Languages

This Notice has Important Information. This notice may have important information about your application or coverage through Premera Blue Cross. There may be key dates in this notice. You may need to take action by certain deadlines to keep your health coverage or help with costs. You have the right to get this information and help in your language at no cost. Call 800-722-1471 (TTY: 800-842-5357).

አማርኛ (Amharic):

ይህ ማስታወቂያ አስፈላጊ መረጃ ይዟል። ይህ ማስታወቂያ ስለ ማመልከቻዎ ወይም የ Premera Blue Cross ሽፋን አስፈላጊ መረጃ ሊኖረው ይችላል። በዚህ ማስታወቂያ ውስጥ ቁልፍ ቀዳሾች ሊኖሩ ይችላሉ። የጤና ሽፋንዎን ለመጠበቅና በአስፋፈል እርዳታ ለማግኘት በተውሰኑ የጊዜ ገደቦች እርምጃ መውሰድ ይገባዎት ይሆናል። ይህን መረጃ እንዲያገኙ እና የለምንም ክፍያ በቋንቋዎ እርዳታ እንዲያገኙ መሰታ አለዎት። በስልክ ቁጥር 800-722-1471 (TTY: 800-842-5357) ይደውሉ።

العربية (Arabic):

يحتوي هذا الإشعار على معلومات هامة. قد يحتوي هذا الإشعار على معلومات مهمة بخصوص طلبك أو التغطية التي تزيد الحصول عليها من خلال Premera Blue Cross. قد تكون هناك تواريخ مهمة في هذا الإشعار. وقد تحتاج لاتخاذ إجراء في تاريخ معينه للحفاظ على تغطيتك الصحية أو المساعدة في دفع التكاليف. يحق لك الحصول على هذه المعلومات والمساعدة بلغتك دون تكبد أية تكلفة. اتصل بـ 800-722-1471 (TTY: 800-842-5357)

中文 (Chinese):

本通知有重要的訊息。本通知可能有關於您透過 Premera Blue Cross 提交的申請或保險的重要訊息。本通知內可能有重要日期。您可能需要在截止日期之前採取行動，以保留您的健康保險或者費用補貼。您有權利免費以您的母語得到本訊息和幫助。請撥電話 800-722-1471 (TTY: 800-842-5357)。

Oromoo (Cushite):

Beeksisni kun odeeffannoo barbaachisaa qaba. Beeksisti kun sagantaa yookan karaa Premera Blue Cross tiin tajaajila keessan ilaalchisee odeeffannoo barbaachisaa qabaachuu danda'a. Guyyaawwan murteessaa ta'an beeksisa kana keessatti ilaalaa. Tarii kaffaltiidhaan deeggaramuuf yookan tajaajila fayyaa keessaniif guyyaa dhumaa irratti wanti raawwattan jiraachuu danda'a. Kaffaltii irraa bilisa haala ta'een afaan keessaniin odeeffannoo argachuu fi deeggarsa argachuuf mirga ni qabaattu. Lakkoofsa bilbilaa 800-722-1471 (TTY: 800-842-5357) tii bilbilaa.

Français (French):

Cet avis a d'importantes informations. Cet avis peut avoir d'importantes informations sur votre demande ou la couverture par l'intermédiaire de Premera Blue Cross. Le présent avis peut contenir des dates clés. Vous devez peut-être prendre des mesures par certains délais pour maintenir votre couverture de santé ou d'aide avec les coûts. Vous avez le droit d'obtenir cette information et de l'aide dans votre langue à aucun coût. Appelez le 800-722-1471 (TTY: 800-842-5357).

Kreyòl ayisyen (Creole):

Avi sila a gen Enfòmasyon Enpòtan ladann. Avi sila a kapab genyen enfòmasyon enpòtan konsènan aplikasyon w lan oswa konsènan kouvèti asirans lan atravè Premera Blue Cross. Kapab genyen dat ki enpòtan nan avi sila a. Ou ka gen pou pran kèk aksyon avan sèten dat limit pou ka kenbe kouvèti asirans sante w la oswa pou yo ka ede w avèk depans yo. Se dwa w pou resewva enfòmasyon sa a ak asistans nan lang ou pale a, san ou pa gen pou peye pou sa. Rele nan 800-722-1471 (TTY: 800-842-5357).

Deutsche (German):

Diese Benachrichtigung enthält wichtige Informationen. Diese Benachrichtigung enthält unter Umständen wichtige Informationen bezüglich Ihres Antrags auf Krankenversicherungsschutz durch Premera Blue Cross. Suchen Sie nach eventuellen wichtigen Terminen in dieser Benachrichtigung. Sie könnten bis zu bestimmten Stichtagen handeln müssen, um Ihren Krankenversicherungsschutz oder Hilfe mit den Kosten zu behalten. Sie haben das Recht, kostenlose Hilfe und Informationen in Ihrer Sprache zu erhalten. Rufen Sie an unter 800-722-1471 (TTY: 800-842-5357).

Hmoob (Hmong):

Tsawb ntawv tshaj xo no muaj cov ntshiab lus tseem ceeb. Tej zaum tsawb ntawv tshaj xo no muaj cov ntshiab lus tseem ceeb txog koj daim ntawv thov kev pab los yog koj qhov kev pab cuam hnuv ntawm Premera Blue Cross. Tej zaum muaj cov hnuv tseem ceeb uas sau rau hauv daim ntawv no. Tej zaum koj kuj yuav tau ua qee yam uas pab kom koj ua tsis pub dhau cov caij nyoog uas teev tseg rau hauv daim ntawv no mas koj thiaj yuav tau txais kev pab cuam kho mob los yog kev pab them tej nqi kho mob ntawd. Koj muaj cai kom lawv muab cov ntshiab lus no uas tau muab sau ua koj hom lus pub dawb rau koj. Hu rau 800-722-1471 (TTY: 800-842-5357).

Iloko (Ilocano):

Daytoy a Pakdaar ket naglaon iti Napateg nga Impormasion. Daytoy a pakdaar mabalin nga adda ket naglaon iti napateg nga impormasion maipanggep iti aplikasyonyo wenna coverage babaen iti Premera Blue Cross. Daytoy ket mabalin dagiti importante a petsa iti daytoy a pakdaar. Mabalin nga adda rumbeng nga aramidenyo nga addang sakbay dagiti partikular a naituding nga aldaw tapno mapagtalinaedyo ti coverage ti salun-ato wenna tulong kadagiti gastos. Adda karbenganyo a mangala iti daytoy nga impormasion ken tulong iti bukodyo a pagsasao nga awan ti bayadanyo. Tumawag iti numero nga 800-722-1471 (TTY: 800-842-5357).

Italiano (Italian):

Questo avviso contiene informazioni importanti. Questo avviso può contenere informazioni importanti sulla tua domanda o copertura attraverso Premera Blue Cross. Potrebbero esserci date chiave in questo avviso. Potrebbe essere necessario un tuo intervento entro una scadenza determinata per consentirti di mantenere la tua copertura o sovvenzione. Hai il diritto di ottenere queste informazioni e assistenza nella tua lingua gratuitamente. Chiama 800-722-1471 (TTY: 800-842-5357).

日本語 (Japanese):

この通知には重要な情報が含まれています。この通知には、Premera Blue Cross の申請または補償範囲に関する重要な情報が含まれている場合があります。この通知に記載されている可能性がある重要な日付をご確認ください。健康保険や有料サポートを維持するには、特定の期日までに行動を取らなければならない場合があります。ご希望の言語による情報とサポートが無料で提供されます。800-722-1471 (TTY: 800-842-5357)までお電話ください。

한국어 (Korean):

본 통지서에는 중요한 정보가 들어 있습니다. 즉 이 통지서는 귀하의 신청에 관하여 그리고 Premera Blue Cross 를 통한 커버리지에 관한 정보를 포함하고 있을 수 있습니다. 본 통지서에는 핵심이 되는 날짜들이 있을 수 있습니다. 귀하의 귀하의 건강 커버리지를 계속 유지하거나 비용을 절감하기 위해서 일정한 마감일까지 조치를 취해야 할 필요가 있을 수 있습니다. 귀하의 이러한 정보와 도움을 귀하의 언어로 비용 부담없이 얻을 수 있는 권리가 있습니다. 800-722-1471 (TTY: 800-842-5357) 로 전화하십시오.

ລາວ (Lao):

ແຈ້ງການນີ້ມີຂໍ້ມູນສໍາຄັນ. ແຈ້ງການນີ້ອາດຈະມີຂໍ້ມູນສໍາຄັນກ່ຽວກັບຄໍາຮ້ອງສະໝັກ ຫຼື ຄວາມຄົມຄອງປະກັນໄພຂອງທ່ານຜ່ານ Premera Blue Cross. ອາດຈະມີວັນທີ່ສໍາຄັນໃນແຈ້ງການນີ້. ທ່ານອາດຈະຈຳເປັນຕ້ອງດໍາເນີນການຕາມກຳນົດ ເວລາສະເພາະເພື່ອຮັກສາຄວາມຄົມຄອງປະກັນສະພາບ ຫຼື ຄວາມຊ່ວຍເຫຼືອເວັ້ນເວົ້ອງຄ່າໃຊ້ຈ່າຍຂອງທ່ານໄດ້. ທ່ານມີສິດໄດ້ຮັບຂໍ້ມູນນີ້ ແລະ ຄວາມຊ່ວຍເຫຼືອເປັນພາສາຂອງທ່ານໂດຍບໍ່ເສຍຄ່າ. ໃຫ້ໃບທາ 800-722-1471 (TTY: 800-842-5357).

ភាសាខ្មែរ (Khmer):

សេចក្តីជូនដំណឹងនេះមានព័ត៌មានយ៉ាងសំខាន់។ សេចក្តីជូនដំណឹងនេះប្រហែលជាមានព័ត៌មានយ៉ាងសំខាន់អំពីទម្រង់បែបបទ ឬការរៀបចំរបស់អ្នកតាមរយៈ Premera Blue Cross ។ ប្រហែលជាមាន កាលបរិច្ឆេទសំខាន់នៅក្នុងសេចក្តីជូនដំណឹងនេះ។ អ្នកប្រហែលជាត្រូវការបញ្ជាក់សមត្ថភាព ដល់កិច្ចការផ្ទៃក្នុងដូចជា ធានា ដើម្បីនឹងរក្សាទុកការធានារ៉ាប់រងអនាគតរបស់អ្នក ឬប្រាក់ជំនួយចេញថ្លៃ។ អ្នកមានសិទ្ធិទទួលបានព័ត៌មាននេះ និងជំនួយនៅក្នុងភាសារបស់អ្នកដោយមិនអស់លុយឡើយ។ សូមទូរស័ព្ទ 800-722-1471 (TTY: 800-842-5357)។

ਪੰਜਾਬੀ (Punjabi):

ਇਸ ਨੋਟਿਸ ਵਿਚ ਖਾਸ ਜਾਣਕਾਰੀ ਹੈ. ਇਸ ਨੋਟਿਸ ਵਿਚ Premera Blue Cross ਵਲੋਂ ਤੁਹਾਡੀ ਕਵਰੇਜ ਅਤੇ ਅਰਜੀ ਬਾਰੇ ਮਹੱਤਵਪੂਰਨ ਜਾਣਕਾਰੀ ਹੋ ਸਕਦੀ ਹੈ . ਇਸ ਨੋਟਿਸ ਨਵ ਖਾਸ ਤਾਰੀਖਾਂ ਹੋ ਸਕਦੀਆਂ ਹਨ. ਜੇਕਰ ਤੁਸੀਂ ਜਸਰਤ ਕਵਰੇਜ ਰਿੱਖਣੀ ਹੋਵੇ ਜਾਂ ਓਸ ਦੀ ਲਾਗਤ ਜਵਿੱਚ ਮਦਦ ਦੇ ਇਛੁੱਕ ਹੋ ਤਾਂ ਤੁਹਾਨੂੰ ਅੰਤਮ ਤਾਰੀਖ ਤੋਂ ਪਹਿਲਾਂ ਢੁੱਝ ਖਾਸ ਕਦਮ ਚੁੱਕਣ ਦੀ ਲੋੜ ਹੋ ਸਕਦੀ ਹੈ ,ਤੁਹਾਨੂੰ ਮੁਫਤ ਵਿੱਚ ਤੋਂ ਅਪਣੀ ਭਾਸ਼ਾ ਵਿੱਚ ਜਾਣਕਾਰੀ ਅਤੇ ਮਦਦ ਪ੍ਰਾਪਤ ਕਰਨ ਦਾ ਅਧਿਕਾਰ ਹੈ ,ਕਾਲ 800-722-1471 (TTY: 800-842-5357).

فارسی (Farsi):

این اعلامیه حاوی اطلاعات مهم میباشد. این اعلامیه ممکن است حاوی اطلاعات مهم درباره فرم تقاضا و یا پوشش بیمه ای شما از طریق Premera Blue Cross باشد. به تاریخ های مهم در این اعلامیه توجه نمایید. شما ممکن است برای حفظ پوشش بیمه تان یا کمک در پرداخت هزینه های درمانی تان، به تاریخ های مشخصی برای انجام کارهای خاصی احتیاج داشته باشید. شما حق این را دارید که این اطلاعات و کمک را به زبان خود به طور رایگان دریافت نمایید. برای کسب اطلاعات با شماره 800-722-1471 (کلیران TTY تماس باشماره 800-842-5357) تماس برقرار نمایید.

Polskie (Polish):

To ogłoszenie może zawierać ważne informacje. To ogłoszenie może zawierać ważne informacje odnośnie Państwa wniosku lub zakresu świadczeń poprzez Premera Blue Cross. Prosimy zwrócić uwagę na kluczowe daty, które mogą być zawarte w tym ogłoszeniu aby nie przekroczyć terminów w przypadku utrzymania polisy ubezpieczeniowej lub pomocy związanej z kosztami. Macie Państwo prawo do bezpłatnej informacji we własnym języku. Zadzwońcie pod 800-722-1471 (TTY: 800-842-5357).

Português (Portuguese):

Este aviso contém informações importantes. Este aviso poderá conter informações importantes a respeito de sua aplicação ou cobertura por meio do Premera Blue Cross. Poderão existir datas importantes neste aviso. Talvez seja necessário que você tome providências dentro de determinados prazos para manter sua cobertura de saúde ou ajuda de custos. Você tem o direito de obter esta informação e ajuda em seu idioma e sem custos. Ligue para 800-722-1471 (TTY: 800-842-5357).

Română (Romanian):

Prezenta notificare conține informații importante. Această notificare poate conține informații importante privind cererea sau acoperirea asigurării dumneavoastră de sănătate prin Premera Blue Cross. Pot exista date cheie în această notificare. Este posibil să fie nevoie să acționați până la anumite termene limită pentru a vă menține acoperirea asigurării de sănătate sau asistența provizorie la costuri. Aveți dreptul de a obține gratuit aceste informații și ajutor în limba dumneavoastră. Sunați la 800-722-1471 (TTY: 800-842-5357).

Русский (Russian):

Настоящее уведомление содержит важную информацию. Это уведомление может содержать важную информацию о вашем заявлении или страховом покрытии через Premera Blue Cross. В настоящем уведомлении могут быть указаны ключевые даты. Вам, возможно, потребуется принять меры к определенным предельным срокам для сохранения страхового покрытия или помощи с расходами. Вы имеете право на бесплатное получение этой информации и помощь на вашем языке. Звоните по телефону 800-722-1471 (TTY: 800-842-5357).

Fa'asamoa (Samoan):

Atonu ua iai i lenei fa'asilasilaga ni fa'amatalaga e sili ona taua e tatau ona e malamalama i ai. O lenei fa'asilasilaga o se fesoasoani e fa'amatala atili i ai i le tulaga o le polokalame, Premera Blue Cross, ua e tau fia maua atu i ai. Fa'amolemole, ia e iloilo fa'alelei i aso fa'apitoa olo'o iai i lenei fa'asilasilaga taua. Masalo o le'a iai ni feau e tatau ona e faia ao le'i aulia le aso ua ta'ua i lenei fa'asilasilaga ina ia e iai pea ma maua fesoasoani mai ai i le polokalame a le Malo olo'o e iai i ai. Olo'o iai iate oe le aia tatau e maua atu i lenei fa'asilasilaga ma lenei fa'matalaga i legagana e te malamalama i ai aunoa ma se togiga tupe. Vili atu i le telefoni 800-722-1471 (TTY: 800-842-5357).

Español (Spanish):

Este Aviso contiene información importante. Es posible que este aviso contenga información importante acerca de su solicitud o cobertura a través de Premera Blue Cross. Es posible que haya fechas clave en este aviso. Es posible que deba tomar alguna medida antes de determinadas fechas para mantener su cobertura médica o ayuda con los costos. Usted tiene derecho a recibir esta información y ayuda en su idioma sin costo alguno. Llame al 800-722-1471 (TTY: 800-842-5357).

Tagalog (Tagalog):

Ang Paunawa na ito ay naglalaman ng mahalagang impormasyon. Ang paunawa na ito ay maaaring naglalaman ng mahalagang impormasyon tungkol sa iyong aplikasyon o pagsakop sa pamamagitan ng Premera Blue Cross. Maaaring may mga mahalagang petsa dito sa paunawa. Maaring mangailangan ka na magsagawa ng hakbang sa ilang mga itinakdang panahon upang mapanatili ang iyong pagsakop sa kalusugan o tulong na walang gastos. May karapatan ka na makakuha ng ganiitong impormasyon at tulong sa iyong wika ng walang gastos. Tumawag sa 800-722-1471 (TTY: 800-842-5357).

ไทย (Thai):

ประกาศนี้มีข้อมูลสำคัญ ประกาศนี้อาจมีข้อมูลที่สำคัญเกี่ยวกับกาการสมัครหรือขอบเขตประกันสุขภาพของคุณผ่าน Premera Blue Cross และอาจมีกำหนดการในประกาศนี้ คุณอาจจะต้องดำเนินการภายในกำหนดระยะเวลาที่แน่นอนเพื่อจะรักษาการประกันสุขภาพของคุณหรือการช่วยเหลือที่มีค่าใช้จ่าย คุณมีสิทธิที่จะได้รับข้อมูลและความช่วยเหลือนี้ในภาษาของคุณโดยไม่มีค่าใช้จ่าย โทร 800-722-1471 (TTY: 800-842-5357)

Український (Ukrainian):

Це повідомлення містить важливу інформацію. Це повідомлення може містити важливу інформацію про Ваше звернення щодо страховального покриття через Premera Blue Cross. Зверніть увагу на ключові дати, які можуть бути вказані у цьому повідомленні. Існує імовірність того, що Вам треба буде здійснити певні кроки у конкретні кінцеві строки для того, щоб зберегти Ваше медичне страхування або отримати фінансову допомогу. У Вас є право на отримання цієї інформації та допомоги безкоштовно на Вашій рідній мові. Дзвоніть за номером телефону 800-722-1471 (TTY: 800-842-5357).

Tiếng Việt (Vietnamese):

Thông báo này cung cấp thông tin quan trọng. Thông báo này có thông tin quan trọng về đơn xin tham gia hoặc hợp đồng bảo hiểm của quý vị qua chương trình Premera Blue Cross. Xin xem ngày quan trọng trong thông báo này. Quý vị có thể phải thực hiện theo thông báo đúng trong thời hạn để duy trì bảo hiểm sức khỏe hoặc được trợ giúp thêm về chi phí. Quý vị có quyền được biết thông tin này và được trợ giúp bằng ngôn ngữ của mình miễn phí. Xin gọi số 800-722-1471 (TTY: 800-842-5357).