

## MEDICAL POLICY – 2.04.119

## Multibiomarker Disease Activity Blood Test for Rheumatoid Arthritis

BCBSA Ref. Policy: 2.04.119

Effective Date: Sept. 1, 2018

Last Revised: Aug. 10, 2018

Replaces: N/A


RELATED MEDICAL POLICIES:

None

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [CODING](#) | [RELATED INFORMATION](#)

[EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

---

## Introduction

A biomarker is something in the body that can reflect the presence or activity of a disease. Different diseases may have different biomarkers. A blood test called Vectra DA looks at 12 different biomarkers for rheumatoid arthritis (RA) and combines the results into a single score. This single score can be followed over time in an attempt to show how active the arthritis could be and how it might be responding to therapy. Blood tests that measure many biomarkers to try to assess the RA activity level are investigational (unproven). Current medical studies do not answer whether these multi-biomarker tests are as good as or better than the standard tests.

**Note:** The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

Score	Investigational
<b>Multi-biomarker disease activity score</b>	<b>The use of a multi-biomarker disease activity score for rheumatoid arthritis (eg, Vectra® DA score) is considered investigational in all situations.</b>

## Coding

Code	Description
<b>CPT</b>	
81490	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score

**Note:** CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

## Related Information

N/A

## Evidence Review

### Description

Assessment of disease activity in rheumatoid arthritis is an important component of management, with a goal of treatment being to maintain low disease activity or remission. There are a variety of instruments for measuring rheumatoid arthritis disease activity. The instruments use combinations of physical exam findings, radiologic results, and serum biomarkers to construct a disease activity score. A multibiomarker disease activity instrument is a disease activity measure that is comprised entirely of serum biomarkers. The Vectra DA test is a commercially available multibiomarker disease activity blood test that uses 12 biomarkers to construct a disease activity score ranging from 1 (low disease activity) to 100 (high disease activity).



## Background

### *Rheumatoid Arthritis*

Rheumatoid arthritis (RA) is characterized by chronic joint inflammation leading to painful symptoms, progressive joint destruction, and loss of function. The disorder is relatively common and is associated with a high burden of morbidity for affected patients.

### **Treatment**

Treatment of RA has undergone a shift from symptom management to a more proactive approach of minimizing disease activity and delaying disease progression.<sup>1</sup> The goal of treatment is to reduce the irreversible joint damage that occurs from ongoing joint inflammation and synovitis by keeping disease activity as low as possible. The availability of an increasing number of effective disease-modifying antirheumatic drugs has made the achievement of remission, or sustained low disease activity, a feasible goal for a large proportion of patients with RA. This treatment strategy has been called a “tight control” approach.

The concept of tight control in the management of RA has gained wide acceptance. Evidence from clinical trials has demonstrated that outcomes are improved with a tight control, in which treatment targets are mainly based on measures of disease activity. In a systematic review, Schoels et al (2010) identified 7 studies that evaluated the efficacy of tight control.<sup>2</sup> Four of these trials randomized patients to either tight control using treatment targets or routine management, 2 studies compared different treatment targets, and 1 study compared results from a targeted treatment with historical controls. The treatment targets were heterogeneous, including symptom-based measures, joint scores on the exam, validated treatment activity measures, lab values, or combinations of these factors. In all 4 trials that randomized patients to tight control or routine management, there was a significant decrease in the Disease Activity Score (DAS) or its 28 joint version (DAS28), and in the likelihood of achieving remission for patients in the tight control group.

According to American College of Rheumatology (ACR) guidelines, initial treatment of patients with RA is monotherapy (usually a disease-modifying antirheumatic drug). Treatment may progress to combination therapy if disease activity remains moderate or high despite monotherapy.<sup>3</sup> Combination therapy may consist of additional disease-modifying antirheumatic drugs or the addition of tumor necrosis factors or non-tumor necrosis factors biologics.



## Validated Assessment Tools

For a strategy of tight control to be successful, a reliable and valid measurement of disease activity is necessary. There are numerous disease activity measurements that can be used in clinical care.

Through a 5-stage process that included review by an expert advisory panel in RA disease activity and detailed evaluation of psychometric properties, an ACR working group determined that 6 measures were accurate reflections of disease activity: Clinical Disease Activity Index (CDAI), DAS28, Patient Activity Scale (PAS), Patient Activity Scale II (PAS-II), Routine Assessment of Patient Index Data 3 (RAPID3), and the Simplified Disease Activity Index (SDAI).<sup>4</sup>

Two systematic reviews were published the same year as the ACR’s recommendations, one by Gaujoux-Viala et al (2012)<sup>5</sup> and the other by Salaffi et al (2012),<sup>6</sup> which compared disease activity measures for patients with RA. Results from the systematic reviews were consistent with the ACR working group recommendations, citing the DAS28, SDAI, and CDAI as appropriate disease activity measures for RA.

**Table 1** summarizes the clinical and laboratory measurements included in each of the 6 disease activity measures recommended by ACR. The table also includes the laboratory measures included in the Vectra DA, a multibiomarker disease activity (MBDA) test which currently does not have a recommendation from ACR.

**Table 1. Clinical and Laboratory Components of Rheumatoid Arthritis Disease Activity Measurements**

Recommended by ACR					No ACR Recommendation
DAS28	CDAI and SDAI	PAS	PAS II	RAPID3	Vectra DA
No. of swollen joints out of 28 <sup>a</sup>	No. of swollen joints out of 28 <sup>a</sup>	Patient describes ability to do each of 20 activities <sup>b</sup> as “without any difficulty,” “with some difficulty,”	Patient describes ability to do each of 10 activities <sup>c</sup> as “without any difficulty,”	Patient describes ability to do each of 13 activities <sup>d</sup> as “without any difficulty,”	<ul style="list-style-type: none"> <li>• Interleukin-6</li> <li>• Tumor necrosis factor receptor type I</li> <li>• Vascular cell adhesion molecule 1</li> <li>• Epidermal growth factor</li> <li>• Vascular endothelial growth factor A</li> </ul>



Recommended by ACR					No ACR Recommendation
DAS28	CDAI and SDAI	PAS	PAS II	RAPID3	Vectra DA
		"with much difficulty," or "unable to do"	"with some difficulty," "with much difficulty," or "unable to do"	"with some difficulty," "with much difficulty," or "unable to do"	<ul style="list-style-type: none"> <li>• YKL-40 glycoprotein</li> <li>• MMP-1</li> <li>• MMP-3</li> <li>• C-reactive protein</li> <li>• Serum amyloid A</li> <li>• Leptin</li> <li>• Resistin</li> </ul>
No. of tender joints out of 28 <sup>a</sup>	No. of tender joints out of 28 <sup>a</sup>	Patient indicates need for cane, crutches, walker, wheelchair, or devices to assist with dressing or eating	Patient rates pain on scale of 0 (no pain) to 10 (severe pain)	Patient rates pain on scale of 0 (no pain) to 10 (severe pain)	
ESR (mm/h)	CRP (mg/L) (only in the SDAI, not part of CDAI calculation)	Patient indicates need for assistance in dressing, rising, eating, walking, hygiene, reaching, gripping, or chores	Patient rates how they are doing on scale of 0 (very well) to 10 (very poor)	Patient rates how they are doing on scale of 0 (very well) to 10 (very poor)	
CRP (mg/L)	Patient Global Assessment (0 [very well] to 10 [very poor])	Patient indicates if special devices needed in bathroom or kitchen			
Patient Global Assessment (0 [best] to 100 [worst])	Physician Global Assessment (0 [very well] to 10 [very poor])	Patient rates pain on scale of 0 (no pain) to 10 (severe pain)			
		Patient rates how they are doing on scale of 0 (very well) to 10 (very			



Recommended by ACR					No ACR Recommendation
DAS28	CDAI and SDAI	PAS	PAS II	RAPID3	Vectra DA
		poor)			

Adapted by Anderson et al (2012).<sup>4</sup>

ACR: American College of Rheumatology; CDAI: Clinical Disease Activity Index; CRP: C-reactive protein; DAS28: Disease Activity Score 28; ESR: erythrocyte sedimentation rate; MMP: matrix metalloproteinase; PAS: Patient Activity Scale; RAPID3: Routine Assessment of Patient Index Data 3; SDAI: Simplified Disease Activity Index.

<sup>a</sup> Twenty-eight joints: shoulders, elbows, wrists, metacarpophalangeal joints, proximal interphalangeal joints, and knees.

<sup>b</sup> Dress self; shampoo hair; stand from chair; get in and out of bed; cut meat; bring cup to mouth; open milk carton; walk outdoors on flat ground; climb 5 steps; wash and dry body; take tub bath; get on and off toilet; reach and bring down 5 pound object from above head; bend and pick up clothing from floor; open car door; open new jar; turn faucets on and off; run errands; get in and out of car; do chores (eg, vacuum or yard work).

<sup>c</sup> Stand from chair; walk outdoors on flat ground; get on and off toilet; reach and bring down 5 pound object from above head; open car door; do outside work such as yard work; wait in line for 15 minutes; lift heavy objects; move heavy objects; climb 2 or more flights of stairs.

<sup>d</sup> Dress self; get in and out of bed; bring cup to mouth; walk outdoors on flat ground; wash and dry body; bend and pick up clothing from floor; turn faucets on and off; get in and out of car; walk 2 miles; participate in recreational activities; sleep well; deal with feelings of anxiety or nervousness; deal with feelings of depression or sadness.

## ***Vectra DA test***

The manufacturer describes Vectra DA as a complement to clinical judgment.<sup>7</sup> Although not explicitly stated, it appears that the test may be used as an adjunct to other disease activity measures to potentially identify patients at high risk of progression who would, therefore, benefit from a more aggressive treatment strategy.

The Vectra DA test scores range from 1 to 100. Categories of scores were constructed to correlate with the DAS28-CRP scale<sup>7,8</sup>:

- 45-100: high disease activity
- 30-44: moderate disease activity
- 1-29: low disease activity

## **Summary of Evidence**

For individuals who have rheumatoid arthritis who receive a MBDA (eg, Vectra DA) test as an adjunct or as a replacement of other disease activity measures, the evidence includes analyses of



archived serum samples from RCTs and prospective cohort studies. Relevant outcomes are test validity, other test performance measures, symptoms, change in disease status, functional outcomes, and quality of life. Analyses comparing Vectra DA with other previously validated disease activity measures such as the DAS28 or to radiographic progression, consisted mostly of correlations, with only 1 study providing sensitivity, specificity, and positive and negative predictive values. The positive predictive value from this study was 21%. Other analyses of archived serum samples evaluated the use of Vectra DA to predict treatment response. Results from those analyses were inconsistent. The body of evidence on the Vectra DA test is insufficient to determine whether it is as good as or better than other disease activity measures. Additionally, there is no evidence evaluating Vectra DA as an adjunct to other disease activity measures. The evidence is insufficient to determine the effects of the technology on health outcomes.

## Ongoing and Unpublished Clinical Trials

There is currently an ongoing trial that might influence this review listed in [Table 2](#).

**Table 2. Summary of Key Trials**

NCT No.	Trial Name	Planned Enrollment	Completion Date
<b>Ongoing</b>			
<a href="#">NCT02832297</a> <sup>a</sup>	Prospective Outcomes Study: Vectra® DA Guided Care Compared to Usual Care	318	Aug 2018

NCT: national clinical trial.

<sup>a</sup> Denotes industry-sponsored or cosponsored trial.

## Practice Guidelines and Position Statements

### *American College of Rheumatology*

In its 2015 guidelines on the treatment of rheumatoid arthritis, the American College of Rheumatology endorsed the following measures of disease activity: Patient Activity Scale, Routine Assessment of Patient Index Data 3, Clinical Disease Activity Index, Disease Activity



Score with 28 joints, and Simplified Disease Activity Index.<sup>3</sup> The guidelines indicated that other measures are available to clinicians, but that including the new measures was out of their scope.

### ***European League Against Rheumatism***

The European League Against Rheumatism (2017) updated its guidelines on the management of early arthritis.<sup>23</sup> The League recommended that arthritis activity be assessed at 1- to 3-month intervals to determine target treatment. “Monitoring of disease activity should include tender and swollen joint counts, patient and physician global assessments, erythrocyte sedimentation rate, and C reactive protein, usually by applying a composite measure.” Composite measures recommended include the Disease Activity Score with 28 joints, Clinical Disease Activity Index, and Simplified Disease Activity Index. One item on the research agenda recommended by the League was to evaluate new biomarkers and multibiomarkers for the prognosis and treatment in early arthritis.

### **Medicare National Coverage**

There are no Medicare National Coverage Determinations for the Vectra DA test. In July 2013, Palmetto GBA, the Medicare contractor in California, issued a coverage decision for the Vectra DA test.<sup>24</sup> Because all Vectra DA tests are processed out of the Crescendo Bioscience Laboratory in California, the test will be covered for Medicare patients in the United States.

### **Regulatory Status**

Clinical laboratories may develop and validate tests in-house and market them as a laboratory service; laboratory-developed tests must meet the general regulatory standards of the Clinical Laboratory Improvement Amendments. The Vectra® DA test (Crescendo Bioscience) is available under the auspices of Clinical Laboratory Improvement Amendments. Laboratories that offer laboratory-developed tests must be licensed by Clinical Laboratory Improvement Amendments for high-complexity testing. To date, the U.S. Food and Drug Administration has chosen not to require any regulatory review of this test.

## **References**





1. Upchurch KS, Kay J. Evolution of treatment for rheumatoid arthritis. *Rheumatology (Oxford)*. Dec 2012;51 Suppl 6:vi28-36. PMID 23221584
2. Schoels M, Knevel R, Aletaha D, et al. Evidence for treating rheumatoid arthritis to target: results of a systematic literature search. *Ann Rheum Dis*. Apr 2010;69(4):638-643. PMID 20237123
3. Singh JA, Saag KG, Bridges SL, Jr., et al. 2015 American College of Rheumatology guideline for the treatment of rheumatoid arthritis. *Arthritis Rheumatol*. Jan 2016;68(1):1-26. PMID 26545940
4. Anderson J, Caplan L, Yazdany J, et al. Rheumatoid arthritis disease activity measures: American College of Rheumatology recommendations for use in clinical practice. *Arthritis Care Res (Hoboken)*. May 2012;64(5):640-647. PMID 22473918
5. Gaujoux-Viala C, Mouterde G, Baillet A, et al. Evaluating disease activity in rheumatoid arthritis: which composite index is best? A systematic literature analysis of studies comparing the psychometric properties of the DAS, DAS28, SDAI and CDAI. *Joint Bone Spine*. Mar 2012;79(2):149-155. PMID 21680221
6. Salaffi F, Ciapetti A, Gasparini S, Carotti M, Bombardieri S, New Indices study g. The comparative responsiveness of the patient self-report questionnaires and composite disease indices for assessing rheumatoid arthritis activity in routine care. *Clin Exp Rheumatol*. Nov-Dec 2012;30(6):912-921. PMID 22935335
7. Crescendo Bioscience. Vectra DA Patient Guide: Understanding results. n.d.; <https://vectrada.com/health-care-professionals/understanding-results/?gclid=CMqLnbrTiNQCFQcaaQodcE4JRg>. Accessed August 2018.
8. Centola M, Cavet G, Shen Y, et al. Development of a multi-biomarker disease activity test for rheumatoid arthritis. *PLoS One*. Apr 2013;8(4):e60635. PMID 23585841
9. Bakker MF, Cavet G, Jacobs JW, et al. Performance of a multi-biomarker score measuring rheumatoid arthritis disease activity in the CAMERA tight control study. *Ann Rheum Dis*. Oct 2012;71(10):1692-1697. PMID 22596166
10. Markuske IM, Dirven L, van den Broek M, et al. A multibiomarker disease activity score for rheumatoid arthritis predicts radiographic joint damage in the BeSt study. *J Rheumatol*. Nov 2014;41(11):2114-2119. PMID 25128518
11. Hambardzumyan K, Bolce R, Saevarsdottir S, et al. Pretreatment multi-biomarker disease activity score and radiographic progression in early RA: results from the SWEFOT trial. *Ann Rheum Dis*. Jun 2015;74(6):1102-1109. PMID 24812287
12. Hambardzumyan K, Bolce RJ, Saevarsdottir S, et al. Association of a multibiomarker disease activity score at multiple time-points with radiographic progression in rheumatoid arthritis: results from the SWEFOT trial. *RMD Open*. Mar 2016;2(1):e000197. PMID 26958364
13. Fleischmann R, Connolly SE, Maldonado MA, Schiff M. Brief Report: Estimating disease activity using Multi-Biomarker Disease Activity Scores in rheumatoid arthritis patients treated with abatacept or adalimumab. *Arthritis Rheumatol*. Sep 2016;68(9):2083-2089. PMID 27111089
14. Hirata S, Li W, Kubo S, et al. Association of the multi-biomarker disease activity score with joint destruction in patients with rheumatoid arthritis receiving tumor necrosis factor-alpha inhibitor treatment in clinical practice. *Mod Rheumatol*. Mar 30 2016;1-7. PMID 26873570
15. Bouman CAM, van der Maas A, van Herwaarden N, Sasso EH, van den Hoogen FHJ, den Broeder AA. A multi-biomarker score measuring disease activity in rheumatoid arthritis patients tapering adalimumab or etanercept: predictive value for clinical and radiographic outcomes. *Rheumatology (Oxford)*. Jun 1 2017;56(6):973-980. PMID 28339738
16. Hambardzumyan K, Saevarsdottir S, Forslind K, et al. A Multi-Biomarker Disease Activity Score and the choice of second-line therapy in early rheumatoid arthritis after methotrexate failure. *Arthritis Rheumatol*. May 2017;69(5):953-963. PMID 27992691
17. van der Helm-van Mil AH, Knevel R, Cavet G, Huizinga TW, Haney DJ. An evaluation of molecular and clinical remission in rheumatoid arthritis by assessing radiographic progression. *Rheumatology (Oxford)*. May 2013;52(5):839-846. PMID 23287359



18. Li W, Sasso EH, van der Helm-van Mil AH, Huizinga TW. Relationship of multi-biomarker disease activity score and other risk factors with radiographic progression in an observational study of patients with rheumatoid arthritis. *Rheumatology (Oxford)*. Feb 2016;55(2):357-366. PMID 26385370
19. Krabbe S, Bolce R, Brahe CH, et al. Investigation of a multi-biomarker disease activity score in rheumatoid arthritis by comparison with magnetic resonance imaging, computed tomography, ultrasonography, and radiography parameters of inflammation and damage. *Scand J Rheumatol*. Sep 2017;46(5):353-358. PMID 27682742
20. Simon RM, Paik S, Hayes DF. Use of archived specimens in evaluation of prognostic and predictive biomarkers. *J Natl Cancer Inst*. Nov 4 2009;101(21):1446-1452. PMID 19815849
21. Hirata S, Dirven L, Shen Y, et al. A multi-biomarker score measures rheumatoid arthritis disease activity in the BeSt study. *Rheumatology (Oxford)*. Jul 2013;52(7):1202-1207. PMID 23392591
22. Hirata S, Li W, Defranoux N, et al. A multi-biomarker disease activity score tracks clinical response consistently in patients with rheumatoid arthritis treated with different anti-tumor necrosis factor therapies: A retrospective observational study. *Mod Rheumatol*. May 2015;25(3):344-349. PMID 25295918
23. Combe B, Landewe R, Daien CI, et al. 2016 update of the EULAR recommendations for the management of early arthritis. *Ann Rheum Dis*. Jun 2017;76(6):948-959. PMID 27979873
24. Palmetto GBA. Vectra DA Coding and Billing Guidelines (M00031, V10). Available at: .  
<https://www.palmettogba.com/palmetto/moldx.nsf/DocsCat/MoIDx~9A7MAT0617> Accessed August 2018.

## History

Date	Comments
05/12/14	New Policy. New policy created with literature review through March 6, 2014. The Vectra DA test for measuring disease activity in rheumatoid arthritis is investigational.
07/23/14	Update Related Policies. Remove 12.04.91.
06/17/15	Annual Review. Policy updated with literature review through March 22, 2015. References 9 and 11-12 added. No change to policy statement.
01/19/16	Coding update. New CPT code 81490, effective 1/1/16, added to policy.
09/01/16	Annual Review, approved August 9, 2016. Policy updated with literature review through April 26, 2016; references 12-15 added. Policy statement unchanged. Removed codes 83520 and 86140.
09/01/17	Annual Review, approved August 1, 2017. Policy moved into new format. Policy updated with literature review through April 25, 2017; references 16, 18, 20, and 23-24 added. Policy statement unchanged. Removed unlisted CPT code 84999.
09/01/18	Annual Review, approved August 10, 2018. Policy updated with literature review through April 2018; references 15-16, 19, and 23-24 added. Policy statement unchanged. Title changed from "Vectra® DA Blood Test for Rheumatoid Arthritis" to "Multibiomarker Disease Activity Blood Test for Rheumatoid Arthritis."



**Disclaimer:** This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2018 Premera All Rights Reserved.

**Scope:** Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.



**Discrimination is Against the Law**

Premera Blue Cross complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Premera does not exclude people or treat them differently because of race, color, national origin, age, disability or sex.

Premera:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact the Civil Rights Coordinator.

If you believe that Premera has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Civil Rights Coordinator - Complaints and Appeals  
PO Box 91102, Seattle, WA 98111  
Toll free 855-332-4535, Fax 425-918-5592, TTY 800-842-5357  
Email AppealsDepartmentInquiries@Premera.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services  
200 Independence Avenue SW, Room 509F, HHH Building  
Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD)  
Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**Getting Help in Other Languages**

**This Notice has Important Information.** This notice may have important information about your application or coverage through Premera Blue Cross. There may be key dates in this notice. You may need to take action by certain deadlines to keep your health coverage or help with costs. You have the right to get this information and help in your language at no cost. Call 800-722-1471 (TTY: 800-842-5357).

**አማርኛ (Amharic):**

ይህ ማስታወቂያ አስፈላጊ መረጃ ይዟል። ይህ ማስታወቂያ ስለ ማመልከቻዎ ወይም የ Premera Blue Cross ሽፋን አስፈላጊ መረጃ ሊኖረው ይችላል። በዚህ ማስታወቂያ ውስጥ ቁልፍ ቀናት ሊኖሩ ይችላሉ። የጤና ሽፋንዎን ለማመልከት በአስፈላጊ እርዳታ ለማግኘት በተውሰኑ የጊዜ ገደቦች እርምጃ መውሰድ ይገባዎት ይሆናል። ይህን መረጃ እንዲያገኙ እና የለምንም ክፍያ በቋንቋዎ እርዳታ እንዲያገኙ መሰታወቅ አለዎት። በስልክ ቁጥር 800-722-1471 (TTY: 800-842-5357) ይደውሉ።

**العربية (Arabic):**

يحتوي هذا الإشعار على معلومات هامة. قد يحتوي هذا الإشعار على معلومات مهمة بخصوص طلبك أو التخطيط التي تزيد الحصول عليها من خلال Premera Blue Cross. قد تكون هناك تواريخ مهمة في هذا الإشعار. وقد تحتاج لاتخاذ إجراء في تاريخ معينة للحفاظ على تغطيتك الصحية أو للمساعدة في دفع التكاليف. يحق لك الحصول على هذه المعلومات والمساعدة بلغتك دون تكبد أية تكلفة. اتصل بـ 800-722-1471 (TTY: 800-842-5357)

**中文 (Chinese):**

**本通知有重要的訊息。**本通知可能有關於您透過 Premera Blue Cross 提交的申請或保險的重要訊息。本通知內可能有重要日期。您可能需要在截止日期之前採取行動，以保留您的健康保險或者費用補貼。您有權利免費以您的母語得到本訊息和幫助。請撥電話 800-722-1471 (TTY: 800-842-5357)。

**Oromoo (Cushite):**

**Beeksisni kun odeeffannoo barbaachisaa qaba.** Beeksisni kun sagantaa yookan karaa Premera Blue Cross tiin tajaajila keessan ilaalchisee odeeffannoo barbaachisaa qabaachuu danda'a. Guyyaawwan murteessaa ta'an beeksisa kana keessatti ilaalaa. Tarii kaffaltiidhaan deeggaramuuf yookan tajaajila fayyaa keessaniif guyyaa dhumaa irratti wanti raawwattan jiraachuu danda'a. Kaffaltii irraa bilisa haala ta'een afaan keessaniin odeeffannoo argachuu fi deeggarsa argachuuf mirga ni qabaattu. Lakkoofsa bilbilaa 800-722-1471 (TTY: 800-842-5357) tii bilbilaa.

**Français (French):**

**Cet avis a d'importantes informations.** Cet avis peut avoir d'importantes informations sur votre demande ou la couverture par l'intermédiaire de Premera Blue Cross. Le présent avis peut contenir des dates clés. Vous devez peut-être prendre des mesures par certains délais pour maintenir votre couverture de santé ou d'aide avec les coûts. Vous avez le droit d'obtenir cette information et de l'aide dans votre langue à aucun coût. Appelez le 800-722-1471 (TTY: 800-842-5357).

**Kreyòl ayisyen (Creole):**

**Avi sila a gen Enfòmasyon Enpòtan ladann.** Avi sila a kapab genyen enfòmasyon enpòtan konsènan aplikasyon w lan oswa konsènan kouvèti asirans lan atravè Premera Blue Cross. Kapab genyen dat ki enpòtan nan avi sila a. Ou ka gen pou pran kèk aksyon avan sèten dat limit pou ka kenbe kouvèti asirans sante w la oswa pou yo ka ede w avèk depans yo. Se dwa w pou resewva enfòmasyon sa a ak asistans nan lang ou pale a, san ou pa gen pou peye pou sa. Rele nan 800-722-1471 (TTY: 800-842-5357).

**Deutsche (German):**

**Diese Benachrichtigung enthält wichtige Informationen.** Diese Benachrichtigung enthält unter Umständen wichtige Informationen bezüglich Ihres Antrags auf Krankenversicherungsschutz durch Premera Blue Cross. Suchen Sie nach eventuellen wichtigen Terminen in dieser Benachrichtigung. Sie könnten bis zu bestimmten Stichtagen handeln müssen, um Ihren Krankenversicherungsschutz oder Hilfe mit den Kosten zu behalten. Sie haben das Recht, kostenlose Hilfe und Informationen in Ihrer Sprache zu erhalten. Rufen Sie an unter 800-722-1471 (TTY: 800-842-5357).

**Hmoob (Hmong):**

**Tsab ntawv tshaj xo no muaj cov ntshiab lus tseem ceeb.** Tej zaum tsab ntawv tshaj xo no muaj cov ntshiab lus tseem ceeb txog koj daim ntawv thov kev pab los yog koj qhov kev pab cuam hnu ntawm Premera Blue Cross. Tej zaum muaj cov hnu tseem ceeb uas sau rau hauv daim ntawv no. Tej zaum koj kuj yuav tau ua qee yam uas peb kom koj ua tsis pub dhau cov caij nyuog uas teev tseg rau hauv daim ntawv no mas koj thiaj yuav tau txais kev pab cuam kho mob los yog kev pab them tej nqi kho mob ntawd. Koj muaj cai kom lawv muab cov ntshiab lus no uas tau muab sau ua koj hom lus pub dawb rau koj. Hu rau 800-722-1471 (TTY: 800-842-5357).

**Iloko (Ilocano):**

**Daytoy a Pakdaar ket naglaon iti Napateg nga Impormasion.** Daytoy a pakdaar mabalin nga adda ket naglaon iti napateg nga impormasion maipanggep iti aplikasyonyo wenna coverage babaen iti Premera Blue Cross. Daytoy ket mabalin dagiti importante a petsa iti daytoy a pakdaar. Mabalin nga adda rumbeng nga aramidenyo nga addang sakbay dagiti partikular a naituding nga aldaw tapno mapagtalinaedyo ti coverage ti salun-atyto wenna tulong kadagiti gastos. Adda karbenganyo a mangala iti daytoy nga impormasion ken tulong iti bukodyo a pagsasao nga awan ti bayadanyo. Tumawag iti numero nga 800-722-1471 (TTY: 800-842-5357).

**Italiano (Italian):**

**Questo avviso contiene informazioni importanti.** Questo avviso può contenere informazioni importanti sulla tua domanda o copertura attraverso Premera Blue Cross. Potrebbero esserci date chiave in questo avviso. Potrebbe essere necessario un tuo intervento entro una scadenza determinata per consentirti di mantenere la tua copertura o sovvenzione. Hai il diritto di ottenere queste informazioni e assistenza nella tua lingua gratuitamente. Chiama 800-722-1471 (TTY: 800-842-5357).

**日本語 (Japanese):**

この通知には重要な情報が含まれています。この通知には、Premera Blue Cross の申請または補償範囲に関する重要な情報が含まれている場合があります。この通知に記載されている可能性がある重要な日付をご確認ください。健康保険や有料サポートを維持するには、特定の期日までに行動を取らなければならない場合があります。ご希望の言語による情報とサポートが無料で提供されます。800-722-1471 (TTY: 800-842-5357)までお電話ください。

**한국어 (Korean):**

본 통지서에는 중요한 정보가 들어 있습니다. 즉 이 통지서는 귀하의 신청에 관하여 그리고 Premera Blue Cross 를 통한 커버리지에 관한 정보를 포함하고 있을 수 있습니다. 본 통지서에는 핵심이 되는 날짜들이 있을 수 있습니다. 귀하의 건강 커버리지를 계속 유지하거나 비용을 절감하기 위해서 일정한 마감일까지 조치를 취해야 할 필요가 있을 수 있습니다. 귀하의 이러한 정보와 도움을 귀하의 언어로 비용 부담없이 얻을 수 있는 권리가 있습니다. 800-722-1471 (TTY: 800-842-5357) 로 전화하십시오.

**ລາວ (Lao):**

ແຈ້ງການນີ້ມີຂໍ້ມູນສໍາຄັນ. ແຈ້ງການນີ້ອາດຈະມີຂໍ້ມູນສໍາຄັນກ່ຽວກັບຄໍາຮ້ອງສະໝັກ ຫຼື ຄວາມຄົມຄອງປະກັນໄພຂອງທ່ານຜ່ານ Premera Blue Cross. ອາດຈະມີວັນທີ່ສໍາຄັນໃນແຈ້ງການນີ້. ທ່ານອາດຈະຈໍາເປັນຕ້ອງດໍາເນີນການຕາມກຳນົດ ເວລາສະເພາະເພື່ອຮັກສາຄວາມຄົມຄອງປະກັນສະພາບ ຫຼື ຄວາມຊ່ວຍເຫຼືອເວັ້ນເວີ້ ຄ່າໃຊ້ຈ່າຍຂອງທ່ານໄດ້. ທ່ານມີສິດໄດ້ຮັບຂໍ້ມູນນີ້ ແລະ ຄວາມຊ່ວຍເຫຼືອເປັນພາສາຂອງທ່ານໂດຍບໍ່ເສຍຄ່າ. ໃຫ້ໃບທາ 800-722-1471 (TTY: 800-842-5357).

**ភាសាខ្មែរ (Khmer):**

សេចក្តីជូនដំណឹងនេះមានព័ត៌មានយ៉ាងសំខាន់។ សេចក្តីជូនដំណឹងនេះប្រហែលជាមានព័ត៌មានយ៉ាងសំខាន់អំពីទម្រង់បែបបទ ឬការរៀបចំរបស់អ្នកកាមរយ: Premera Blue Cross ។ ប្រហែលជាមាន កាលបរិច្ឆេទសំខាន់នៅក្នុងសេចក្តីជូនដំណឹងនេះ។ អ្នកប្រហែលជាត្រូវការបញ្ជាក់សមត្ថភាព ដល់កិច្ចការផ្ទៃក្នុងរបស់នានា ដើម្បីនឹងរក្សាទុកការធានារ៉ាប់រងអនាគតរបស់អ្នក ឬប្រាក់ដុល្លារចេញផ្លូវ។ អ្នកមានសិទ្ធិទទួលបានព័ត៌មាននេះ និងដុល្លារនៅក្នុងភាសារបស់អ្នកដោយមិនអស់លុយឡើយ។ សូមទូរស័ព្ទ 800-722-1471 (TTY: 800-842-5357)។

**ਪੰਜਾਬੀ (Punjabi):**

ਇਸ ਨੋਟਿਸ ਵਿਚ ਖਾਸ ਜਾਣਕਾਰੀ ਹੈ. ਇਸ ਨੋਟਿਸ ਵਿਚ Premera Blue Cross ਵਲੋਂ ਤੁਹਾਡੀ ਕਵਰੇਜ ਅਤੇ ਅਰਜੀ ਬਾਰੇ ਮਹੱਤਵਪੂਰਨ ਜਾਣਕਾਰੀ ਹੋ ਸਕਦੀ ਹੈ . ਇਸ ਨੋਟਿਸ ਨਵ ਖਾਸ ਤਾਰੀਖਾਂ ਹੋ ਸਕਦੀਆਂ ਹਨ. ਜੇਕਰ ਤੁਸੀਂ ਜਸਰਤ ਕਵਰੇਜ ਰਿੱਖਣੀ ਹੋਵੇ ਜਾਂ ਓਸ ਦੀ ਲਾਗਤ ਜਵਿੱਚ ਮਦਦ ਦੇ ਇਕੱਠ ਹੋ ਤਾਂ ਤੁਹਾਨੂੰ ਅੰਤਮ ਤਾਰੀਖ ਤੋਂ ਪਹਿਲਾਂ ਢੁੱਝ ਖਾਸ ਕਰਮ ਚੁੱਕਣ ਦੀ ਲੋੜ ਹੋ ਸਕਦੀ ਹੈ ,ਤੁਹਾਨੂੰ ਮੁਫਤ ਵਿੱਚ ਤੋਂ ਅਪਣੀ ਭਾਸ਼ਾ ਵਿੱਚ ਜਾਣਕਾਰੀ ਅਤੇ ਮਦਦ ਪ੍ਰਾਪਤ ਕਰਨ ਦਾ ਅਧਿਕਾਰ ਹੈ ,ਕਾਲ 800-722-1471 (TTY: 800-842-5357).

**فارسی (Farsi):**

این اعلامیه حاوی اطلاعات مهم میباشد. این اعلامیه ممکن است حاوی اطلاعات مهم درباره فرم تقاضا و یا پوشش بیمه ای شما از طریق Premera Blue Cross باشد. به تاریخ های مهم در این اعلامیه توجه نمایید. شما ممکن است برای حفظ پوشش بیمه تان یا کمک در پرداخت هزینه های درمانی تان، به تاریخ های مشخصی برای انجام کارهای خاصی احتیاج داشته باشید. شما حق این را دارید که این اطلاعات و کمک را به زبان خود به طور رایگان دریافت نمایید. برای کسب اطلاعات با شماره 800-722-1471 (کلیر بران TTY تماس باشماره 800-842-5357) تماس برقرار نمایید.

**Polskie (Polish):**

To ogłoszenie może zawierać ważne informacje. To ogłoszenie może zawierać ważne informacje odnośnie Państwa wniosku lub zakresu świadczeń poprzez Premera Blue Cross. Prosimy zwrócić uwagę na kluczowe daty, które mogą być zawarte w tym ogłoszeniu aby nie przekroczyć terminów w przypadku utrzymania polisy ubezpieczeniowej lub pomocy związanej z kosztami. Macie Państwo prawo do bezpłatnej informacji we własnym języku. Zadzwońcie pod 800-722-1471 (TTY: 800-842-5357).

**Português (Portuguese):**

Este aviso contém informações importantes. Este aviso poderá conter informações importantes a respeito de sua aplicação ou cobertura por meio do Premera Blue Cross. Poderão existir datas importantes neste aviso. Talvez seja necessário que você tome providências dentro de determinados prazos para manter sua cobertura de saúde ou ajuda de custos. Você tem o direito de obter esta informação e ajuda em seu idioma e sem custos. Ligue para 800-722-1471 (TTY: 800-842-5357).

**Română (Romanian):**

Prezenta notificare conține informații importante. Această notificare poate conține informații importante privind cererea sau acoperirea asigurării dumneavoastră de sănătate prin Premera Blue Cross. Pot exista date cheie în această notificare. Este posibil să fie nevoie să acționați până la anumite termene limită pentru a vă menține acoperirea asigurării de sănătate sau asistența provizorie la costuri. Aveți dreptul de a obține gratuit aceste informații și ajutor în limba dumneavoastră. Sunați la 800-722-1471 (TTY: 800-842-5357).

**Русский (Russian):**

Настоящее уведомление содержит важную информацию. Это уведомление может содержать важную информацию о вашем заявлении или страховом покрытии через Premera Blue Cross. В настоящем уведомлении могут быть указаны ключевые даты. Вам, возможно, потребуется принять меры к определенным предельным срокам для сохранения страхового покрытия или помощи с расходами. Вы имеете право на бесплатное получение этой информации и помощь на вашем языке. Звоните по телефону 800-722-1471 (TTY: 800-842-5357).

**Fa'asamoa (Samoan):**

Atonu ua iai i lenei fa'asilasilaga ni fa'amatalaga e sili ona taua e tatau ona e malamalama i ai. O lenei fa'asilasilaga o se fesoasoani e fa'amatala atili i ai i le tulaga o le polokalame, Premera Blue Cross, ua e tau fia maua atu i ai. Fa'amolemole, ia e iloilo fa'alelei i aso fa'apitoa olo'o iai i lenei fa'asilasilaga taua. Masalo o le'a iai ni feau e tatau ona e faia ao le'i aulia le aso ua ta'ua i lenei fa'asilasilaga ina ia e iai pea ma maua fesoasoani mai ai i le polokalame a le Malo olo'o e iai i ai. Olo'o iai iate oe le aia tatau e maua atu i lenei fa'asilasilaga ma lenei fa'matalaga i legagana e te malamalama i ai aunoa ma se togiga tupe. Vili atu i le telefoni 800-722-1471 (TTY: 800-842-5357).

**Español (Spanish):**

Este Aviso contiene información importante. Es posible que este aviso contenga información importante acerca de su solicitud o cobertura a través de Premera Blue Cross. Es posible que haya fechas clave en este aviso. Es posible que deba tomar alguna medida antes de determinadas fechas para mantener su cobertura médica o ayuda con los costos. Usted tiene derecho a recibir esta información y ayuda en su idioma sin costo alguno. Llame al 800-722-1471 (TTY: 800-842-5357).

**Tagalog (Tagalog):**

Ang Paunawa na ito ay naglalaman ng mahalagang impormasyon tungkol sa iyong aplikasyon o pagsakop sa pamamagitan ng Premera Blue Cross. Maaaring may mga mahalagang petsa dito sa paunawa. Maaring mangailangan ka na magsagawa ng hakbang sa ilang mga itinakdang panahon upang mapanatili ang iyong pagsakop sa kalusugan o tulong na walang gastos. May karapatan ka na makakuha ng ganiitong impormasyon at tulong sa iyong wika ng walang gastos. Tumawag sa 800-722-1471 (TTY: 800-842-5357).

**ไทย (Thai):**

ประกาศนี้มีข้อมูลสำคัญ ประกาศนี้อาจมีข้อมูลที่สำคัญเกี่ยวกับกาการสมัครหรือขอบเขตประกันสุขภาพของคุณผ่าน Premera Blue Cross และอาจมีกำหนดการในประกาศนี้ คุณอาจจะต้องดำเนินการภายในกำหนดระยะเวลาที่แน่นอนเพื่อจะรักษาการประกันสุขภาพของคุณหรือการช่วยเหลือที่มีค่าใช้จ่าย คุณมีสิทธิที่จะได้รับข้อมูลและความช่วยเหลือนี้ในภาษาของคุณโดยไม่มีค่าใช้จ่าย โทร 800-722-1471 (TTY: 800-842-5357)

**Український (Ukrainian):**

Це повідомлення містить важливу інформацію. Це повідомлення може містити важливу інформацію про Ваше звернення щодо страховального покриття через Premera Blue Cross. Зверніть увагу на ключові дати, які можуть бути вказані у цьому повідомленні. Існує імовірність того, що Вам треба буде здійснити певні кроки у конкретні кінцеві строки для того, щоб зберегти Ваше медичне страхування або отримати фінансову допомогу. У Вас є право на отримання цієї інформації та допомоги безкоштовно на Вашій рідній мові. Дзвоніть за номером телефону 800-722-1471 (TTY: 800-842-5357).

**Tiếng Việt (Vietnamese):**

Thông báo này cung cấp thông tin quan trọng. Thông báo này có thông tin quan trọng về đơn xin tham gia hoặc hợp đồng bảo hiểm của quý vị qua chương trình Premera Blue Cross. Xin xem ngày quan trọng trong thông báo này. Quý vị có thể phải thực hiện theo thông báo đúng trong thời hạn để duy trì bảo hiểm sức khỏe hoặc được trợ giúp thêm về chi phí. Quý vị có quyền được biết thông tin này và được trợ giúp bằng ngôn ngữ của mình miễn phí. Xin gọi số 800-722-1471 (TTY: 800-842-5357).