

MEDICAL POLICY - 4.02.06

Uterus Transplantation for Absolute Uterine Factor Infertility

BCBSA Ref. Policy: 4.02.06

Effective Date: Nov. 1, 2023 RELATED MEDICAL POLICIES:

Last Revised: Oct. 9, 2023 No

Replaces: N/A

Select a hyperlink below to be directed to that section.

POLICY CRITERIA | DOCUMENTATION REQUIREMENTS | CODING RELATED INFORMATION | EVIDENCE REVIEW | REFERENCES | HISTORY

Clicking this icon returns you to the hyperlinks menu above.

Introduction

Absolute uterine factor infertility (AUFI) is a condition where a person is not able to get pregnant because there is not a uterus (womb), or the uterus does not function normally. This can happen when the person was born without a uterus, or the uterus did not fully develop. The most common cause of AUFI is the surgical removal of the uterus. For people with AUFI, options for having a child include adoption or someone else carrying and giving birth to the baby. Uterus transplantation has been proposed as a way for people with AUFI to carry and give birth to a child. This is a multi-stage process that involves a donated uterus and transferring a fertilized egg into the uterus before it is transplanted. Uterus transplantation for AUFI is investigational. More studies are needed to see if this type of infertility treatment improves health outcomes.

Note:

The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

Policy Coverage Criteria

Service	Investigational
Uterus transplantation for	Uterus transplantation for absolute uterine factor infertility is
absolute uterine factor	considered investigational.
infertility	

Coding

Code	Description
СРТ	
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor
0665T	Donor hysterectomy (including cold preservation); open, from living donor
0666T	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor
0667T	Recipient uterus allograft transplantation from cadaver or living donor
0668T	Backbench standard preparation of cadaver or living donor uterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary
0669Т	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each
0670Т	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each

Note: CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

Related Information



Benefit Application

If and when uterus transplant might be considered for coverage, more than one benefit or contractual consideration may be applicable: traditional organ transplant benefits and/or assisted reproductive technology services.

Evidence Review

Description

Absolute uterine factor infertility (AUFI) is a condition in which an individual is unable to achieve pregnancy due to an absent or non-functioning uterus. Uterus transplantation may present a childbearing option that is an alternative to existing family planning pathways, including adoption, foster parenting, and gestational carrier pregnancy. Uterus transplantation is a complex, multi-stage process involving a living or deceased donor, recipient, and genetic partner.

Background

Absolute Uterine Factor Infertility

AUFI refers to infertility that is attributable to an absent or non-functional uterus due to congenital, surgical, anatomical, or acquired factors that prevent embryo implantation and term pregnancy. AUFI is estimated to impact 1 in 500 females of childbearing age.^{1,2}

Uterine agenesis or Mayer-Rokitansky-Küster-Hauser (MRKH) syndrome results in the congenital absence of the uterus or presence of a rudimentary solid bipartite uterus. MRKH syndrome accounts for less than 3% of all müllerian malformations with an estimated prevalence of 1 in 4500 females.^{3,4} Individuals with MRKH syndrome type I present with 2 kidneys and are considered ideal candidates for uterine transplantation. Individuals with MRKH syndrome type II presenting with a single kidney have a higher risk of medication-induced nephrotoxicity and associated obstetric complications (e.g., severe preeclampsia).⁵

Hysterectomy is the most common cause of acquired AUFI, with 240,000 procedures taking place in females under age 44 in the United States.⁶ In one clinical trial screening study of 239 individuals at the Cleveland Clinic, indications for uterus transplantation included prior



hysterectomy (64%) and congenital anomalies (32%). Among individuals with prior hysterectomy, 50% were performed for benign indications, 25% for malignancy, and 25% for obstetric complications.⁷

Uterus Transplantation

Uterus transplantation may provide a unique fertility restoration option for individuals desiring to carry and birth a child.⁸ Uterus transplantation is a complex, multi-stage process involving a living or deceased donor, recipient, and genetic partner. Once screening and consent is established for all involved parties, in-vitro fertilization is performed prior to transplantation to ensure fertilization and normal embryo development. The transplantation surgery involves radical hysterectomy in the donor to ensure long vascular pedicles for transplantation;¹⁰ however, several cases of robot-assisted laparoscopic approaches have been reported.^{11,12} An advantage of uterus procurement in a deceased donor involves freedom to transect ureters, but this convenience is balanced by the potential for prolonged uterus ischemic time. 13 The surgical approach in the recipient is dictated by underlying pelvic anatomy which may be impacted by AUFI etiology. For example, in individuals with Asherman syndrome, a traditional total hysterectomy must first be performed in the recipient. Immunosuppression is initiated at the time of transplantation and protocol and for-cause cervical biopsies enable monitoring for organ rejection. 14,15 After 6 to 12 months of immunosuppression, embryo transfer, pregnancy, and cesarean delivery may follow. When childbearing has been deemed complete, the transplanted uterus is removed to avoid lifelong immunosuppression. Thus, uterus transplantation is the first form of organ transplantation intended to be temporary. 1,9

The first human uterus transplant was performed in 2000 in Saudi Arabia with a 46 year old living donor and 26 year old recipient with acquired AUFI due to hysterectomy for prior post-partum hemorrhage. Due to the development of acute vascular thrombosis at 3 months post-transplant, graft hysterectomy was required. The first successful live birth occurred in 2014 in Sweden in a 35 year old recipient with MRKH syndrome via a living, 61 year old, two-parous donor. The recipient was admitted with preeclampsia at 31 weeks, and a healthy male child was born 5 days later via cesarean delivery. The first live birth in the United States occurred in 2017 in a 29 year old recipient with MRKH syndrome via a living, 32 year old, two-parous donor. According to the Organ Procurement and Transplantation Network, 35 uterus transplants have been performed in the United States via 13 deceased and 22 living donors as of March 2022.

Literature has explored the implications of uterus transplantation in transgender women, identifying several theoretical medical issues in genetic males meriting further investigation. These include creation of adequate de novo uterine vascularization, administration of

 ∞

appropriate hormone replacement therapy, and placement of the donor uterus in a nongynecoid pelvis.^{20,21}

Summary of Evidence

For individuals with AUFI who receive uterus transplantation, the evidence includes a systematic review and five case series. Relevant outcomes are health status measures, perinatal outcomes, quality of life, treatment-related morbidity, and treatment-related mortality. Two systematic reviews found similar surgical success rates of 64% for deceased donor procedures and 78% for living donor procedures. These reviews reported 24 to 29 live births, and it was estimated that the overall live birth success rate exceeded 80% among surgically successful transplants. Complications have been reported in 19% of recipients and 18% of living donors. High rates of preterm birth (80%) and episodes of acute respiratory distress syndrome in the newborns have been reported. Data for individuals with acquired AUFI are lacking. Further study is necessary to increase success rates, decrease complications and preterm births, and assess long-term outcomes in recipients and their children. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Ongoing and Unpublished Clinical Trials

Some currently unpublished trials that might influence this review are listed in Table 1.

Table 1. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
Ongoing			
NCT02573415	Uterine Transplantation for the Treatment of Uterine Factor Infertility	10	Oct 2023
NCT03252795	Uterus Transplantation From a Multi-organ Donor: A Prospective Trial	20	Dec 2023
NCT04244409	INvestigational Study Into Transplantation of the Uterus (INSITU)	10	Feb 2024

NCT No.	Trial Name	Planned	Completion
		Enrollment	Date
NCT05089513	Uterus Transplantation by Robotics and in Donor and Recipient (Robot2)	5	Aug 2024
NCT03689842	Feasibility Study of Uterine Transplantation From Living Donors in Terms of Efficacy and Safety in Patients With Mayer-Rokitansky-Küster-Hauser Syndrome (MRKH)	20	Jun 2025
NCT04026893	Deceased Uterine Transplant in Absolute Uterine Infertility	250	Oct 2025
NCT03277430	Uterus Transplantation From Live Donors and From Deceased Donors - Clinical Study (UTxLD/DBD)	20	Dec 2025
NCT03581019	Uterus Transplantation From Deceased Donor - Gothenburg	8	Dec 2025
NCT02656550	Uterine Transplantation and Pregnancy Induction in Women Affected by Absolute Uterine Infertility	20	Jan 2026
NCT03307356	The University of Pennsylvania Uterus Transplant for Uterine Factor Infertility Trial (UNTIL)	5	Jul 2029
NCT05263076	Uterine Transplantation and Pregnancy Induction in Women Affected by Absolute Uterine Factor Infertility	10	Dec 2030
NCT05646992	Uterus Transplantation to Treat Infertility (OPRTUNTI)	40	Feb 2033
NCT05726305	Transplantation of Uterus for Uterine infertiLIty From Living Donor or Deceased Donor (TULIPE)	16	Dec 2037
Unpublished			
NCT02741102	Uterine Transplant in Absolute Uterine Infertility (AUIF)	10	Jan 2023

NCT: national clinical trial

Practice Guidelines and Position Statements

The purpose of the following information is to provide reference material. Inclusion does not imply endorsement or alignment with the policy conclusions.

Guidelines or position statements will be considered for inclusion if they were issued by, or jointly by, a US professional society, an international society with US representation, or National Institute for Health and Care Excellence (NICE). Priority will be given to guidelines that are informed by a systematic review, include strength of evidence ratings, and include a description of management of conflict of interest.

American College of Obstetricians and Gynecologists

In 2018 (reaffirmed 2020), the American College of Obstetricians and Gynecologists Committee on Adolescent Health Care issued a Committee Opinion (Number 728) on the diagnosis, management, and treatment of müllerian agenesis.³² Regarding future fertility options, the opinion states that while live births have resulted from uterine transplantation, "given limited data, this procedure currently is considered experimental and is not widely available."

American Society for Reproductive Medicine

In 2018, the American Society for Reproductive Medicine issued a position statement recognizing uterus transplantation as the first successful medical treatment for absolute uterine factor infertility, emphasizing its experimental nature.³³ The statement recommends that the procedure should be performed within an Institutional Review Board-approved research protocol, with recommendations for the composition of "well-coordinated and multidisciplinary" uterus transplantation teams and suggested recipient inclusion and exclusion criteria.

Medicare National Coverage

There is no national coverage determination.

Regulatory Status

Solid organ transplants are a surgical procedure and, as such, are not subject to regulation by the U.S. Food and Drug Administration (FDA).

The FDA regulates human cells and tissues intended for implantation, transplantation, or infusion through the Center for Biologics Evaluation and Research, under Code of Federal Regulation Title 21, parts 1270 and 1271. Solid organs used for transplantation are subject to these regulations.

Restorative or life-enhancing uterine vascularized composite allograft procurement and transplantation falls under the oversight of the Organ Procurement and Transplantation Network.²²



References

- Brannstrom M, Belfort MA, Ayoubi JM. Uterus transplantation worldwide: clinical activities and outcomes. Curr Opin Organ Transplant. Dec 01 2021; 26(6): 616-626. PMID 34636769
- 2. Hellstrom M, El-Akouri RR, Sihlbom C, et al. Towards the development of a bioengineered uterus: comparison of different protocols for rat uterus decellularization. Acta Biomater. Dec 2014; 10(12): 5034-5042. PMID 25169258
- 3. Grimbizis GF, Camus M, Tarlatzis BC, et al. Clinical implications of uterine malformations and hysteroscopic treatment results. Hum Reprod Update. Mar-Apr 2001; 7(2): 161-74. PMID 11284660
- 4. Folch M, Pigem I, Konje JC. Mullerian agenesis: etiology, diagnosis, and management. Obstet Gynecol Surv. Oct 2000; 55(10): 644-9. PMID 11023205
- 5. Garg AX, Nevis IF, McArthur E, et al. Gestational hypertension and preeclampsia in living kidney donors. N Engl J Med. Jan 08 2015; 372(2): 124-33. PMID 25397608
- 6. Brett KM, Higgins JA. Hysterectomy prevalence by Hispanic ethnicity: evidence from a national survey. Am J Public Health. Feb 2003; 93(2): 307-12. PMID 12554591
- 7. Arian SE, Flyckt RL, Farrell RM, et al. Characterizing women with interest in uterine transplant clinical trials in the United States: who seeks information on this experimental treatment?. Am J Obstet Gynecol. Feb 2017; 216(2): 190-191. PMID 27865979
- 8. Jarvholm S, Enskog A, Hammarling C, et al. Uterus transplantation: joys and frustrations of becoming a 'complete' woman-a qualitative study regarding self-image in the 5-year period after transplantation. Hum Reprod. Aug 01 2020; 35(8): 1855-1863. PMID 32619006
- Malasevskaia I, Al-Awadhi AA. A New Approach for Treatment of Woman With Absolute Uterine Factor Infertility: A Traditional Review of Safety and Efficacy Outcomes in the First 65 Recipients of Uterus Transplantation. Cureus. Jan 18 2021; 13(1): e12772.
 PMID 33614361
- 10. Johannesson L, Diaz-Garcia C, Leonhardt H, et al. Vascular pedicle lengths after hysterectomy: toward future human uterus transplantation. Obstet Gynecol. Jun 2012; 119(6): 1219-25. PMID 22617587
- 11. Wei L, Xue T, Tao KS, et al. Modified human uterus transplantation using ovarian veins for venous drainage: the first report of surgically successful robotic-assisted uterus procurement and follow-up for 12 months. Fertil Steril. Aug 2017; 108(2): 346-356.e1. PMID 28778283
- 12. Ayoubi JM, Carbonnel M, Pirtea P, et al. Laparotomy or minimal invasive surgery in uterus transplantation: a comparison. Fertil Steril. Jul 2019; 112(1): 11-18. PMID 31277761
- 13. Gauthier T, Piver P, Pichon N, et al. Uterus retrieval process from brain dead donors. Fertil Steril. Aug 2014; 102(2): 476-82. PMID 24837613
- 14. Molne J, Broecker V, Ekberg J, et al. Monitoring of Human Uterus Transplantation With Cervical Biopsies: A Provisional Scoring System for Rejection. Am J Transplant. Jun 2017; 17(6): 1628-1636. PMID 27868389
- 15. Balko J, Novackova M, Skapa P, et al. Histopathological examination of the ectocervical biopsy in non-transplanted uteri: A study contributing to the provisional scoring system of subclinical graft rejection after uterus transplantation. Acta Obstet Gynecol Scand. Jan 2022; 101(1): 37-45. PMID 34693986
- 16. Fageeh W, Raffa H, Jabbad H, et al. Transplantation of the human uterus. Int J Gynaecol Obstet. Mar 2002; 76(3): 245-51. PMID 11880127
- 17. Brannstrom M, Johannesson L, Bokstrom H, et al. Livebirth after uterus transplantation. Lancet. Feb 14 2015; 385(9968): 607-616. PMID 25301505

- 18. Testa G, McKenna GJ, Gunby RT, et al. First live birth after uterus transplantation in the United States. Am J Transplant. May 2018: 18(5): 1270-1274. PMID 29575738
- 19. Organ Procurement and Transplantation Network (OPTN). National data: Transplants by Donor Type [GU: Uterus]. March 2022; https://optn.transplant.hrsa.gov/data/view-data-reports/national-data/#. Accessed September 15, 2023.
- 20. Lefkowitz A, Edwards M, Balayla J. Ethical considerations in the era of the uterine transplant: an update of the Montreal Criteria for the Ethical Feasibility of Uterine Transplantation. Fertil Steril. Oct 2013; 100(4): 924-6. PMID 23768985
- 21. Jones BP, Rajamanoharan A, Vali S, et al. Perceptions and Motivations for Uterus Transplant in Transgender Women. JAMA Netw Open. Jan 04 2021; 4(1): e2034561. PMID 33471119
- Organ Procurement and Transplantation Network (OPTN). Vascular composite allograft. n.d.;
 https://optn.transplant.hrsa.gov/professionals/by-organ/vascular-composite-allograft. Accessed September 15, 2023.
- 23. Johannesson L, Testa G, Flyckt R, et al. Guidelines for standardized nomenclature and reporting in uterus transplantation: An opinion from the United States Uterus Transplant Consortium. Am J Transplant. Dec 2020; 20(12): 3319-3325. PMID 32379930
- 24. Escandón JM, Bustos VP, Santamaría E, et al. Evolution and Transformation of Uterine Transplantation: A Systematic Review of Surgical Techniques and Outcomes. J Reconstr Microsurg. Jul 2022; 38(6): 429-440. PMID 34535036
- 25. Brännström M, Tullius SG, Brucker S, et al. Registry of the International Society of Uterus Transplantation: First Report. Transplantation. Jan 01 2023; 107(1): 10-17. PMID 35951434
- 26. Fronek J, Kristek J, Chlupac J, et al. Human Uterus Transplantation from Living and Deceased Donors: The Interim Results of the First 10 Cases of the Czech Trial. J Clin Med. Feb 04 2021; 10(4). PMID 33557282
- 27. Brännström M, Dahm-Kähler P, Kvarnström N, et al. Reproductive, obstetric, and long-term health outcome after uterus transplantation: results of the first clinical trial. Fertil Steril. Sep 2022; 118(3): 576-585. PMID 35697530
- 28. Johannesson L, Testa G, Putman JM, et al. Twelve Live Births After Uterus Transplantation in the Dallas UtErus Transplant Study. Obstet Gynecol. Feb 01 2021; 137(2): 241-249. PMID 33416285
- 29. Putman JM, Zhang L, Gregg AR, et al. Clinical pregnancy rates and experience with in vitro fertilization after uterus transplantation: Dallas Uterus Transplant Study. Am J Obstet Gynecol. Aug 2021; 225(2): 155.e1-155.e11. PMID 33716072
- 30. Johannesson L, Richards E, Reddy V, et al. The First 5 Years of Uterus Transplant in the US: A Report From the United States Uterus Transplant Consortium. JAMA Surg. Sep 01 2022; 157(9): 790-797. PMID 35793102
- 31. Wilson NK, Schulz P, Wall A, et al. Immunosuppression in Uterus Transplantation: Experience From the Dallas Uterus Transplant Study. Transplantation. Mar 01 2023; 107(3): 729-736. PMID 36445981
- 32. Amies Oelschlager AE. ACOG Committee Opinion No. 728: Mullerian Agenesis: Diagnosis, Management, And Treatment. Obstet Gynecol. Jan 2018; 131(1): e35-e42. PMID 29266078
- 33. Allyse M, Amer H, Coutifaris C, et al. American Society for Reproductive Medicine position statement on uterus transplantation: a committee opinion. Fertil Steril. Sep 2018; 110(4): 605-610. PMID 30196945

History

Date	Comments
07/01/22	New policy, approved June 14, 2022. Policy created with literature review through March 14, 2022. Uterus transplantation for absolute uterine factor infertility is considered investigational.



Date	Comments
11/01/23	Annual Review, approved October 9, 2023. Policy updated with literature review through June 16, 2023; reference added. Policy statements unchanged. Changed the wording from "patient" to "individual" throughout the policy for standardization.

Disclaimer: This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2023 Premera All Rights Reserved.

Scope: Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy does not apply to Medicare Advantage.



Discrimination is Against the Law

Premera Blue Cross (Premera) complies with applicable Federal and Washington state civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. Premera does not exclude people or treat them differently because of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. Premera provides free aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats). Premera provides free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages. If you need these services, contact the Civil Rights Coordinator. If you believe that Premera has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation, you can file a grievance with: Civil Rights Coordinator — Complaints and Appeals, PO Box 91102, Seattle, WA 98111, Toll free: 855-332-4535, Fax: 425-918-5592, TTY: 711, Email AppealsDepartmentInquiries@Premera.com. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <a href="https://www.hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/hbs.gov/ocr/portal/h

Washington residents: You can also file a civil rights complaint with the Washington State Office of the Insurance Commissioner, electronically through the Office of the Insurance Commissioner Complaint Portal available at https://www.insurance.wa.gov/file-complaint-or-check-your-complaint-status, or by phone at 800-562-6900, 360-586-0241 (TDD). Complaint forms are available at https://fortress.wa.gov/oic/onlineservices/cc/pub/complaintinformation.aspx.

Alaska residents: Contact the Alaska Division of Insurance via email at insurance@alaska.gov, or by phone at 907-269-7900 or 1-800-INSURAK (in-state, outside Anchorage).

Language Assistance

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 800-722-1471 (TTY: 711).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 800-722-1471 (TTY: 711).

注意:如果您使用繁體中文,您可以免費獲得語言援助服務。請致電 800-722-1471 (TTY:711)。

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 800-722-1471 (TTY: 711).

<u>주의</u>: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 800-722-1471 (TTY: 711) 번으로 전화해 주십시오.

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 800-722-1471 (телетайп: 711).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 800-722-1471 (TTY: 711).

MO LOU SILAFIA: Afai e te tautala Gagana fa'a Sāmoa, o loo iai auaunaga fesoasoan, e fai fua e leai se totogi, mo oe, Telefoni mai: 800-722-1471 (TTY: 711).

ິໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັງຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທຣ 800-722-1471 (TTY: 711).

注意事項:日本語を話される場合、無料の言語支援をご利用いただけます。800-722-1471 (TTY:711) まで、お電話にてご連絡ください。

PAKDAAR: Nu saritaem ti Ilocano, ti serbisyo para ti baddang ti lengguahe nga awanan bayadna, ket sidadaan para kenyam. Awagan ti 800-722-1471 (TTY: 711).

<u>УВАГА!</u> Якщо ви розмовляєте українською мовою, ви можете звернутися до безкоштовної служби мовної підтримки. Телефонуйте за номером 800-722-1471 (телетайп: 711).

<u>ប្រយ័គ្ន</u>៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតឈ្នួល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 800-722-1471 (TTY: 711)។ <u>ማስታወኘ</u>: የሚናንሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጀተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 800-722-1471 (መስጣት ለተሳናቸው: 711).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 800-722-1471 (TTY: 711). ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1471-722-800 (رقم هاتف الصم والبكم: 711).

ਧਿਆਨ ਦਿਓ: ਜੇ ਤਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤਹਾਡੇ ਲਈ ਮਫਤ ਉਪਲਬਧ ਹੈ। 800-722-1471 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

เรียน: ถ้าคณพดภาษาไทยคณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 800-722-1471 (TTY: 711).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 800-722-1471 (TTY: 711).

<u>UWAGA</u>: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 800-722-1471 (TTY: 711).

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 800-722-1471 (TTY: 711).

ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 800-722-1471 (ATS: 711).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 800-722-1471 (TTY: 711).

ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 800-722-1471 (TTY: 711).

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با (TTY: 711) 1471-722-800 تماس بگیرید.